



RAISED

ADAPT.









YOU



Proven® Seed grew up on the Prairies.

We've walked the fields. We know the conditions.
With over two decades of putting research and
development at the forefront, our seed doesn't just
perform in Western Canada, it's designed for it.



Find Your Prairie-Proven Fit at ProvenSeed.ca/RaisedToAdapt





2026 EDITION / seedmb.ca

PUBLISHED BY

SeedWorld Group

200-449 Main St., Box 478, Oakbank, MB R0E 1J0

Phone: 204-453-1965

E-mail: info@seedworldgroup.com

Seed Manitoba is an annual publication of Manitoba Agriculture and the Manitoba Seed Growers' Association

Correspondence may be addressed to: Seed Manitoba Box 1910. Carman. MB ROG 0J0

E-mail: jennifer.seward@seedmanitoba.ca

Reproduction in whole, or in part, is prohibited without written permission from the publisher. The publisher hereby gives a limited permission for the reproduction of the information produced by the MCVET seed trials and set out in this publication only if all information contained in this publication is reproduced without omission, and further provided that such reproduction is not done by way of a publication in any form which also includes paid or other commercial advertising. In addition, the source must be clearly acknowledged.

Seed Manitoba makes no expressed or implied warranties of merchantability or fitness for a particular purpose or otherwise, concerning the use of any product and assumes no liability for any injury or damage, direct or consequential, incurred from the use of such products or services therein. Federal, Provincial, and Municipal laws and regulations supersede the information contained herein.

Return undeliverable Canadian addresses to the Manitoba office: Seed World Group 200-449 Main Street Box 478 Oakbank, MB ROE 1J0

PRINTED IN CANADA

INTERESTED IN ADVERTISING?
Please direct all sales or distribution inquiries to
Dean French at (204) 453-1965 ext. 824 or via email at
dfrench@seedworldgroup.com

Publications Mail Agreement No. 0042518524

ON THE COVER

Fall rye field located at Crandall, MB. Photographed on July 29, by Anne Kirk, Cereals Specialist, Manitoba Agriculture.





02 MESSAGES

04 WELCOME TO SEED MANITOBA 2026

06 ABOVE THE FIELDS: UNDERSTANDING DRONE REGULATIONS IN CROP PROTECTION

08 VARIETY DEVELOPMENT: WHY PUBLIC AND PRIVATE PLANT BREEDING MATTER

10 BEYOND THE SEASON: SOIL FERTILITY MANAGEMENT FOR LONG-TERM SUCCESS

12 2025 TRIAL LOCATIONS MAP

15 CEREAL CROPS

16 BARLEY

24 OATS

28 SPRING WHEAT

33 DURUM WHEAT

35 WINTER WHEAT

38 FALL RYE

42 DISTRIBUTOR CONTACTS

46 GROWERS LIST - BARLEY

46 OATS

50 FALL RYE

50 TRITICALE

50 DURUM

50 SPRING WHEAT -MIDGE TOLERANT

50 SPRING WHEAT

52 WINTER WHEAT

53 OILSEED CROPS

54 CANOLA

62 FLAX

64 SOYBEANS

76 SUNFLOWERS

80 DISTRIBUTOR CONTACTS

83 GROWERS LIST - FLAX

83 SOYBEANS

35 PULSE CROPS

86 FABABEANS

87 FIELD BEANS

90 FIELD PEAS

92 DISTRIBUTOR CONTACTS

94 GROWERS LIST - FIELD BEAN

94 FABABEANS

94 LENTIL

94 FIELD PEAS

94 FORAGE PEAS

95 SPECIAL CROPS

96 GRAIN CORN

104 DISTRIBUTOR CONTACTS

105 GROWERS LIST - BUCKWHEAT

105 INDUSTRIAL HEMP

107 FORAGE CROPS

108 FORAGE ADAPTATION COMPARISON GUIDE

110 SILAGE CORN

112 ANNUAL FORAGES

118 DISTRIBUTOR CONTACTS

120 GROWERS LIST - ALFALFA

120 BROMEGRASS

120 BIRDSFOOT TREFOIL

120 FESCUE

120 LUPIN

120 SAINFOIN

120 TIMOTHY

120 RYEGRASS

120 WHEATGRASS

121 ADDITIONAL RESOURCES

Minister's Message



Manitoba Agriculture is proud to partner with the Manitoba Seed Growers' Association and Seed World Group to produce Seed Manitoba 2026. This guide provides producers with independent, thirdparty data to support variety selection decisions for the upcoming crop year. With crop varieties tested at over 20 locations across Manitoba, Seed Manitoba offers

valuable insights into performance under local conditions, including agronomic details, disease resistance, and quality information for both new and existing varieties.

This guide is made possible through the dedicated and collaborative efforts of the Manitoba Crop Variety Evaluation Team (MCVET), crop research contractors, producers, the seed industry, commodity associations, Agriculture and Agri-Food Canada (AAFC), and staff from Manitoba Agriculture.

Agriculture remains a key industry in Manitoba, significantly contributing to Manitoba's economy. Crop producers play a crucial role in ensuring that agricultural products are among the province's largest exports. Each growing season presents its own challenges, and I would like to acknowledge the hard work of producers and express my gratitude for your unwavering dedication to the agriculture industry.

As you plan for the 2026 season, I wish everyone a successful growing season ahead.



Honourable Ron Kostyshyn Minister of Agriculture

President's Message



The Manitoba Seed Growers' Association is proud to cooperate with numerous industry partners to present the 2026 edition of Seed Manitoba

Seed Manitoba has been, and continues to be, one of the most widely used tools for variety selection by farmers in Manitoba. The success of this publication

results in part from the cooperative efforts of various industry representatives and specialists who make up the Manitoba Crop Variety Evaluation Team (MCVET).

You may notice a new feel and look for Seed Manitoba 2026 from previous editions. After several years of partnership with the Manitoba Co-operator, MCVET has changed publishers. Seed World Group has several years' experience in Canada's seed industry as well as other provincial seed guide publications, and we are excited about the new partnership.

I would be remiss if I didn't mention how grateful the Manitoba Seed Growers' Association is for the excellent partnership we had with the various iterations of the Manitoba Co-operator brand.

It started with a group of dedicated and talented individuals as the Manitoba Pool Elevator's publication the Manitoba Co-operator. Seed Manitoba followed

those same individuals when they launched the Farmers' *Independent Weekly*, and finally we remained a partner when they became Glacier Farm Media and Seed Manitoba was once again released bundled with your Manitoba Co-operator subscription.

As you review the variety trial results within this guide to decide which varieties are right for your operation, remember that your local seed grower can often provide added, regional insight on how new varieties compare, having grown them alongside the established varieties in the years of seed increase leading up to commercial release

The board of the Manitoba Seed Growers' Association is proud to be part of this publication, and it is our wish that as farmers are making important decisions for the 2026 growing season, the resources in this guide will be a critical source of information.

A.J. Armstrong

President

Manitoba Seed Growers' Association





WE'RE GOING TO BE YOUR HE'S SEED OF TO BE YOUR

JUST WATCH US

We're developing the high yielding hybrids and varieties you need across canola, corn, and soybeans. Our DEKALB® seed lineup is stronger and more advanced than ever. We're not holding back. We're working to be your #1 seed.

DEKALB. CHALLENGE THE STATUS QUO.



DEKALB.ca | 1888-283-6847 | @Bayer4CropsCA

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Bayer, Bayer Cross, DEKALB and Design® and DEKALB® are registered trademarks of Bayer group. Used under license. Bayer CropScience Inc. is a member of CropLife Canada. ©2025 Bayer Group. All rights reserved.

Welcome to Seed Manitoba 2026

By Dennis Lange and Sonia Wilson, Seed Manitoba Editors

Welcome to Seed Manitoba 2026, the variety selection and growers' source guide for Manitoba producers, compliments of Manitoba Agriculture, Manitoba Seed Growers' Association, and Seed World Group. Seed Manitoba is a collaborative effort between industry, government, and producers to provide unbiased, local variety information from sites across Manitoba.

This year, the MCVET committee has decided to change publishers and adopt a refreshed, modern look for the publication, which we are excited to share.

Where Does the Data Come From?

Data is from replicated small plot trials grown in many locations throughout Manitoba and compiled over years. The main data collected is yield and protein, with other agronomic information in the "Variety Description" tables compiled from data submitted at the time the variety was registered. Some ratings in the "Variety Description" table, such as disease resistance, can change as pathogens change and reaction to disease races are better understood


Our site contractors worked hard to have sites harvested in time for the data to be approved and published in *Seed Manitoba*. There was some yield and quality data that did not meet our publication deadlines; this data will be available in the Web Exclusive section of our website found at seedmb.ca.

Testing Locations and Site Years

Testing locations are chosen by the Manitoba Crop Variety Evaluation Team (MCVET) to represent the production area of each crop type. Crops with wide adaptation such as barley, fall rye, oat, spring and winter wheat, are planted at all sites. Crops like flax, field peas and lentils are only planted at locations where they are typically grown. Other crops like canola, corn, dry beans, soybeans, faba beans, and sunflowers are coordinated through their crop commodity associations and planted where they deem appropriate.

How Can Seed Manitoba Help with Variety Selection?

Seed Manitoba provides unbiased replicated data, giving producers, seed growers, and seed retailers more insight




into variety performance throughout the province. Yield data is displayed by location to show local performance as well as summarized across locations and years.

Changes to Note

There are a few changes in *Seed Manitoba* 2026 to note: silage corn trials and durum wheat trials were absent in the 2024 growing season but have returned to the seed guide this year. Hemp was not tested in 2023-2025 growing seasons but expected to return in the 2026 season.

Thank you to all of the contributors to *Seed Manitoba*. This publication would not be possible without the sponsors, supporters, site contractors, the Manitoba Crop Variety Evaluation Team (MCVET), and the commodity groups that donate data. The team behind *Seed Manitoba* hopes that you find the information beneficial as you make variety decisions in the coming months.

Any questions or concerns regarding *Seed Manitoba* can be directed to dennis.lange@gov.mb.ca or sonia.wilson@gov.mb.ca. ■



BIOLOGICALS

by

Rooted in Good.



Above The Fields: Understanding Drone Regulations in Crop Protection

DRONES HAVE EMERGED AS A NEW AND EFFICIENT TOOL FOR APPLYING PESTICIDES. THEIR PRECISION AND ADAPTABILITY ARE CHANGING HOW PEST MANAGEMENT IS APPROACHED.

By Pratisara Bajracharya, Pesticides Regulatory & Minor Use Specialist

ffective pest management is a vital component of crop production. On the Prairies, ground spraying equipment and fixed-wing piloted aircraft have traditionally been used to apply pesticides in fields. The fixed-wing piloted aircrafts have also been used for pesticide application in non-crop areas such as mosquito larvicide, industrial sites and forestry applications. In recent years, drone application of pesticides has become increasingly popular.

Drones are remotely piloted aircrafts which were first introduced in agriculture as an agronomic tool. Several names have been used worldwide to refer to drones. Some of the common names used to address drones are Unmanned Aerial Vehicle (UAV), Unmanned Aerial System (UAS), Remotely Piloted Aircraft (RPA), Small Unmanned Aerial System (SUAS), Remotely Operated Aircraft (ROA), Remotely Piloted Aerial Application System (RPAAS), etc.

In Canada, Remotely Piloted Aircraft Systems (RPAS) is the term used to refer to drones. Over time, drones have advanced in scale, capability, and function, making them a versatile tool across various sectors.

Many Asian countries such as China, Japan and South Korea have successfully utilized drones for pesticide application for several years. Drone use in pesticide application in the United States is still relatively new. In Canada, drones were recently introduced as a potential new method of pesticide application and have been gaining popularity.

The growing interest in use of drones for pesticide application has sparked important discussions around the regulatory requirements governing their operation in agriculture and other areas.

In Canada, all pesticides sold or used must be registered with Health Canada's Pest Management Regulatory Agency (PMRA) under the federal Pest Control Products Act (PCPA). The PMRA conducts a rigorous, science-based evaluation of each pesticide, including application methods, to ensure it poses no unacceptable risk to human health or the environment.

Once a pesticide is registered in Canada, it is issued a label that serves as a legal document. This label outlines important information, including the approved application methods, rates of use, wind speed and temperature requirements, and other safety guidelines. Under the Pest Control Products Act (PCPA), deviation from the instructions specified on the label is considered a violation. Therefore, only the application methods explicitly listed on the pesticide label are legally permitted.

As of Oct. 13, 2025, there are a total of five pesticide products for which drone application have been approved. All of those pesticides are approved for drone application in non-crop areas such as mosquito larvicide, right-of-way and industrial site applications. To date, in-crop drone application of pesticides has not been approved for any pesticide product.

All pesticides approved for application by drones must have RPAs mentioned on the pesticide label before they can be deployed in pesticide application. If a pesticide product does not have the RPA method of application mentioned on the label, then a drone cannot be used to apply that pesticide product.

The recent addition of drone application to a limited number of pesticide labels has sparked debate among pesticide users, particularly around whether drones



are fully approved for in-crop use. Some stakeholders have called for a blanket approval that would allow all pesticides to be applied using drones. However, pesticide products and their labels are owned by individual companies, known as registrants.

Any change to a product's approved use, including the addition of drone application, requires the registrant to submit a formal application, supported by scientific data, to the PMRA. The PMRA must then assess whether this new method of application, via drones, continues to meet the agency's rigorous health and environmental safety standards. As a result, a blanket approval for drone use across all pesticides may not currently be feasible.

In addition to federal regulations, commercial pesticide applicators intending to use drones are also subject to provincial legislation. In Manitoba, all commercial applicators (including those intending to apply pesticides by drone) require an aerial drone licence from Manitoba Agriculture. To get the license, you must hold a drone pilot certification from Transport Canada as a pre-requisite. The drone pilot certification allows individuals to take the required pesticide certification courses (Pesticide Core and Aerial Drone).

Once an applicant successfully completes all applicable pesticide certification exams, they may apply for a pesticide applicator's licence for the aerial drone class. The aerial drone class license will allow pilots to commercially apply approved pesticides by drones. All commercial applicators operating in Manitoba must carry valid liability and chemical injury insurance. If the insurance policy expires before the licence's expiration date, the applicator's licence becomes automatically invalid.

In conclusion, while drone technology holds significant potential to revolutionize pesticide application in Canada, its adoption by pesticide applicators depends on multiple factors, including federal and provincial legislation as well as economic feasibility. The current federal regulatory framework mandates that each pesticide intended for drone application undergo individual assessment and approval by Health Canada's PMRA. Until in-crop drone application approvals are granted, applicators must strictly adhere to existing federal and provincial regulations to ensure compliance and uphold the integrity of pest management practices.



Variety Development: Why Public and Private Plant Breeding Matter

A STRONG SEED INDUSTRY — AND RELIABLE VARIETY DATA — DEPEND ON KEEPING PUBLIC AND PRIVATE BREEDING HEALTHY, BALANCED AND ROBUST.

By Jennifer Seward, Executive Director, Manitoba Seed Growers' Association

very winter, Seed Manitoba
gives you clear comparisons to
choose the right variety for your
farm. Supporting those tables is a
pipeline of genetics and a network
of Prairie trial sites that rely heavily
on Canada's public breeding system.
That system is now at risk. If it
weakens, your seed choices narrow
and the data you trust becomes
reduced.

That's a bold statement, but let's take a step back, and look at the two systems that deliver new genetics.

Public Research

Public research in Canada is conducted by Agriculture and Agri-Food Canada (AAFC) and universities. It focuses on the broader good rather than profit.

- It targets issues that may not be profitable but are critical such as soil health, environmental conservation, crop types with high usage of farm saved seed with significant economic impact (such as wheat), and food security.
- It develops affordable genetics accessible to all, not just large agribusinesses.
- Universities and public institutions educate the next generation of scientists, agronomists, and producers.
- It often emphasizes climate adaptation, biodiversity, and pest management that protect ecosystems.

Private Research

Private research is carried out by private companies often with a focus on developing marketable



Neither public nor private research can solve agricultural challenges on their own.

innovations that will show profits to their customers, their company and/ or shareholders.

- Private investment fuels rapid development of new products.
- Many breakthroughs that deliver modernization and new genetics quickly come from private R&D programs. This is typically specific by crop type.
- Private companies can quickly adapt innovations to changing market and agronomic needs.
- Competing firms push one another to create better products and services for farmers.

Neither public nor private research can solve Canadian agricultural challenges on their own. Our strongest outcomes and successes for Canadian farmers only happen when the two mandates are strong, viable, and can build on each other. A balanced system ensures that innovations serve both economic and public interests.

What is the Future of AAFC Breeding Programs?

For years now, AAFC has signaled to the Canadian agricultural industry that they wish to step back from finishing varieties. This means that varieties won't be released to the marketplace by AAFC; only traits will be developed for the use of private industry to purchase and develop for producers.

This move would be devasting to farmers. Not only could we lose the AAFC breeder brain trust that has advanced and supported Canadian farmers for generations, but we could also lose the advancements still in the pipeline that they have worked so hard to develop for us — with producer and taxpayer dollars.

Why Seed Manitoba's Tables **Depend on Public Infrastructure**

Independent, multi-year, multilocation testing is the backbone of Canada's Variety Registration System and underpins the majority of the information you see in Seed Manitoba. Those comparisons require sites, technicians, and standardized methods across regions and seasons. AAFC and university partners host and support co-op trials (merit testing required for variety registration, including disease ratings) and MCVET sites, as well as the people that make unbiased testing possible. They also supply a steady stream of candidate lines that keep variety lists competitive and relevant.

If public stations close, roles are left unfilled, or breeding programs are consolidated away from local selection, two things follow quickly: fewer entries in the trials and fewer Manitoba-specific datapoints to validate claims. Seed Manitoba cannot report what is not tested.

What Risk Looks Like on a Farm **Balance Sheet**

When the public public institution assets diminish, check varieties get older without clear successors. Disease ratings stall. Agronomic traits drift from local needs. Trial tables get shorter and less representative. Farmers end up spending more on rescue agronomy, facing more dockage or rejections, and carrying more yield volatility from year to year.

What you can do this winter:

- 1. Start your shortlist with threeyear regional results. Favour varieties with strong performance across multiple sites in Manitoba.
- 2. Ask about origin. When you weigh options, ask which programs developed the variety and where selections were made. Remember where your royalty dollars go when you make the decision to purchase pedigreed seed.
- 3. Support a balanced and thriving research industry. Tell

commissions, grower groups, and elected representatives that a robust public/private breeding capacity is essential infrastructure.

4. Keep learning on your own ground. Run side-by-sides each year and share results. Farmer demand for Manitoba-ready genetics helps sustain the pipelines that supply them.

Bottom Line

Seed Manitoba's reliable comparisons and many of the varieties you trust exist because public and private breeding programs compete for your acres. That foundation is not guaranteed. If we want strong information and strong choices five and 10 seasons from now, we need to keep public variety development vibrant and healthy.



Beyond the Season: Soil Fertility Management for Long-Term Success

MANAGING FERTILIZER DECISIONS STRATEGICALLY IS MORE IMPORTANT THAN EVER TO PROTECT PROFITABILITY UNDER CURRENT MARKET CONDITIONS.

By Marla Riekman, Soil Fertility Specialist, Manitoba Agriculture Darren Bond, Farm Management Specialist, Manitoba Agriculture

n the current agricultural landscape, producers face increasing pressure to make fertilizer decisions that balance short-term economic realities with the need for long-term soil fertility and sustainability.

Rising input costs, volatile commodity prices, and tighter margins shift the focus to immediate returns. However, overlooking the broader agronomic context can compromise future productivity and profitability. So, what is the best approach when faced with immediate economic uncertainty?

The Cost of Fertilizer: Growing Concern or Persistent **Problem?**

Fertilizer seems to have been expensive for several years now. When crop prices were high and margins were good, the impacts of high fertilizer prices were tempered. However, with softer grain prices and tighter margins, the impacts of high fertilizer prices are more pronounced, emphasizing the importance of successfully managing fertilizer decisions.

Traditional strategies, like obtaining several quotes from multiple input retailers and buying in the off-season to store, usually provide positive results. Still, nitrogen (N) costs are approximately 20% higher compared to last year. There is also a significant difference in the price between the different N sources that can be used to increase profitability on the farm.

For example, in the fall of 2025, anhydrous ammonia was 20% cheaper than urea. Producers that have the ability to use different N sources on their farm have a competitive advantage in markets where there are considerable price differences between sources.

While phosphorus (P) fertilizer hasn't seen the same level of price increases as N, it is also still expensive. Knowledge plays a critical role here. Understanding the price differences and fertilizer properties between the different formulations on the market today will reveal the true cost of P. Also knowing your P soil test levels will reveal the appropriate fertility plan to achieve success in the growing season.

Don't Guess, Soil Test

Regular soil testing provides an inventory of nutrient levels in the field. When combined with fertilizer



Regular soil testing also helps to track long-term trends. Are P levels declining, holding steady, or increasing?

recommendations that are tailored to regional soil and climate conditions, economic returns from fertilizer application can be maximized. Recommended fertilizer rates may be adjusted based on timing and application method. The principles of 4R Nutrient Stewardship (Right Source at the Right Rate, Rate Time and Right Place) allow for flexibility in fertilizer management to maximize crop yields, while minimizing environmental impact; however, choosing the right rate is highly dependant on understanding the existing nutrient levels in the field.

Residual nitrate levels tend to be low following solidseeded cereal and oilseed crops, but may be higher following heavily fertilized row crops, such as corn. Fields with a history of N application greater than crop requirements, or that have been affected by drought or another factor that severely limited crop yields, often have high residual nitrate levels. If this available N is not accounted for when fertilizer recommendations are developed for the following year, not only is there

a greater potential for environmental losses, but the extra fertilizer applied becomes a wasted input, limiting economic gains.

Balanced Inputs, Better Outcomes

Regular soil testing also helps to track long-term trends. Are P levels declining, holding steady, or increasing? As a general rule, soil test phosphorus (STP) will increase one part per million (ppm) for every 20-30 pounds of P applied over and above what the crop removes. This could mean a single-year P application of 60 pounds per acre (~115 pounds of MAP per acre) may only raise soil test levels by ~1 ppm. Building P levels may not be feasible during times of high fertilizer prices or tight margins, but maintaining a good soil P supply can pay off in the long term.

Crop response to P fertilizer is a game of probabilities. If STP is below 10-12 ppm, the probability of a yield response is high. When STP is above 18-20 ppm, the probability of a yield response is low. The "sweet spot" is generally in the 12-18 ppm range, where it is recommended to apply P at crop removal rates to maintain that same STP level going forward.

If STP is below 10-12 ppm, then it may be beneficial to build STP levels by applying P at a rate greater than crop removal. When STP is high, it's still recommended to apply P at starter rates to ensure the crop has access to

adequate P early in the growing season, especially if the soil is cold and dry at seeding time.

Understanding STP trends through regular soil testing allows one to balance P fertilizer based on long term crop rotations, rather than responding to annual requirements. If STP is low, it is important to invest in P during times of low fertilizer and/or high commodity prices. If STP has been built up to a medium to high level, then it is possible to be more reactionary to high fertilizer prices in the short term without the same long-term consequences. A few years of starter P rates may slowly deplete STP; however, if one has concentrated on building STP when fertilizer is affordable, then a short-term reduction in P rates won't devastate those STP reserves.

To determine crop removal rates for balancing P in the rotation, visit prairienutrientcalculator, info.

Fertility Planning with a Long-Term Lens

Given the continued volatility in fertilizer prices and the pressure of tight profit margins, producers must make economic decisions that maintain yield potential without compromising soil fertility. Regular soil testing provides critical insights into nutrient availability, guiding precise application rates and preventing both over- and underapplication. Strategic nutrient planning, grounded in agronomic data and economic analysis, is essential for sustaining profitability into the future.

NOTICE

DID YOU BUY SEED FROM YOUR NEIGHBOUR? IT'S PROBABLY ILLEGAL.

To report illegal activity contact: seedwatch@seeds-canada.ca

For more information visit: pbrfacts.ca






Semences



It's your responsibility to know.

2025 Locations of Variety Evaluation Trials



					Precip	oitation¹	Growing	Degree Days¹	
411				Internal Soil	Actual	% of			
Site	Location	Contractor(s)	Soil Texture	Drainage	(mm)	Normal	Actual	% of Normal	Weather Station Used
1	Arborg	PESAI	clay	imperfect	140	47%	1691	110%	Arborg
2	Beausejour	PESAI	clay loam	imperfect	232	62%	1801	109%	Beausejour
3	Boissevain	Ag-Quest Inc.	loamy	imperfect	295	102%	1743	108%	Minto
4	Brandon	Agriculture & Agri-Food Canada	clay loam	well	227	68%	1763	114%	Brandon (MBFI)
5	Brunkild	TapRoot Research Ltd.	heavy clay	imperfect	306	95%	1832	107%	Brunkild
6	Carberry ²	CMCDC	clay loam	well	232	71%	1641	105%	Carberry (EC)
7	Carman	University of Manitoba, Ag-Quest Inc.	loam	imperfect	234	66%	1872	112%	Carman
8	Dauphin	Ag-Quest Inc.	silty clay loam	imperfect	245	77%	1680	109%	Dauphin
9	Elm Creek	HBG	coarse loam	imperfect	353	109%	1895	111%	Elm Creek
10	Elm River	Syngenta	silty clay	imperfect	318	95%	1917	114%	Portage la Prairie
11	Hamiota	Ag-Quest Inc.	clay loam	well	218	66%	1641	110%	Hamiota
12	Holland	Ag-Quest Inc.	loamy	imperfect	262	77%	1801	109%	Holland
13	MacGregor	Ag-Quest Inc.	coarse loam	imperfect	318	95%	1917	114%	Portage la Prairie
14	Melita	WADO	loamy	imperfect	343	117%	1794	108%	Melita
15	Morden ²	AAFC Morden, DL Seeds	clay loam	well	299	86%	1704	96%	Morden
16	Morris	Ag-Quest Inc., TapRoot Research	heavy clay	imperfect	269	67%	1893	111%	Morris
17	Portage la Prairie	CROP/ICMS	sandy loam	imperfect	318	95%	1917	114%	Portage la Prairie
18	Roblin	PCDF	loamy	well	283	84%	1555	111%	Roblin
19	Rosebank	Nutrien	loamy	imperfect	299	86%	1704	96%	Morden
20	Rossendale	Ag-Quest Inc.	sandy loam	imperfect	260	78%	1785	107%	Bagot
21	Souris	Ag-Quest Inc.	loamy	imperfect	181	54%	1742	110%	Souris
22	St. Adolphe ²	Richardsons, Murphy et al	heavy clay	imperfect	279	74%	1909	112%	St. Adolphe
23	St. Pierre	Ag-Quest Inc.	heavy clay	imperfect	329	87%	1882	110%	St. Pierre
24	Stonewall	Solum Valley Biosciences Inc.	clay loam	imperfect	251	66%	1857	107%	Stonewall
25	Swan River	New Era Ag Technologies	clay loam	imperfect	261	84%	1679	115%	Swan River
26	Thornhill	Ag-Quest Inc.	loamy	well	314	107%	1704	105%	Windygates
27	Winkler	Ag-Quest Inc., Maizex	loamy	well	329	91%	2009	116%	Winkler
28	Winnipeg ²	University of Manitoba	silty clay	imperfect	239	70%	1882	112%	Winnipeg

Weather data is reported from May 1 to October 1 and reflects the percentage of the normal accumulations as calculated using the 30 year long-term average.

Seeding and harvest dates for individual trials can be found at the bottom of the Yield Comparisons Tables located in the respective Crop Sections.

As per MCVET, MCC, NSAC and MPSG protocol's, all sites are fertilized at levels to achieve maximum crop performance. Weed control is applied as required to achieve a relatively weed free area. Insecticides are applied as required, while fungicides are not applied to any trials.

Any guestions related to the sites found in Seed Manitoba can be directed to the individuals listed below:

For canola contact Jared Bento at (204) 891-1273 or e-mail jared@canolagrowers.com For grain corn, silage corn, and sunflowers, contact Surjit Bawa at (204) 918-3079 or e-mail surjit@mbcropalliance.ca For soybean and dry beans, contact Dennis Lange at (204) 324-4383 or e-mail dennis.lange@gov.mb.ca For all remaining crop types, contact Uzzal Liton at (204) 441-0570 or e-mail uzzal.liton@gov.mb.ca

The data in this listing includes pedigreed seed crops that have successfully received, or are in the process of receiving, seed crop certification from the Canadian Seed Growers' Association (CSGA). Fields that were declined pedigreed status are not included in this listing. Data is provided for information purposes only. All users of the CSGA data use such data at their own risk. You and those who rely on the CSGA data cannot hold CSGA liable for omitted or incorrect seed listings. You agree to save CSGA harmless and fully indemnify CSGA from all losses, damages, liability, judgements, costs and expenses, which you or a user of the CSGA data sustain by disseminating or relying on such data. When purchasing seed, CSGA strongly recommends asking for official seed certification tags as your proof of CSGA certification. A copy of the mechanical purity and germination analysis test certificate should also be made available to you.

² Weather datasets are incomplete. Carberry is missing 12 days, Morden is missing 20 days, Winnipeg is missing 4 days.



Built to break through.

Powered by Lumiderm™ ONIQ, your canola doesn't just emerge—it launches. Setting a new standard in canola protection against flea beetles and cutworms, plus a head start on early-season growth, it punches through pressure and pushes past limits.

Learn more at LumidermONIQ.Corteva.ca

Lumiderm™ ONIQ

INSECTICIDE SEED TREATMENT







Variety Description Key

The grey box at the bottom of each table displays the Grand Mean for both Yield (bu/acre) and Protein (%) and the corresponding LSD (Least Significant difference) value (p < 0.05). Varieties must differ by the LSD value (p < 0.05) to be considered significantly different from one another.

Except for the long-term average yield and protein data, variety description information was obtained from the variety registration trials. For Relative Maturity, please keep in mind the actual number of days to reach maturity will depend on local climactic conditions and to some extent on management practices.

Long term-yield data is from MCVET plots harvested from 2011 to 2025, while protein is from 2007 to 2025. Actual protein will depend on seasonal growing conditions and fertility levels.

"Resistance Level" Disease ratings: R = Resistant; MR = Moderately Resistant; I = Intermediate; MS = Moderately Susceptible; S = Susceptible; " - " = not available; NT = Not Tested.

"Resistance Level" Lodging and Sprouting ratings: VG = Very Good; G = Good; F = Fair, P = Poor; VP = Very Poor; " - " = not available.

Site Years Tested is the cumulative number of locations over the years that a variety has been tested. The more site years the more dependable the data.

Indicates a variety that is protected by Plant Breeders' Rights legislation that complies with UPOV 1978.

ndicates a variety that is protected by, or has been applied for and is pending, Plant Breeders' Rights legislation that complies with UPOV 1991.

VUA Variety Use Agreement in effect.

Key to 2025 Yield and Protein Tables

Yields derived over 2 or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD (bu/acre) = Least Significant Difference. Varieties must differ by the LSD value (p < 0.05) to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Intellectual Property and Patent Protection

Certain crop varieties described in this guide may be protected by Plant Breeders' Rights (PBR) or a Variety Use Agreement (VUA). The inclusion of any protected variety in this publication does not grant, convey, or imply any license or right to reproduce, propagate, sell, or otherwise use the protected material in any way that would infringe upon such rights. Users are responsible for ensuring compliance with all applicable intellectual property laws and regulations before acquiring, reproducing, or distributing plant material.

Unauthorized propagation, sale, or export of protected varieties may constitute a violation of patent or PBR laws and may result in civil or criminal penalties.

Data Accuracy and Limitations

The performance data, descriptions, and other information contained in this guide are based on research trials and other sources believed to be reliable at the time of publication. However, results may vary depending on local conditions, management practices, and environmental factors.

All information is provided "as is," without warranty of any kind, express or implied, including but not limited to warranties of accuracy, completeness, fitness for a particular purpose, or non-infringement.

The publishers, authors, and contributors accept no liability for any loss, damage, or injury resulting from the use of the information or materials contained herein.

Trademarks

All trademarks, trade names, and brand names mentioned in this guide are the property of their respective owners. Their inclusion does not imply endorsement or affiliation.

Thank you to MCVET Sponsors and Supporters in 2025

MCVET gratefully recognizes the support and financial contribution of the following organizations:

Agriculture and Agri-Food Canada

Alliance Seed

Canada-Manitoba Crop Diversification Centre

CANTERRA SEEDS

FP Genetics

Manitoba Agriculture

Manitoba Beef Producers

Manitoba Crop Alliance

Manitoba Pulse & Soybean Growers

Manitoba Seed Growers' Association

Nutrien Ag Solutions

Parkland Crop Diversification Foundation Prairies East Sustainable Agriculture Initiative

Richardson International - Kelburn Farm

SeCan

Seed Depot

SeedNet

Seed World Group

University of Manitoba

UPL AgroSolutions Canada

Westman Agricultural Diversification Organization

MCVET would also like to express its gratitude to:

South Interlake Crop Testing Committee (SICTC) and Crop Research Organization Portage (CROP) for locally organized variety trials.

University of Saskatchewan for seed preparation and randomization of flax trials.

Manitoba Agriculture Variety Guide

BARLEY

New for 2026

Variety	у	Туре	Code	Breeder	Distributor	Seed Availability
CDC Ha	orness (2) 🕲	Food and Feed	FB21106	Crop Develoment Centre	FP Genetics	2028
CDC Pri	istine (2) 🕾	Hulless	HB21355	Crop Develoment Centre	SeCan	2027
CDC Ar	mstrong (2) 🕾	Hulless	HB20351	Crop Develoment Centre	SeCan	2027
WCI Fo	ortify (6) ®	Food and Feed	FB22816	Field Crop Development Centre	SeedNet	2026

Malting barley varieties are classified into two groups. The "Malting: Acceptance - Recommended" group are varieties with recommended market acceptance as listed in the Canadian Malt Barley Technical Centre (CMBTC) publication "2026/27Recommended Malting Barley Varieties" on page 22. The category of "Malting: Other" includes varieties not currently recommended by the CMBTC but markets may exist.

SY Stanza @ is a non-GN (glycosidic nitrile) two-row malting variety.

The two-row malting variety CDC PlatinumStar @ is available through a closed loop identity preserved program.

It is strongly recommended for producers to use a combination of the Canadian Food Inspection Agency's List of Registered Varieties (inspection.gc.ca) and the Canadian Grain Commission's Variety Designation Lists (grainscanada.gc.ca) to determine the registration and grade eligibility status of varieties.

A number of new varieties are participating in a Variety Use Agreement VUA. If producers purchase a VUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the VUA when purchasing seed.

Barley Variety Descriptions											Re	sistance Le	evel:			
Catagory / Naviotul	Site Years	Yield (bu/	Pro- tein	Maturity +/-	Height +/-	Test Wt +/- 48.7 lb/	Aums?	Lodg-	Loose	Surface -borne	Root	Netted Net	Spot- ted Net	Spot	Stem ³	Fusar- ium ⁴ Head
Category / Variety ¹	Tested	acre)	%	88 days	89 cm	bu	Awns ²	ing	Smut	Smut	Rot	Blotch	Blotch	Blotch	Rust	Blight
Malting: Acceptance - Reco		100	12.4	0	7	٥٢				D	МС		MD	MD	MD	MD
AAC Connect (2) ®	46	109	12.4	0	-3	-0.5	R	G	S	R	MS	I MD	MR	MR	MR	MR
AAC Synergy (2)	105	114	12.2	0	-2	-0.4	R	G	S	110		MR	R	R	MR	- 1
CDC Churchill (2) (9)	46	114	12.3	1	-5	-0.2	R	G	MS	MR	-	MR	MR		MR	MS
CDC Copeland (2)	46	103	12.3	0	5	-0.5	R	G	MS	110			110	S	MR	MR
CDC Fraser (2) ®	43	110	12.1	1	0	-0.7	R	G	R	MR	MS	MR	MR	R	MR	
Malting: Other		400	40.0													
AAC Goldman (2)	56	109	12.6	1	3	-0.4	R	F	NS .		S		R	1		MR
AAC Prairie (2) (9)	34	108	12.4	0	-2	-0.3	R	F	S	MR	-	MR	<u> </u>	!	MR	
AB Brewnet (2) (2)	39	107	13.0	3	5	0	R	G	MS	MR	-	MS	I	-	MR	MR
AB Dram (2) 🕾	34	103	13.1	-1	0	0	R	G	MR	R	-	MS	MR	MS	S	
AB Foothills (2) ®	34	111	12.3	0	-2	-0.8	-	G	R	MR	-		- 1	MS	MR	
AC Metcalfe (2)	206	99	13.0	0	0	0	R	F	R		- 1	S	- 1		MR	
CDC Bow (2) (9)	55	107	12.1	1	3	0.5	R	G	S	- 1	MS	S	MR		MR	
CDC Copper (2) (9)	36	109	12.4	1	-5	-0.7	R	G		MR	MR	MR	MR			MS
CDC Kindersley (2) 🚳	34	105	12.7	-1	-3	0	R	G	S	R	- 1	MS	MR	- 1	MR	- 1
CDC PlatinumStar (2) (9)	18	102	12.2	0	3	-0.5	R	F	S	R	S	- 1	MR	S		MR
Celebration (6W) 🚳	35	107	13.4	-1	5	0	S	G	R	R	MS	S	MR	MR		MS
Newdale (2)	18	114	12.6	0	-3	-0.5	R	F	S	MR	MR	- 1	MR		MR	- 1
SY Stanza (2) 🕾	19	112	11.9	1	-10	-1.6	R	VG	S	MR	-	1	MS	MS	S	MS
Torbellino (2)	29	98	12.5	1	-11	-0.4	R	G	-	R	-	MS	MS	MS	MS	S
Tradition (6W)	19	106	13.0	2	10	0.8	S	F	S	MR	MR	S	- 1	MR	MR	S
Food and Feed																
AAC Lariat (2) (9)	29	116	12.4	1	-3	-0.3	R	G	R	R	-	R	MR	-	R	MS
AAC Stockton (2) (9)	31	118	12.3	1	-2	0	R	G	R	R	-	1	- 1		R	MR
AB Advantage (6F) 🕾	30	109	13.2	1	15	0	S	VG	MR	Ţ	-	MS	- 1			S
AB Cattlelac (6) ®	31	112	12.8	1	11	1.3	SS	VG		R	-	MS	MR	R		S
AB Hague (2) 🕲	42	106	12.2	1	4	0	R	G	MR	R	-	1	- 1		MR	MR
AB Maximizer (2) 🕾	29	111	12.3	0	3	1.2	R	VG	I	R	-	I	-		MR	T
AB Prime (2) ®	42	116	12.6	0	4	-0.4	-	G	S	R	-	MR	-		R	
AB Standswell (6) ®	31	114	12.4	2	-4	0.3	S	G	MS	R	-	MR	- 1	MR	MR	S
AB Tofield (6) (9)	29	111	12.1	1	5	1	S	VG	MR	MR	-	MS	1		R	S
AB Wrangler (2) 🕾	29	110	12.4	0	1	-0.2	R	F	MS	MR	-	I	1	MR	R	MR
Altorado @	32	114	12.3	0	-5	0.7	R	G	MR	MR	MR	S	1	S	MR	
AS Lafleur (2) ®	31	103	13.3	-3	0	1.7	R	VG	R	NT	NT	MS		MS	NT	MR
Bighorn (2) (9)	29	114	12.2	0	4	0.4	-	F		R		I	-	MS		
Canmore (2) ®	33	111	12.4	1	0	0.7	R	G	R	R	Т	MS	MR	1	MS	T
Cantu (2) 🕲	29	116	11.9	2	5	0.2	-	F	ı	R	-	- 1	1		R	
Carleton (2) ®	31	107	11.9	-1	-7	0.2	R	G	MS	R	-	MS	MS	MS	R	MR
CDC Austenson (2)	105	116	12.2	1	0	0.5	R	G	S	R	ı	MS	R	R		
CDC Cowboy (2F)	38	99	13.1	1	15	1.3	R	F	MS	MR	i	1	MR	- 1	MR	MR
CDC Durango (2) (2)	29	114	12.4	2	-3	0.1	R	VG	5	R	-	MR	MS		I	- 1
CDC Harness (2) ®	31	117	12.4	1	0	1.3	R	G	MR	MR	_	I I	1,12		MR	
CDC Maverick (2F)	29	98	13.4	1	10	5.4	S	F	S	R	1		MR		MR	MR
					7			F	2		- 1			MC		
CDC Renegade (2F) (2)	29	107	12.6	1		-0.3	S	-	١	MR	-	MS	MR	MS	MR	MR
Claymore (2) (9)	44	119	12.1	0	7	-0.2	R	G	S	R	1	S	I MD	MS	MR	MR
CONLON (2)	36	100	12.8	-1	-3	0.8	S	G					MR	S	MR	MR
Desperado (6F)	44	109	12.7	1	5	2.5	S	G	MS	R	MR	S	MR	MR	MR	S

											Re	sistance Le	vel:			
Category / Variety ¹	Site Years Tested	Yield (bu/ acre)	Pro- tein %	Maturity +/- 88 days	Height +/- 89 cm	Test Wt +/- 48.7 lb/ bu	Awns ²	Lodg- ing	Loose Smut	Surface -borne Smut	Root Rot	Netted Net Blotch	Spot- ted Net Blotch	Spot Blotch	Stem³ Rust	Fusar- ium⁴ Head Blight
Esma (2) (9) VUA	30	115	12.1	1	-10	-0.4	-	G	R	NT	NT	MS	MS	MS	NT	-
Ferguson (2) 🕾	29	113	12.0	1	-2	-0.2	R	G	S	R	-	MS	MS	S		
lbex (2) ®	29	115	12.2	1	2	0.2	-	F	S	R	-	I	- 1		R	-
KWS Kellie (2) (9) VUA	29	107	12.0	1	-11	-1.5	-	Р	R	NT	NT	MS	MS	MS	NT	-
Oreana (2) 🕾	44	114	11.9	2	-13	0.2	R	G	S	R	- 1	S	MR	-		S
RGT Planet (2) (2) VUA	29	101	12.1	1	-10	-0.5	R	F	R	NT	NT	MS	MS	MS	NT	- 1
Richer (6) ®	29	115	12.6	-	14	-2.1	R	VG	R	NT	NT	1	MS		NT	- 1
Sirish (2) ®	48	105	12.4	1	-13	-0.3	R	VG	S	R	-	MS	MS	MS	S	MS
WCI Fortify (6F) ®	19	117	12.9	1	4	-0.2	S	VG	R	R	-	MS	MR	MR	MR	S
Hulless																
CDC Armstrong (2) ®	9	88	12.3	0	1	9.8	R	G	R	MR	-	1	MR	MR	MR	- 1
CDC Pristine (2) ®	9	88	12.4	2	-2	8.9	R	G	R	MR	-	- 1	- 1	MR		MR
Varieties being tested for a	daptability i	n Western	Canada													
AS Manon (2) 🕾	31	107	12.6	-2	4	0.4	R	VG	NT	NT	NT	NT	NT	NT	NT	NT
Waterloo (6)	5	115	12.9	-	12	-2.1	R	G	NT	NT	NT	NT	NT	NT	NT	NT
Varieties supported for regi	istration by i	the PRCOB														
Malting: Other																
TR21665 (2)	5	115	12.1	1	-3	-0.4	R	G	S	R	-	1			R	MS
Food and Feed																
FB21704 (2)	6	116	12.4	-1	2	0		G	R	MR	-	MS	MS			1
FB23113 (2)	6	120	12.4	1	-3	0.5	R	VG	S	MR	-	- 1	- 1		MR	- 1
FB23618 (2)	6	117	12.0	1	-3	1	R	VG		R	-		-	-	R	- 1
TR22669 (2)	6	114	12.5	1	-8	1.1	R	G	R	R		MS		MS	R	- 1
GRAND MEAN (bu/acre and	%)	114	12.4													
LSD (0.05)		5	0.3													

¹ Values in brackets indicate row and type: 2 = two-row; 6 = six-row; W = white aleurone (all others yellow); F = fodder.

NT = Not tested for disease, until a full rating is generated assume that the variety is susceptible to the disease.



² R = Rough, S = Smooth, SS = Semi-Smooth

³ Reactions given for old races of stem rust. All cultivars are susceptible to new race QCCJ. However, to date this has not caused widespread damage. Early seeding will generally reduce the likelihood of severe infection.

⁴ Fusarium head blight (FHB) infection is highly influenced by environment and heading date. Under high levels of the disease, all varieties will sustain damage.

						2025	Yield (bu/	acre)					
Variety	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Roblin	Rosebank	Souris	Ste. Adolphe	Stonewall	Thornhill
Malting: Acceptance - Recomm	nended												
AAC Synergy (2) 🚳	83	136	125	103	161	104	111	119	168	126	168	76	107
CDC Copeland (2)	-	-	-	111	-	94	107	-	147	120	-	-	-
Malting: Other													
AAC Prairie (2) 🕾	-	-	-	94	-	101	108	-	170	122	-	-	-
AB Dram (2) ®	75	110	131	120	148	102	108	112	132	122	152	78	99
AB Foothills (2) 🕾	78	128	121	100	154	115	113	122	146	129	159	72	96
AC Metcalfe (2)	-	-	-	96	-	107	105	-	141	112	-	-	-
SY Stanza (2) 🟵	80	156	116	92	170	112	118	129	159	128	168	80	95
Food and Feed													
AAC Stockton (2) ®	84	138	133	121	170	115	129	123	166	124	156	84	119
AS Lafleur (2) ®	77	141	105	103	146	112	104	110	144	120	149	66	121
Carleton (2) @	84	146	128	89	170	124	105	129	160	128	159	74	100
CDC Austenson (2) 🚳	85	136	129	96	163	113	116	126	170	129	166	79	117
CDC Harness (2) (9)	89	133	132	110	171	132	123	136	169	142	175	86	71
WCI Fortify (6F) ®	83	139	153	118	165	117	111	140	167	132	167	88	102
Hulless													
CDC Armstrong (2) ®	68	-	-	82	118	80	92	-	124	95	136	-	92
CDC Pristine (2) ®	70	-	-	101	121	80	87	-	110	94	123	-	90
Varieties being tested for ada	ptability in	Western Canad	la										
AS Manon (2) 🕾	71	145	120	105	152	110	98	126	168	115	167	74	132
Varieties supported for registr	ration by th	e PRCOB											
Food and Feed													
FB21704 (2)	94	-	-	-	162	133	-	-	-	132	171	-	95
FB23113 (2)	95	-	-	-	177	115	-	-	-	145	187	-	96
FB23618 (2)	85	-	-	-	164	121	-	-	-	131	174	-	118
TR22669 (2)	81	-	-	-	167	124	-	-	-	132	162	-	95
SITE GRAND MEAN (bu/acre)	81	137	127	103	158	111	108	125	153	124	161	78	103
CV %	5.2	6.2	10	5	3.7	4.7	6.4	5	7.1	3.8	6.4	6.9	7.4
LSD (bu/acre)	7	15	22	9	10	9	12	11	18	8	17	9	13
Sign Diff	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Seeding Date	2-May	8-May	23-May	7-May	5-May	4-May	6-May	12-May	1-May	9-May	19-May	3-May	28-May
Harvest Date	20-Aug	27-Aug	25-Aug	26-Aug	27-Aug	26-Aug	22-Aug	8-Sept	22-Aug	28-Aug	26-Aug	24-Aug	9-Sept

Barley Yield Comparisons

						2025 Pro	tein (%)						
Variety	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Roblin	Rosebank	Souris	Stonewall	Ste. Adolphe	Thornhill
Malting: Acceptance - R	Recommen	ded											
AAC Synergy (2) 🚳	11.2	11.9	12.2	11.5	11.6	11.9	12.6	11.7	12.6	11.6	11.9	11.9	12.7
CDC Copeland (2)	-	-	-	11.8	-	12.7	12.2	-	12.8	11.1	-	-	
Malting: Other													
AAC Prairie (2) ®	-	-	-	11.5	-	12.8	12.4	-	12.7	11.4	-	-	
AB Dram (2) ®	11.1	13.0	13.3	12.4	11.8	13.1	13.4	11.9	15.1	11.5	12.2	12.7	14.6
AB Foothills (2) ®	11.4	12.0	12.7	12.7	10.9	12.2	12.7	11.8	12.8	11.0	12.2	11.9	13.3
AC Metcalfe (2)	-	-	-	12.4	-	13.1	13.2	-	14.0	11.3	-	-	
SY Stanza (2) 🕾	11.8	11.4	13.0	11.5	10.3	12.0	12.1	10.8	12.4	11.0	12.6	12.1	3.2
Food and Feed													
AAC Stockton (2) ®	11.6	11.7	12.6	11.3	11.3	12.9	12.6	11.6	13.0	11.8	12.2	11.9	12.8
AS Lafleur (2) 🕾	12.6	13.4	14.3	12.8	12.6	12.6	13.8	12.3	14.4	12.4	14.0	13.6	14.2
Carleton (2) 🕾	11.1	11.3	12.3	11.0	10.9	12.3	12.0	10.6	12.3	11.3	11.3	10.7	13.4
CDC Austenson (2) 🚳	11.4	12.0	12.4	11.7	11.3	12.8	13.1	11.7	13.1	11.4	12.1	11.2	14.0
CDC Harness (2) ®	11.5	12.3	12.8	11.6	11.4	12.5	13.1	11.6	13.1	11.0	12.4	12.2	13.9
WCI Fortify (6F) (9)	12.1	12.0	13.7	12.3	11.7	12.2	12.8	12.0	13.5	11.1	13.6	13.2	15.3
Hulless													
CDC Armstrong (2) 🕾	11.3	-	-	11.6	11.6	12.3	12.7	-	12.9	11.2	-	12.1	13.5
CDC Pristine (2) ®	11.4	-	-	11.6	11.5	12.4	13.0	-	13.8	11.0	-	11.8	13.9
Varieties being tested f	or adaptab	ility in Westerr	Canada										
AS Manon (2) 🖭	11.3	12.6	12.9	12.2	11.7	12.3	13.7	11.3	12.6	12.1	13.1	12.8	12.8
Varieties supported for	registratio	on by the PRCOB	}										
Food and Feed													
FB21704 (2)	11.5	-	-	-	11.4	12.0	-	-	-	11.3	-	12.6	13.8
FB23113 (2)	11.0	-	-	-	11.2	12.7	-	-	-	11.3	-	12.5	13.5
FB23618 (2)	10.4	-	-	-	10.8	12.4	-	-	-	10.8	-	11.5	13.3
TR22669 (2)	12.0	-	-	-	11.3	12.6	-	-	-	10.9	-	12.4	13.5
SITE GRAND MEAN (%)	11.5	12.1	12.9	11.9	11.4	12.5	12.8	11.6	13.2	11.3	12.5	12.2	13.6



Cereals - Forage -Canola - Soybeans - Corn

Seed Growers, Processors, Seed Sales

Daniel Wyrich

CELL: (204) 801-0659 EMAIL: uwyrich@gmail.com













CURRENTLY CONTRACTING OATS FOR IMMEDIATE OR FUTURE **DELIVERIES**



SPECIALIZING IN CANOLA, BEANS AND CORN

Phone: 204-364-2308 floydoat@mts.net • Arborg, MB

PERFORMANCE YOU CAN COUNT ON. GROWN WITH PRIDE.

From planting to harvest, farmers have trusted PRIDE Seeds for generations.

Our corn genetics deliver **reliable yields** across diverse environments, **strong standability** for smoother harvests, and **top-quality forage** to meet the feed demands of Canadian dairy and beef operations. Backed by agronomic support, our hybrids help you maximize every acre with confidence. Together, we harvest more than a crop—we harvest a legacy.

OUR LATEST TOP CHOICES FOR WESTERN GROWERS:

Grain → A5175G2 RIB: Strong late-season health, excellent emergence, and early vigour for quick establishment, with solid stress tolerance and silage versatility.

Silage → AS1058G2 EDF RIB: High forage yield and energy density with integrated insect protection for season-long plant health and maximum feed value.





FOCUSED ON PERFORMANCE



2026-2027

VARIETIES



RECOMMENDED










The Recommended list is developed in consultation with Canadian Malting Barley Technical Centre (CMBTC) members. This list highlights varieties tested at the CMBTC that show strong malting characteristics and market potential.

2026-2027 RECOMMENDED VARIETIES

VARIETY	EXPORT DEMAND	DOMESTIC DEMAND	DISTRIBUTOR
AAC CONNECT	Growing	Growing	CANTERRA SEEDS
CDC FRASER	Growing	Growing	SeCan
CDC CHURCHILL	Growing	Growing	SeCan
AAC SYNERGY	Peaked	Peaked	FP Genetics
CDC COPELAND	Declining	Declining	SeCan

Please consult with your grain or malting company representatives about marketing and contracting opportunities when choosing a variety.

2025 SEEDED AREA BY MAJOR MALTING VARIETY PERCENTAGE (%) - WESTERN CANADA



Distribution of malting barley varieties as a percentage (%) of area seeded with malting barley in western Canada in 2025. Source: CGC (based on data from provincial crop insurance agencies).



For inquiries please contact the CMBTC email: cmbtc@cmbtc.com | phone: 204-984-4399 cmbtc.com

VARIETIES IN DEVELOPMENT

These newly registered varieties are being tested and promoted for commercial market acceptance. If you're interested in trying them, contact your seed distributor to learn about trial opportunities.

VARIETY	DISTRIBUTOR	FEATURES	MARKET
AAC PRAIRIE	CANTERRA SEEDS	Short, strong straw; medium protein; high enzyme	Adjunct brewing, distilling
AB FOOTHILLS	CANTERRA SEEDS	High yield; lower protein; high enzyme	Adjunct brewing, distilling
SY STANZA	FP Genetics	Short, strong straw, medium protein, low enzyme, non-GN ¹	Adjunct and craft brewing, distilling

There are also contracting opportunities for:

CDC Goldstar	Legacy	Bill Coors 100
(CANTERRA SEEDS)	(FP Genetics)	(Stamp Seeds)

To discuss contracting opportunities for these varieties, please contact the following companies: Prairie Malt (Boortmalt) - CDC Goldstar; Bunge - Legacy; Molson Coors - Bill Coors 100.

¹Non glycosidic-nitrile barley varieties are suitable for all-malt distilling.









Canada's Wheat King for 10 years AAC Brandon

Proud supporter of







Developed by Agriculture & Agri-Food Canada, Swift Current. Genes that fit *your* farm® is a registered trademark of SeCan.



Genes that fit *your* farm: 800-665-7333 **secan.com**

OATS

New for 2026

Variety	Code	Breeder	Distributor	Seed Availability
AAC Fetch ®	OT2148	AAFC - Brandon	Alliance Seed	2028
AAC Gladys 🕾	OT2152	AAFC - Brandon	FP Genetics	2028
CDC Hank (2)	OT3121	Crop Development Centre	FP Genetics	2027

Comments

There have been changes within the oat crown rust pathogen populations that has seen virulence developed on a number of oat varieties. Resistance to oat crown rust is likely poorer than shown in the table below with most varieties expected to be moderately susceptible or worse under severe epidemic conditions.

Producers are encouraged to check the "Preferred" or "Approved" lists available at most mills if they are selecting varieties for the milling market. These lists are updated as new genetics become available.

CDC Morrison is exceptionally high in beta-glucan fibre and is available for contract identity preserved production.





Ellis Seeds	204-824-2290	MB Seeds	204-746-4652	RJP Seeds	204-745-3304
Ens Quality Seed	204-325-4658	MGM Seeds	204-362-8986	Rutherford Farms	204-467-5613
Friesen Seeds	204-746-8325	Miller Agritec	204-267-2363	Seine River Seed	204-355-4495
Hulme Agra Products	204-685-2627	Nickel Bros	204-773-6735	Smith Family Seeds	204-825-7810
J.S. Henry and Son Ltd.	204-566-2422	Pitura Seed Service	204-736-2849	Triple S Seeds	204-546-2590
Janzen Seeds	204-829-7749	R-Way Ag	1-866-398-9643	Unger Seed Farm	204-467-8630
LD Seeds	204-324-5798	Red River Seeds	204-746-4779	Willowdale Seeds	204-801-0659

- Highest yielding milling wheat Seed MB 2024
 - Proven performance

Seed Depot-204-825-2000

Oats Variety Descriptions

	Site		Maturity	Height +/-	Test Wt			Resistance to:					
Variety ¹	Years Tested	Yield bu/acre	+/- 96 days	+/- 84 cm	+/- 39.3 lb/bu	Hull %	Hull Colour	Lodging	Smut	Crown Rust	Stem² Rust	BYD ³	
AAC Anthony ®	27	167	2	15	-2.3	25.8	White	G	R	S	MS	R	
AAC Douglas 🕾	38	160	-2	3	-1.0	25.9	White	G	R	MR	I	1	
AAC Fedak ®	28	162	3	-2	-1.5	22.5	White	G	R	R	MS	MS	
AAC Fetch ®	5	153	-2	5	-2.2	24.8	White	G	R	I	MR	-	
AAC Gladys 🕾	5	151	2	1	-0.1	20.8	White	VG	R	MS	MS	S	
AAC Neville ®	27	159	2	-2	-0.7	25.5	White/Yellow	VG	R	S	I	R	
AAC Wesley ®	28	155	-4	-3	-1.2	20.8	White	G	R	MS	I	R	
AC Morgan	36	142	1	15	-1.0	25.2	White	G	1	S	S	MS	
CDC Anson ®	27	170	0	-5	-1.5	19.5	White	VG	R	MR	S	MS	
CDC Arborg ®	35	157	-2	19	0.2	20.5	White	VG	R	I	S	S	
CDC Byer ®	28	169	0	-1	-1.2	22.3	White	VG	R	MR	S	-	
CDC Endure 🕾	33	161	-1	13	-1.1	20.9	White	VG	R	MR	S	- 1	
CDC Hank 🕾	17	165	-1	12	-2.2	21.0	White	VG	R	S	S	-	
CDC Haymaker (F) ®	37	127	2	25	-1.0	22.0	White	G	MR	S	S	-	
CDC Morrison 🐵	13	133	-2	-3	-1.0	24.4	White	VG	R	MS	I	1	
CDC Westgate (F) 🕾	12	149	6	26	-1.1	-	Tan	G	-	-	-	-	
CS Camden ®	71	157	2	0	-1.5	21.1	White	VG	ı	MS	S	S	
Furlong	72	135	-1	20	0.5	20.3	Tan	G	R	S	I	MR	
Leggett	144	143	0	0	0	23.0	White	G	R	R	I	MS	
ORe3541M (9)	35	141	-2	-2	0.6	23.3	White	VG	R	R	S	MS	
ORe3542M ®	35	143	-1	-2	-1.1	24.4	White	VG	R	R	S	S	
ORe BOOST (F) 🕾 VUA	28	142	7	7	-2.3	24.6	Light Yellow	VG	R	S	S	S	
ORe Level48 ®	28	141	-1	0	-0.5	21.6	White	G	R	MR	I	-	
ORe Level50 ®	28	140	0	1	-0.8	22.0	White	VG	R	R	S	MS	
Pinnacle	50	152	3	10	-1.2	23.7	White	G	R	S	I	MS	
Souris 🗆	60	141	-4	0	0.5	20.9	White	G	R	MS	MR	MS	
Stride	39	144	-2	13	0.6	23.7	White	VG	R	R	I	- 1	
Summit 🗆	127	148	0	-3	0.5	20.8	White	G	R	I	I	1	
Triactor 🕲	43	161	-1	8	-1.5	22.1	White	VG	I	MR	S	MS	
Varieties being tested for	adaptability	y in Western (Canada										
AAC Basil ⊕	17	161	-4	-3	-1.3	20.1	White	VG	NT	NT	NT	NT	
Kalio ®	28	157	-2	1	-0.8	21.5	-	VG	NT	NT	NT	NT	
Kyron ®	39	159	-3	3	0.9	26.6	White	G	NT	NT	NT	NT	
Varieties supported for re	gistration b	y the PRCOB											
OT3125	5	165	1	-3	-0.2	21.0	White	VG	R	S	S	S	
OT5015	17	161	1	10	-0.3	20.8	White	VG	R	ı	S	-	
GRAND MEAN (bu/acre)		152											

¹ The letter 'F' indicates a forage type.

² All varieties are susceptible to new stem rust races NA67 and NA76 and these races caused moderate damage to crops in the Red River Valley in 2001 and 2002. Early seeding will generally reduce the likelihood of severe infection.

³ BYD = Barley Yellow Dwarf - a viral disease carried and spread by aphids. Early seeding will generally reduce the likelihood of severe infection.

NT = Not tested for disease, until a full rating is generated assume that the variety is susceptible to the disease.

	2025 Yield (bu/acre)												
Variety	Arborg	Beausejour	Carberry	Dauphin	Hamiota	Melita	Roblin	Souris	Ste. Adolphe	Stonewall	Thornhill		
AAC Fedak ®	80	220	99	224	132	158	225	186	239	103	180		
AAC Fetch ®	81	-	-	205	117	-	-	164	-	-	206		
AAC Gladys 🕾	65	-	-	218	115	-	-	154	-	-	209		
CDC Byer ⊛	80	191	137	230	127	139	234	185	237	90	156		
CDC Hank ®	87	179	108	225	126	169	215	192	230	101	208		
CDC Westgate (F) ®	86	182	113	222	113	151	212	170	239	89	135		
CS Camden (9)	78	180	117	213	120	146	204	178	212	100	163		
Ore BOOST (F) (9) VUA	74	176	110	203	109	134	191	168	194	93	153		
Summit 🚳	67	146	109	204	114	141	215	133	210	84	164		
Varieties being tested for adap	tability in Wes	stern Canada											
AAC Basil 🚳	75	196	105	211	122	153	212	164	239	101	182		
Kyron 🕲	90	182	108	221	125	149	212	177	220	99	161		
Varieties supported for registr	ation by the Pl	RCOB											
OT3125	79	-	-	230	144	-	-	187	-	-	197		
OT5015	77	199	115	216	128	150	230	188	221	109	168		
SITE GRAND MEAN (bu/acre)	78	185	112	217	122	149	215	173	224	97	176		
CV %	6.2	4.7	11.8	2.3	5	4.7	2.4	4.4	7.8	7.4	10.7		
LSD (bu/acre)	8	15	-	8	10	12	9	13	-	12	32		
Sign Diff	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes		
Seeding Date	2-May	8-May	7-May	5-May	4-May	9-May	12-May	9-May	19-May	3-May	28-May		
Harvest Date	20-Aug	27-Aug	26-Aug	27-Aug	26-Aug	25-Aug	28-Aug	28-Aug	8-Sept	24-Aug	9-Sept		

Farmers Growing for Farmers

SeedNet strives to provide the highest quality seed available for Canadian farmers. With an ever-growing lineup of seed varieties from cereals to pulses and special crops to hybrid fall rye. SeedNet has the seed professionals to help your operation succeed.

Cereals

Pulses

Special Crops





Wheat . Barley . Durum . Hybrid Fall Rye . Lentil . Pea . Fababean . Chickpea . Flax

Delivering Cimbria's Quality Equipment with Nexeed's **Know how**



DELTA 107 reliable seed and grain cleaning

SEA.IQ PLUS optical sorting. powered by BRAIN





Explore Nexeed and Cimbria's solutions and expert insights



Nexeed.ca





SPRING WHEAT

New for 2026

Variety	Class	Code	Breeder	Distributor	Seed Availability
AAC Ahead VB (9)	CWRS	BW1141	AAFC - Brandon	Alliance Seed	2028
AAC Rivers VB ®	CWRS	BW1143	AAFC - Brandon	SeCan	2028
CDC Power CL Plus ®	CWRS	PT5008	Crop Development Centre	Nutrien Ag Solutions Proven Seed	2028
CDC Warburg	CPSR	HY2152	Crop Development Centre	SeCan	2027
Garde (9)	CWRS	LAR18-04850	Limagrain Cereals Research Canada	CANTERRA SEEDS	2027
WPB Banff VB ® VUA	CWSP	GP266	Wiersum Plant Breeding	SeCan	2028
WPB Canmore ® VUA	CWSP	GP267	Wiersum Plant Breeding	SeCan	2028

Comments:

Midge tolerant varieties are designated by the letters 'VB', which stands for Varietal Blend. The varieties contain the Sm1 gene for tolerance. To manage against the build-up of midge resistance to the gene, an interspersed refuge is used commercially. More information on midge tolerant wheat varieties and interspersed refuge can be found at midgetolerantwheat.ca.


The varieties CDC Hughes VB @ and CDC Landmark VB @ have partial solid stems, which can provide protection against the wheat stem sawfly.

Most varieties have been rated for their relative resistance to pre-harvest sprouting. Under wet post-maturity conditions varieties rated poor (P) would have reduced ability to retain Hagberg Falling Number values relative to those rated good (G) or very good (VG).

Producers are strongly encouraged to use the Canadian Grain Commission's Variety Designation Lists (grainscanada.gc.ca) that indicate the varieties belonging to each class of wheat in Canada.

It is also recommended for producers to use the Canadian Food Inspection Agency's List of Registered Varieties (inspection.gc.ca) to determine registration status of varieties.

A number of new varieties are participating in a Variety Use Agreement **VUA**. If producers purchase a VUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the VUA when purchasing seed.



				Matu-						Res	istance Le	vel:			
Class/Variety	Site Years Tested	Yield bu/ acre	Pro- tein %	rity + / - 99 days	Height +/- 81 cm	Spike Awned	Lodg- ing	Sprout- ing	Loose Smut	Common Bunt	Leaf ¹ Spots	Stem Rust	Leaf Rust	Stripe Rust	Fusarium Head Blight
Canada Western Red Spring															
AAC Ahead VB ®	7	81	14.4	2	3	Υ	VG	F	-	1	-	R	- 1	MR	MR
AAC Alida VB 🕲	33	75	14.7	2	6	Υ	VG	VG	R	1	MS	R	R	MR	MR
AAC Brandon 🚳	136	75	14.5	2	0	Υ	VG	Р	MR	S	- 1	R	R	MR	MR
AAC Broadacres VB ®	31	78	14.4	3	6	Υ	VG	F	-	MR	-	R	R	MR	I
AAC Cameron VB 🕾	34	79	14.0	1	13	Υ	G	F	S	R	I	MR	MR	S	I
AAC Craven VB 🕾	21	80	13.8	3	0	Υ	VG	-	-	MS	-	MR	- 1	R	MR
AAC Darby VB 👳	42	72	14.8	-2	13	Υ	G	-	-	MS	-	MR	R	R	Į
AAC Elie 🕸	45	75	14.5	2	-3	Υ	VG	F	I	1		R	R	MR	I
AAC Hockley ®	28	75	14.5	2	-1	Υ	VG	F	-	R	-	MR	R	R	MR
AAC Hodge VB ®	29	78	14.1	2	8	Υ	VG	Р	MS	R	R	R	R	R	MR
AAC LeRoy VB 🕾	34	77	14.4	0	7	Υ	G	G	-	I	MS	MR	MR	MR	MR
AAC Magnet ®	33	75	14.6	0	8	Υ	G	P	-	S	MS	R	R	I	MR
AAC Oakman VB ®	21	72	13.7	3	4	Υ	VG	F	-	R	-	R	R	R	1
AAC Redberry ®	45	74	14.5	0	8	Υ	G	G	R	ı	MS	R	R	R	ı
AAC Redstar ®	31	73	14.5	0	6	Υ	VG	G	-	MR	_	R	MR	MR	MR
AAC Rivers VB ®	7	84	14.1	2	4	Υ	VG	F				R	R	MR	1
AAC Russell VB ®	31	77	14.6	2	4	Υ	VG	F	_	MR	_	MR	R	R	MR
AAC Spike ®	32	73	14.3	0	-6	Y	VG	F	_	MR	_	R	R	R	MR
AAC Starbuck VB ®	38	78	14.7	1	1	Y	G	F	MR	S	S	1	MR	MR	MR
AAC Stoughton VB®	32	77	13.5	3	2	Y	G	F	-	MR	-	R	R	1	MR
AAC Tisdale ®	32	72	15.3	1	8	Υ	G	 P	MR	MR	MS	R	R	S	MR
AAC Viewfield ®	52	78	14.5	3	-5	Υ	VG	G	S	MR		R	MR	R	1
AAC Walker VB ®	32	80	14.1	2	1	Υ	VG	VG	-	MR	_	R	R	R	MR
AAC Walsh ®	32	77	14.4	2	-2	Y	VG	G	MR	MR	_	MR	R	1	MR
AAC Warman VB ®	33	74	14.6	0	12	Υ	G	F	MR	S	1	R	R	MS	MR
AAC Westking ®	32	77	14.1	2	-3	Ϋ́	VG	G	-	R	-	MR	R	113	MR
AAC Wheatland VB (9)	33	78	14.5	1	0	Y	VG	G	R	MR	S	R	R	· ·	1
Baker ® VUA	21	79	14.0	3	-5	Y	VG	-	-	MS		MR	1	MS	<u> </u>
Bolles ®	31	72	15.7	-	-1	Υ	VG	F		S	_	MR	R	MR	· ·
Breadwinner ® VUA	21	78	14.5	3	-1	Y	VG	-	_	ı	-	R	1	MS	MR
Carberry 🕲	133	71	14.7	2	0	Y	VG	F	MR	R	MS	MR	R	MR	MR
Cardale 🐵	30	72	14.7	2	3	Y	VG	G		MR	MS	R	R	S	MR
CDC Envy ®	29	74	14.3	-1	2	Y	G	F	-	R	-	1	R	MR	1
CDC Hughes VB (9)	33	72	14.7	1	3	Y	VG	G	MR	MS		R	MR	I	1
CDC Landmark VB (9)	40	72	14.7	0	3	Y	VG	G	MR	MS	l	R	MS	MR	1
CDC Ortona ®	31	71		-1	5	Y	VG	VG	-	5	-	R	R	R	1
CDC Ortona ® CDC Pilar CLPlus ®	31	71	14.6	1		Y	VG	VG	_	MR	-	MR	R	MS	<u>'</u>
CDC Pliar CLPIUS ®	42	70	14.8	-3	-4 8	N N	VG	P	R	INK	- I	R R	R	MR	MR
									ĸ	D	ı	K I			
CDC Power CL Plus (9)	7 71	73	14.1	-1	-3	Y	VG	F		R		MR	R	MS	MD.
CDC SKRush ®	31 71	77	14.6	2	4	Y	VG	P	-	ſ	-		R	MR	MR MC
CDC Succession CLPLUS VB (9)	31 71	72	14.6	2	2	Y	VG	VG	-	S	-	MR	MR	MD	MS
Daybreak ® VUA	31	78	14.3	2	4	Y	VG	Р	-	S	-	R	MR	MR	- !
Ellerslie ®	31	69	14.7	0	5	Y	VG	F	-	S	-	R	MR	R	I I
Flame ® VUA	21	76	14.4	3	3	Y	VG	-	-		-	R	MR		MR
Garde (1) VUA	32	71	13.9	2	-8	Y	VG	-	-		-	R	R	R	<u> </u>
Glenn 🕲	146	72	14.5 14.6	2	8	Υ	VG	F	l		ı	R	R	MR	

U	T)
	<u> </u>
)
)
<	\mathcal{I}
Ц	
()

				Matu-						Res	istance Le	vel:			
Class/Variety	Site Years Tested	Yield bu/ acre	Pro- tein %	rity + / - 99 days	Height +/- 81 cm	Spike Awned	Lodg- ing	Sprout-	Loose Smut	Common Bunt	Leaf ¹ Spots	Stem Rust	Leaf Rust	Stripe Rust	Fusarium Head Blight
Canada Western Red Spring															
Parata 🕾	33	71	14.9	-2	13	Υ	G	F	MR	S	-	R	MR	MR	ı
SY Cast 🖲	36	73	14.8	3	-1	-	VG	G	-	R	-	R	R	R	ı
SY Gabbro ®	36	75	14.9	2	7	Υ	VG	F	R	I	MS	MR	R	- 1	MR
SY Manness 🕾	30	80	14.1	1	-5	Υ	VG	G	-	S	-	R	R	- 1	I
SY Torach ®	33	73	14.9	2	3	Υ	VG	Р	R	MS	MS	MR	R	MS	MR
Canada Prairie Spring Red															
AAC Camrose VB 🕾	32	81	13.1	3	-4	Υ	VG	-	-	R	-	R	R	R	1
AAC Penhold ®	44	77	14.0	1	-10	Υ	VG	VG	I	R	ı	MR	R	MR	MR
AAC Perform 🕾	30	80	12.9	3	1	Υ	VG	VP	-	I	-	R	R	MR	MS
AAC Rimbey VB 🕾	29	81	12.5	1	0	Υ	G	VG	-	I	-	R	R	R	- 1
AAC Westlock ®	32	76	13.2	1	-1	Υ	VG	F	-	R	-	R	R	R	MR
Accelerate ® VUA	31	82	13.4	2	-2	Υ	VG	Р	-	S	-	R	R	R	1
CDC Warburg	21	83	13.1	3	2	-	VG	-	-	R	-	R	MR	R	1
Fierce VB ® VUA	21	80	13.3	2	-3	Υ	VG	-	-	MR	-	R	MS	MS	ı
Recoil ® VUA	18	84	13.7	2	-4	Υ	VG	-	-	MS	-	MR	R	R	ı
SY Rorke ®	30	79	12.9	3	2	-	VG	F	-	MS	-	R	R	S	ī
SY Rowyn 🕾	34	76	13.6	1	-5	Υ	VG	F	1	S		R	R	MR	MR
Canada Northern Hard Red															
AAC Redwater	43	70	14.7	-2	8	Υ	G	VG	MS	- 1	MS	R	R	MR	ı
Faller	53	88	13.0	1	3	Υ	G	F	-	1	MS	- 1	MR	MS	ı
Prosper 🕾	46	86	13.1	1	3	Υ	G	F	-	I	ı	MR	MR	S	1
Shelly ®	29	77	13.5	2	-5	Υ	VG	-	-	MS	-	MR	R	MR	- 1
Canada Western Special Purpo	se														
AAC Awesome VB ®	33	90	11.6	4	10	Υ	G	Р	ı	T.	I	R	MR	R	ı
Alotta 🕾	32	94	11.8	4	-1	Υ	VG	-	-	I	-	R	R	R	MS
WPB Banff VB ® VUA	7	95	11.7	5	-1	N	VG	-	-	MS	-	MR	R	R	ı
WPB Canmore ® VUA	7	85	12.5	7	0	N	VG	-	-	MS	-		R	R	ı
WPB Whistler ®	31	83	11.9	7	1	N	VG	F	-	I	-	R	R	R	MS
Canada Western Hard White S _l	pring														
AAC Tomkins 🕾	29	68	14.9	0	2	Υ	G	F	-	MR	-	MR	R	MS	I
AAC Whitehead VB ®	29	79	14.2	1	1	Υ	VG	F	-	R	-	R	R	MR	ı
Canada Western Soft White Sp	ring														
AAC Galore 🕾	21	90	10.9	4	5	Υ	VG	-	-	MS	-	R	ı	MR	MS
Canada Western Extra Strong															
CDN Bison	14	69	13.8	1	8	Υ	G	F	R	I	I	R	MR	-	I
Varieties supported for registi															
BW5115 (9)	7	77	14.5	2	-2	Υ	VG	-	-	R	-	MR	R	I	I
LAR19-22824	7	82	14.0	1	-2	Υ	VG	-	-	MR	_	R	MR	MR	
GRAND MEAN (bu/acre and %)		80	14.2									.,			
LSD (bu/acre and %) (0.05)		2	0.3												

¹Leaf Spots rating is a combination of resistance to tan spot, spot blotch and septoria leaf disease complex.

² Fusarium head blight (FHB) infection is highly influenced by genetics, environment and heading date. Under high levels of disease pressure, all varieties will experience yield and/or quality

Class/Variety	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Rosebank	Souris	Ste. Adolphe	Ctonowall	Swan River	Thornhill
Canada Western Red Spring		Deausejoui	DIGITUVII	Calbelly	vaupiiiii	паннуса	rieiita	KOZENGIIK	Julis	Ste. Audiplie	Stollewall	Swall Kivel	HIVIIIIII
AAC Ahead VB ®	42	-	80	_	116	92	_	_	88	95	_	-	60
AAC Brandon 🚳	40	94	69	56	108	90	88	110	86	93	63	120	54
AAC Craven VB ®	44	98	78	57	115	88	91	114	83	95	64	119	43
AAC Craveil VB ®	45	89	68	58	110	81	76	99	80	78	57	110	61
AAC Rivers VB ®	43	- 09	78		116	93	-	- 39	98	104	-	-	61
	45	82	58	64	107	88	85	118	85	88	56	117	45
AAC Spike ® AAC Stoughton VB ®	45	96	75	46	118	89	88	106	86	87	64	123	59
AAC Walker VB ®	45	97	75	68	114	90	95	116	85	96	55	123	57
AAC Walsh ®	46	89	64	59	109	90	85	114	92	90	60	120	54
AAC Westking ®	48	88	65	68	111	90	87	114	84	90	63	120	47
Baker ® VUA	46	95	70	57	110	90	91	119	86	98	61	120	47
Breadwinner ® VUA	44	97	66	61	105	85	80	117	90	90	66	120	43
CDC Power CL Plus (9)	47	-	60	-	114	91	-	-	84	92	-	-	43
Flame ® VUA	51	91	65	63	105	87	85	114	92	88	58	116	60
Garde ® VUA	47	85	58	53	99	85	83	106	79	83	59	109	50
Palisade ® VUA	43	85	61	56	103	87	85	116	88	90	58	114	52
Canada Prairie Spring Red	43	0.0	UI	30	103	07	0,0	110	00	30	J0	114	JL
AAC Camrose VB (9)	39	92	77	65	117	80	84	118	87	96	61	117	71
AAC Westlock ®	45	85	73	63	109	92	85	109	87	92	54	120	76
CDC Warburg	51	103	80	61	118	91	90	128	89	94	56	132	67
Fierce VB ® VUA	50	93	80	59	117	88	95	114	86	97	59	126	44
Canada Western Special Pu			00		117	00	"	114	00	JI	- 55	120	44
Alotta ®	51	102	83	73	135	105	93	129	113	103	70	138	78
WPB Banff VB @ VUA	44	-	95	-	143	99	-	-	99	100	-	-	93
WPB Canmore ® VUA	44	-	72	-	130	89	-	-	108	99	-	-	85
Canada Western Soft White					.50					33			
AAC Galore ®	53	119	81	64	136	103	93	127	100	94	65	144	57
Varieties supported for reg	istration b	y the PRCWRT											
BW5115 ®	45		70		112	89	-	_	87	92	-	-	43
LAR19-22824	47		75		122	90	-	-	87	98	-	-	66
SITE GRAND MEAN (bu/acre)	46	94	72	61	115	90	87	115	90	93	61	121	58
CV%	11.3	2.9	4.5	4.3	3.5	3.1	4.4	3.1	3.4	5.1	4.7	2.1	6.6
LSD (bu/acre)	-	5	5	4	7	5	-	6	5	8	5	4	6
Sign Diff	No	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes
Seeding Date	2-May	8-May	28-May	7-May	5-May	4-May	6-May	1-May	9-May	19-May	3-May	10-May	28-May
Harvest Date	20-Aug	27-Aug	10-Sep	26-Aug	27-Aug	26-Aug	21-Aug	22-Aug	29-Aug	28-Aug	24-Aug	29-Aug	9-Sept





Proven, Reliable, Progressive.

• Pedigreed Seed Sales • Processing, Retail • Crop Inputs

Guy Rouire Cell: 745-8425

Guy Labossiere Cell: 750-2292

www.rwayag.com

Toll Free # 866-398-9643 Box 388, St. Claude, MB R0G 1Z0

						2025	Protein (%	5)					
Class/Variety	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Rosebank	Souris	Ste. Adolphe	Stonewall	Swan River	Thornhill
Canada Western Red Sp	ring												
AAC Ahead VB 🕾	12.3	-	16.1	-	13.9	14.2	-	-	15.2	15.8	-	-	15.2
AAC Brandon 🗆	13.7	15.3	16.6	12.7	14.2	14.3	14.8	15.2	14.9	15.7	16.3	15.3	14.6
AAC Craven VB 🕲	12.3	13.4	15.1	13.1	13.5	14.2	13.4	14.5	14.2	14.8	15.6	14.0	14.5
AAC Oakman VB 🕾	11.8	14.0	15.4	10.0	14.5	14.1	13.6	14.7	13.3	14.3	15.2	14.2	14.5
AAC Rivers VB ®	12.2	-	15.9	-	13.5	14.2	-	-	14.5	15.4	-	-	15.0
AAC Spike 🕾	11.3	16.1	16.7	13.1	14.4	14.4	14.2	14.9	14.6	15.0	14.8	14.4	15.3
AAC Stoughton VB (9)	11.6	13.6	15.1	11.9	13.7	13.7	13.4	13.7	13.8	13.3	14.6	13.9	14.0
AAC Walker VB ®	12.0	14.4	15.6	14.9	14.1	14.0	13.7	14.8	14.7	15.0	15.6	14.8	15.4
AAC Walsh ®	13.1	15.3	16.9	13.0	15.1	14.5	14.6	14.6	14.6	15.0	15.4	15.0	14.4
AAC Westking ®	12.3	15.3	16.8	13.0	14.2	14.4	14.2	14.5	14.5	14.7	15.4	14.9	14.4
Baker ® VUA	11.8	14.7	16.3	12.9	14.4	14.2	14.1	15.2	15.1	14.9	15.7	14.0	14.9
Breadwinner ® VUA	13.1	14.6	16.6	13.7	14.6	15.1	14.9	15.3	15.2	14.0	15.9	15.4	15.9
CDC Power CL Plus 🕾	11.5	-	17.3	-	14.8	14.1	-	-	14.5	15.2	-	-	15.8
Flame ® VUA	13.2	15.0	16.1	13.2	14.3	14.4	14.7	15.1	14.3	15.3	15.1	14.8	14.4
Garde (9) VUA	11.6	14.6	16.0	12.7	14.1	14.1	13.7	14.1	14.6	14.0	14.7	14.7	14.7
Palisade ® VUA	13.1	15.3	16.6	13.8	14.7	14.0	14.2	14.8	14.9	15.6	16.2	15.2	14.2
Canada Prairie Spring R	led												
AAC Camrose VB 🕾	12.5	12.7	14.0	12.5	12.9	13.5	13.7	13.6	13.5	13.5	14.4	13.4	13.0
AAC Westlock ®	12.0	13.7	14.6	11.8	13.2	12.9	13.1	13.9	13.2	14.0	13.7	12.6	13.5
CDC Warburg	11.2	13.5	14.7	13.5	13.2	12.8	13.6	13.8	13.2	13.9	13.4	13.4	13.3
Fierce VB (9) VUA	10.9	13.3	14.8	12.3	13.1	13.6	13.7	14.2	14.1	13.7	14.5	13.3	14.5
Canada Western Specia	l Purpose												
Alotta 🕾	10.8	11.5	12.5	12.9	12.0	11.9	11.7	12.0	11.5	12.4	11.9	11.8	12.1
WPB Banff VB ® VUA	10.5	-	12.6	-	11.4	11.7	-	-	11.8	11.9	-	-	13.0
WPB Canmore (9) VUA	11.9	-	14.7	-	12.6	12.2	-	-	12.3	12.7	-	-	13.5
Canada Western Soft W	hite Spring	1											
AAC Galore ®	10.5	10.8	11.4	10.2	10.6	11.2	11.3	11.6	10.8	10.9	11.0	11.2	11.7
Varieties supported for	registratio	on by the PRCW	RT										
BW5115 (9)	13.1	-	16.6	-	14.5	14.8	-	-	14.5	15.3	-	-	15.5
LAR19-22824	11.9	-	16.0	-	13.8	14.3	-	-	14.3	15.2		-	14.2
SITE GRAND MEAN (%)	12.0	14.1	15.4	12.7	13.7	13.7	13.7	14.2	13.9	14.3	14.7	14.0	14.3

DURUM WHEAT

New for 2026

Variety	Code	Breeder	Distributor	Seed Availability
AAC Frontier ®	DT2033	AAFC Swift Current	SeCan	2027
AAC Schrader ®	DT2009	AAFC Swift Current	FP Genetics	2024
CDC Evident ®	DT1020	Crop Development Centre	Alliance Seed	2026
CDC Wiseton ®	DT1024	Crop Development Centre	SeCan	2026


Comments:

The varieties AAC Grainland @, AAC Weyburn VB @, AAC Raymore 🍪 , AAC Stronghold @, and AAC Cabri @ have solid stems with resistance to the wheat stem sawfly. Midge tolerant varieties are designated by the letters 'VB', which stands for Varietal Blend. The varieties contain the Sm1 gene for tolerance. To manage against the build-up of midge resistance to the gene, an interspersed refuge is used commercially. More information on midge tolerant wheat varieties and interspersed refuge can be found atmidgetolerantwheat.ca

Durum Wheat Variety Descriptions

												Re	sistance	Level:	
Variety	Site Years Tested	Yield (bu/ acre)	Protein %	Maturity n +/- 101 days	Height +/- 89 cm	Spike Awned	Lodging	Sprouting	Loose Smut	Common Bunt	Leaf ¹ Spot	Stem Rust	Leaf Rust	Stripe Rust	Fusarium Head Blight
AAC Cabri ®	9	65	14.2	1	3	Υ	G	F	MR	R	I	MR	R	R	MS
AAC Congress (9)	3	66	14.1	0	3	Υ	G	F	MR	R	MS	MR	R	R	MS
AAC Current 🚳	14	60	14.5	1	4	Υ	G	Р	MS	MR	I	R	R	MR	MS
AAC Frontier ®	2	64	14.2	2	0	Υ	G	G	-	R	-	R	R	R	- 1
AAC Grainland @	4	66	14.2	1	1	Υ	F	G	R	R	MS	MR	R	R	MS
AAC Marchwell VB	14	63	14.5	0	0	Υ	G	Р	MR	R	MS	R	R	R	MS
AAC Raymore	14	62	14.4	0	0	Υ	G	F	MS	MR	- 1	R	R	MR	S
AAC Schrader ®	2	67	14.2	2	4	Υ	G	F	-	MR	-	R	R	R	- 1
AAC Spitfire ®	11	65	14.3	0	-2	Υ	VG	F	MS	R	MS	R	R	R	S
AAC Stronghold ®	4	64	14.1	1	-2	Υ	VG	G	R	-	- 1	R	R	MR	MS
AAC Succeed VB ®	4	67	14.3	-1	1	Υ	G	F	R	R	MS	MR	R	- 1	MS
AAC Weyburn VB 🕾	2	67	14.1	0	-2	Υ	G	F	-	R	-	MR	R	R	MS
CDC Alloy ®	9	67	13.9	0	4	Υ	G	F	I	R	MS	MR	R	R	MS
CDC Credence (9)	2	66	14.0	1	6	Υ	G	F	MR	R	1	MR	R	MR	MS
CDC Defy ®	2	65	13.9	0	4	Υ	G	F	-	R	-	MR	R	- 1	MS
CDC Desire 🖭	6	60	14.2	-2	0	Υ	G	G	MS	R	I	R	R	MR	S
CDC Dynamic ®	9	66	14.4	0	2	Υ	G	F	I	R	I	MR	R	MR	MS
CDC Evident ®	2	66	14.3	1	2	Υ	G	F	-	R	-	R	R	R	MS
CDC Precision ®	9	68	13.9	0	4	Υ	G	F	MS	R	MS	MR	R	R	MS
CDC Vantta 🕾	2	60	14.3	4	-11	Υ	G	G	-	R	-	I	R	R	MS
CDC Verona 🕲	21	65	14.2	2	1	Υ	G	F	MS	R	MS	R	R	R	MS
CDC Wiseton 🕾	2	64	14.5	2	1	Υ	F	-	-	R	-	R	MR	- 1	1
Strongfield	26	62	14.4	0	0	Υ	G	F	S	MR	- 1	R	R	MR	S
Transcend 🕯	20	66	14.1	2	5	Υ	G	G	S	R	I	R	R	R	MS
GRAND MEAN (bu/acre)		68	13.8												
LSD (0.05)		5	0.5												

¹Leaf Spots rating is a combination of resistance to tan spot, spot blotch and septoria leaf disease complex.



With Canada's most complete canola seed protection.

Your best start begins with Lumiderm™ insecticide seed treatment. Lumiderm provides the most complete seedling protection, giving your crop the best start possible.

- Premium control of early season cutworms
- ✓ Proven crucifer & striped flea beetle protection
- Excellent early season seedling stand establishment
- ✓ Increased plant vigour and biomass

Book today and Win the Start with Lumiderm.

Lumiderm

INSECTICIDE SEED TREATMENT





Visit lumiderm.corteva.ca

 $^{\text{TM}\ @}$ Trademarks of Corteva Agriscience and its affiliated companies. © 2025 Corteva

Durum Wheat Yield Comparisons

	2025 Yiel	d (bu/acre)
Variety	Melita	Souris
AAC Frontier 🕾	67	84
AAC Grainland ®	74	85
AAC Schrader (9)	76	89
AAC Weyburn VB (2)	73	91
CDC Defy 🕾	75	82
CDC Evident ®	73	88
CDC Vantta (9)	67	71
CDC Wiseton (9)	69	81
SITE GRAND MEAN (bu/acre)	72	84
CV%	6.1	3.5
LSD (bu/acre)	-	5
Sign Diff	No	Yes
Seeding Date	6-May	9-May
Harvest Date	28-Aug	29-Aug

Durum Wheat Protein Comparisons

	2025 Protei	n (%)
Variety	Melita	Souris
AAC Frontier ®	14.7	14.7
AAC Grainland ®	14.5	14.6
AAC Schrader (9)	14.6	14.7
AAC Weyburn VB ®	14.5	14.0
CDC Defy (9)	13.8	13.9
CDC Evident ®	15.3	14.5
CDC Vantta ®	14.5	15.3
CDC Wiseton®	15.2	15.4
SITE GRAND MEAN (%)	14.6	14.6

WINTER WHEAT

Broadview and CDC Falcon are hard red kernel types.

AAC Elevate (a) has resistance to wheat curl mite, the vector that transmits wheat streak mosaic virus. To preserve the effectiveness of the tolerance gene, agronomic practices eliminating the 'green bridge' of plant material that serves as a reservoir for mites should be followed whenever possible.

Winter Wheat Variety Descriptions

								1		Resistan	ce Level:		
Class/Variety	Site Years Tested	Yield bu/acre	Protein %	Height +/- 75 cm	Spike Awned	Relative ¹ Maturity	Relative ² Winter Hardiness	Lodging	Common Bunt	Stem Rust	Leaf Rust	Stripe Rust	Fusarium³ Head Blight
Canada Western Red Winter													
AAC Coldfront (9)	34	93	11.8	7	Υ	М	VG	VG	S	R	R	R	I
AAC Elevate ®	39	83	11.7	8	Υ	М	G	VG	MR	MR	- 1	MS	I
AAC Gateway 🚳	35	84	12.4	2	Υ	М	F	VG	S	MR	1	MR	1
AAC Goldrush ®	50	83	12.0	10	Υ	М	VG	G	S	MR	R	1	1
AAC Network ®	47	80	12.1	4	Υ	L	G	VG	MR	R	MR	R	1
AAC Overdrive ®	25	85	11.9	4	Υ	E	VG	VG	R	R	MR	R	MR
AAC Vortex ®	40	89	12.4	8	Υ	М	VG	VG	S	R	R	R	MR
AAC Wildfire ®	53	91	11.7	10	Υ	L	VG	G	MR	S	1	R	MR
CDC Buteo	86	81	11.7	16	Υ	М	VG	F	S	I	- 1	S	MR
Emerson 🚳	80	84	12.7	11	Υ	М	G	VG	S	R	I	MR	R
Canada Western Special Purpos	9												
AAC Icefield ®	34	85	11.4	5	Υ	М	F	VG	S	R	MR	MR	ı
Broadview	38	83	11.4	6	Υ	E	G	G	S	R	R	S	S
CDC Falcon	103	81	11.8	0	Υ	E	F	VG	S	MR	MR	S	S
GRAND MEAN (bu/acre and %)		83	12.1										
LSD (bu/acre) (0.05)		3	0.2										

- 1 Maturity ratings: E = Early, M = Medium and L = Late. Varieties plus 2 to 4 days compared to CDC Falcon would be Medium (M) maturing. Varieties greater than 4 days compared to CDC Falcon would be rated as Late (L) maturing.
- ² All registered varieties have adequate winter hardiness if seeded at the optimum date into standing stubble where good snow cover can be assured.
- FIBE infection is highly influenced by genetics, environment and heading date. Under high levels of disease pressure, all varieties will experience yield and/or quality loss.





Winter Wheat Comparisons

	2025 Yield (bu/acre)								
Class/Variety	Arborg	Beausejour	Carberry	Carman	Dauphin	Melita	Roblin	Winnipeg	
Canada Western Red Winter									
AAC Coldfront (9)	73	128	72	105	168	93	102	153	
AAC Network ®	66	121	45	94	138	89	102	134	
AAC Overdrive ®	70	129	60	116	163	86	120	143	
AAC Vortex ®	68	125	77	103	148	92	114	138	
AAC Wildfire ®	80	140	58	99	169	85	112	164	
SITE GRAND MEAN (bu/acre)	71	129	62	103	157	89	110	147	
CV%	5.7	5.9	3.9	8.2	3.4	2.4	13.0	7.0	
LSD (bu/acre)	8	-	4	13	10	4	-	19	
Sig Diff	Yes	No	Yes	Yes	Yes	Yes	No	Yes	
Seeding Date	13-Sept	12-Sept	12-Sept	14-Sept	13-Sept	19-Sept	2-0ct	26-Sept	
Harvest Date	13-Aug	27-Aug	22-Aug	25-July	22-Aug	13-Aug	27-Aug	7-Aug	

Winter Wheat Protein Comparisons

	2025 Protein (%)									
Class/Variety	Arborg	Beausejour	Carberry	Carman	Dauphin	Melita	Roblin	Winnipeg		
Canada Western Red Winter										
AAC Coldfront ®	11.4	13.4	11.3	10.4	9.0	12.3	12.1	12.9		
AAC Network ®	11.7	13.5	11.9	10.2	9.9	12.6	12.4	13.4		
AAC Overdrive	10.8	12.6	12.0	10.4	9.2	12.6	11.8	13.0		
AAC Vortex ®	11.4	13.9	11.7	10.4	9.6	13.0	12.7	13.6		
AAC Wildfire (9)	10.4	12.6	11.8	10.1	8.8	12.4	11.4	13.1		
SITE GRAND MEAN (%)	11.1	13.2	11.7	10.3	9.3	12.6	12.1	13.2		



Dauphin Plains Seeds Ltd.

jdkaleta@mymts.net - (204) 638-7800 Jim Kaleta - (204) 638-0215 Terron Stykalo - (204) 647-5205

CEREALS, FORAGES, and SOYBEANS TREATING and INOCULATING services





where tradition and technology take root



Winter Wheat

Spring Wheat Barley Oats

Peas Corn Canola Soybeans **Edible Beans**

Ask us about available varieties!

BOOK NOW OR CONTACT US WITH ANY QUESTIONS



Andrew Ayre: 204 534 0988

Jake Ayre: 204 534 5023



southernseedltd@gmail.com



Junction of Hwy 10 & 23 Minto MB ROK1MO



@southern_seed0

FALL RYE

M	£	-	226
New	TOT	/	U/h

Variety	Class	Code	Breeder	Distributor	Seed Availability
SU Bebop ® VUA	OP	RT281	Hybro Saatzucht GmbH & Co. KG	FP Genetics Inc.	2025

Comments:

Hybrid fall rye varieties have improved falling number. Typically, a falling number of 180 seconds or greater is preferred by the rye milling market. Falling number can be heavily influenced by moisture around harvest time.

Fall Rve Variety Descriptions

		Yield		Relative ¹		Resistan	ce Level:	
Variety	Site Years Tested	(bu/acre)	Height '+/- 104 cm	Maturity	Falling Number (Seconds)	Lodging	Ergot ²	Relative Winter Hardiness
Open Pollinated								
Danko	29	90	-	-	-	-	-	F
Hazlet	93	95	3	0	172	G	MS	VG
Prima	10	92	13	-3	204	F	MS	VG
SU Bebop @ VUA	12	103	1	-1	243	G	MS	VG
Hybrid								
Brasetto	36	110	-7	0	248	VG	MS	VG
KWS Bono	43	110	-8	0	265	VG	MS	VG
KWS Daniello	35	109	-7	-1	272	G	MS	VG
KWS Gatano	20	112	-7	0	268	G	MS	VG
KWS Receptor®	28	118	-7	-1	270	G	MS	VG
KWS Sandor ®	28	116	-6	-1	274	G	MS	VG
KWS Serafino 🕾	34	117	-5	-1	281	G	MS	VG
KWS Trebiano ®	32	112	-3	0	284	VG	MS	VG
SU Cossani	28	114	-	-	NT	-	NT	-
SU Performer	28	110	-	-	NT	-	NT	-
GRAND MEAN (bu/acı	re)	103						
LSD (bu/acre) (0.05)		5						

¹ Maturity ratings: Hazlet reaches maturity in approximately 219 days.

² All varieties are susceptible to ergot. Current testing does not suitably differentiate varietal differences from other factors such as weather, crop development stage, inoculum load, and management.

Fall Rye Variety Descriptions

		2025 Yield (bu/acre)							
Type/Variety	Arborg	Beausejour	Carberry	Carman	Dauphin	Melita	Roblin	Winnipeg	
Open Pollinated									
Hazlet	55	99	49	98	147	73	98	93	
SU Bebop 🕾	-	-	49	123	164	76	-	103	
Hybrid									
KWS Receptor ®	75	118	37	142	206	83	96	112	
KWS Sandor ®	76	98	68	136	173	86	81	105	
SU Cossani	71	117	72	119	174	81	85	104	
SU Performer	65	90	54	135	145	74	115	98	
SITE GRAND MEAN (bu/acre)	68	104	55	126	168	79	95	103	
CV%	4.1	6.5	5.4	6.0	4.0	4.8	12.8	1.6	
LSD (bu/acre)	5	13	4	11	12	7	-	3	
Sign Diff	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	
Seeding Date	13-Sept	12-Sept	12-Sept	14-Sept	13-Sept	19-Sept	2-0ct	26-Sept	
Harvest Date	13-Aug	27-Aug	22-Aug	30-July	22-Aug	13-Aug	27-Aug	13-Aug	



Two Canadian Brands. One Standard





Seed That Works as Hard as You Do



CS Baker



Canada Western Red Spring

High-yielding, short-stature wheat with excellent milling quality and upcoming inclusion in the Warburtons program.

YIELD 112% VS:
AAC Brandon



2025 LCRC COMC Trial, avg. MB locs

CDC Envy ®



Canada Western Red Spring

CDC Envy is an exciting new CWRS that is early maturing, high yielding semi-dwarf with good standability.

MATURITY 3 LIAY

Data compiled from 2024 MCVET program

NEW

CS Breadwinner



Canada Western Red Spring

Broadly adapted, high-yield spring wheat with good disease resistance and protein improvements.

YIELD 114% VS:
AAC Brandon



2025 LCRC COMC Trial, avg. MB locs

AAC LeRoy VB



Canada Western Red Spring

AAC LeRoy VB CWRS has the amazing combination of high yields, disease resistance and midge tolerance, as well as consistent harvest quality that makes AAC LeRoy VB a go-to variety for farmers across Western Canada.



Data compiled from 2024 MCVET program

Connect with your local Seed Grower or call us at 877-270-2890 to speak to a Territory Manager.

CS4100 LL LIBERTY LINK W





LibertyLink® Canola

Featuring 7+ PodProtect™ shatter rating and high yield potential. Excellent disease resistance with multigenic blackleg and 1st and 2nd generation clubroot resistance.

for Seed Excellence.

CANTERRA SEEDS and Alliance Seed are growing together.

Rooted in the Prairies, our two Canadian seed brands share a common goal — to deliver pedigreed seed and canola hybrids that perform for Western Canadian farmers. Together, we bring you one of the broadest field seed portfolios in the region, backed by proven results and support from people who understand your farm.



This is Canadian Certified Seed | ChooseCertifiedSeed.ca 🏚 It's your responsibility to know https://seeds-canada.ca/en/seed-resources/plant-breeders-rights

CS Camden CS Camden





White Milling Oat

Grower and miller approved with exceptional yields and improved quality.

YIELD 106% VS:
Summit

Data compiled from 2024 MCVET program

CDC Endure •



White Milling Oat

CDC Endure sets the benchmark for yield and quality in oats across Western Canada and is the variety that growers will choose for many years.

YIELD 109% VS: Summit

Data compiled from 2024 MCVET program

AAC Connect (9) CANTERRA





2-Row Malting Barley

A top-performing variety with growing demand on the Recommended Malting Barley Varieties List by the Canadian Malting Barley Technical Centre (CMBTC).

YIELD 107% VS: CDC Copeland

Data compiled from 2024 MCVET program

AAC Carver





Yellow Pea

Farmer's all-time favourite pea for its large seed size, high yields and early maturity.

YIELD 110% VS: CDC Meadow

Seed Guides are used as sources for performance



DISTRIBUTOR CONTACTS FOR LISTED VARIETIES IN SEED MANITOBA 2026

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

BARLEY	
Malting	
AAC Connect (2) ®	CANTERRA SEEDS
AAC Goldman (2) ®	Sollio Agriculture
AAC Prairie (2) 🕾	CANTERRA SEEDS
AAC Synergy (2) 🚳	FP Genetics
AB Brewnet (2) ®	SeedNet
AB Dram (2) ⊕	SeedNet
AB Foothills (2) 🕾	CANTERRA SEEDS
AC Metcalfe (2)	SeCan
CDC Bow (2) ®	SeCan
CDC Churchill (2) ®	SeCan
CDC Copeland (2)	SeCan
CDC Copper (2) ⁽⁹⁾	FP Genetics
CDC Fraser (2) (9)	SeCan
CDC Kindersley (2) 🚳	SeCan
CDC PlatinumStar (2) 🚳	CANTERRA SEEDS
Celebration (6W) 🚳	CANTERRA SEEDS
Newdale (2)	FP Genetics
Sirish (2) ®	FP Genetics
SY Stanza (2) 🕾	FP Genetics
Torbellino (2)	FP Genetics
Tradition (6W)	Nutrien Ag Solutions Proven Seed / FP Genetics

Canmore (2) ®	CANTERRA SEEDS
Cantu (2) ®	Nutrien Ag Solutions Proven Seed
Carleton (2) (9)	Nutrien Ag Solutions Proven Seed
CDC Austenson (2)	SeCan
CDC Cowboy (2F) 🚳	SeCan
CDC Durango (2) 🚳	SeCan
CDC Harness (2) ⁽⁹⁾	FP Genetics
CDC Maverick (2F) ®	SeCan
CDC Renegade (2F) 🕾	SeCan
Claymore (2) (9)	Nutrien Ag Solutions Proven Seed
CONLON (2)	Seed Depot
Desperado (6F)	Alliance Seed
Esma (2) (2) VUA	SeCan
Ferguson (2) ®	Nutrien Ag Solutions Proven Seed
lbex (2) ⁽⁹⁾	Nutrien Ag Solutions Proven Seed
KWS Kellie (2) ® VUA	SeCan
Oreana (2) 🕾	Nutrien Ag Solutions Proven Seed
RGT Planet (2) ® VUA	SeCan
Richer (6) ®	Seed Depot
WCI Fortify (6F)	SeedNet

Food and Feed		

Food and Feed	
AAC Lariat (2) ®	CANTERRA SEEDS
AAC Stockton (2) (9)	SeCan
AB Advantage (6F) ®	SeCan
AB Catllelac (6) (2)	Alliance Seed
AB Hague (2) (9)	FP Genetics
AB Maximizer (2) (9)	CANTERRA SEEDS
AB Prime (2) (2)	SeedNet
AB Standswell (6) ®	Mastin Seeds
AB Tofield (6) ®	SeCan
AB Wrangler (2) 🕾	CANTERRA SEEDS
Altorado ®	Nutrien Ag Solutions Proven Seed
AS Lafleur (2) ®	Alliance Seed
Bighorn (2) ®	Nutrien Ag Solutions Proven Seed
	-

CDC Armstrong (2) ®	SeCan
CDC Pristine (2) ®	SeCan

Varieties being tested for adaptability in Western Canada

AS Manon (2) ®	Alliance Seed
Waterloo (6)	Seed Depot

6.6
SeCan
SeCan
SeCan
Alliance Seed
SeCan
FP Genetics
SeCan
FP Genetics
FP Genetics

CDC Byer ®	FP Genetics
CDC Baler (F)	FP Genetics
CDC Endure ®	Alliance Seed
CDC Hank 🕾	FP Genetics
CDC Haymaker (F) (9)	SeCan
CDC Morrison 🐵	CANTERRA SEEDS
CDC Westgate (F) ®	FP Genetics
CS Camden ⊛	CANTERRA SEEDS
Furlong	CANTERRA SEEDS
Leggett	FP Genetics
ORe3541M ®	SeCan
ORe3542M ⊕	SeCan
Ore BOOST (F) ® VUA	SeCan
Ore Level48 ⊕	Seed Depot
Ore Level50 ®	Seed Depot
ORe RUMINATOR (F) 🕾 VUA	Alliance Seed
Pinnacle	FP Genetics
Souris 🗆	Seed Depot
Stride	SeCan
Summit 🚳	FP Genetics
Triactor 🚳	CANTERRA SEEDS

Varieties being tested for adaptability in Western Canada

AAC Basil 🕾	SeCan	
Kalio 🕾	CANTERRA SEEDS	
Kyron (9)	CANTERRA SEEDS	

Canada Western Red Spring	
AAC Ahead VB 🕾	Alliance Seed
AAC Alida VB ⊕	SeCan
AAC Brandon 🗆	SeCan
AAC Broadacres VB 🕾	Nutrien Ag Solutions Proven Seed
AAC Cameron VB 🕾	CANTERRA SEEDS
AAC Craven VB 🕾	Nutrien Ag Solutions Proven Seed
AAC Darby VB 🕾	FP Genetics
AAC Elie 🚳	Alliance Seed
AAC Hockley ®	FP Genetics
AAC Hodge VB ⊕	FP Genetics
AAC LeRoy VB @	Alliance Seed
AAC Magnet ®	FP Genetics
AAC Oakman VB 🕾	SeCan
AAC Redberry ®	Alliance Seed
AAC Redstar 🕾	SeCan

AAC Rivers VB ®	SeCan	
AAC Russell VB 🕾	FP Genetics / Nutrien Ag Solutions Proven Seed	
AAC Spike ®	SeCan	
AAC Starbuck VB ®	SeCan	
AAC Stoughton VB ®	SeCan	
AAC Tisdale 🕾	SeCan	
AAC Viewfield ®	FP Genetics	
AAC Walker VB 🕾	FP Genetics	
AAC Walsh 🕾	FP Genetics	
AAC Warman VB 🕾	SeCan	
AAC Westking ®	SeCan	
AAC Wheatland VB ®	SeCan	
Baker 🕾 VUA	CANTERRA SEEDS	
Bolles (9)	Seed Depot	
Breadwinner ® VUA	CANTERRA SEEDS	
Carberry 🚳	SeCan	
Cardale 🚳	Seed Depot	
CDC Envy ®	Alliance Seed	
CDC Hughes VB (9)	Nutrien Ag Solutions Proven Seed	
CDC Landmark VB 🕾	FP Genetics	
CDC Ortona ®	Nutrien Ag Solutions Proven Seed	
CDC Pilar CLPlus ®	Nutrien Ag Solutions Proven Seed	
CDC Plentiful 🚳	FP Genetics	
CDC Power CL Plus ®	Nutrien Ag Solutions Proven Seed	
CDC SKRush ®	SeCan	
CDC Succession CLPlus VB (9)	Nutrien Ag Solutions Proven Seed	
Daybreak ® VUA	CANTERRA SEEDS	
Ellerslie 🕾	SeCan	
Flame 🖭 VUA	Alliance Seed	
Garde ⊕ ∨∪A `	CANTERRA SEEDS	
Glenn 🗆	CANTERRA SEEDS	
Palisade 🕾 VUA	CANTERRA SEEDS	
Parata 🟵	SeCan	
SY Cast ®	Nutrien Ag Solutions Proven Seed	
SY Gabbro 🕾	Richardson Pioneer	
SY Manness ®	FP Genetics	
SY Torach 😕	Alliance Seed	

Canada Prairie Spring Red

AAC Camrose VB ®	Nutrien Ag Solutions Proven Seed
AAC Penhold ®	SeCan
AAC Perform (9)	Alliance Seed
AAC Rimbey VB (9)	SeCan

AAC Westlock ®	SeCan	
Accelerate ® VUA	CANTERRA SEEDS	
CDC Warburg	SeCan	
Fierce VB 🕾 VUA	Alliance Seed	
Recoil ® VUA	CANTERRA SEEDS	
SY Rorke ®	Nutrien Ag Solutions Proven Seed	
SY Rowyn 🕾	Alliance Seed	
Canada Northern Hard Red		
AAC Redwater	SeCan	
Faller	Seed Depot	
Prosper ®	Seed Depot	
Shelly ⁽⁹⁾	Seed Depot	
Canada Western Special Purpos		
AAC Awesome VB ®	SeCan	
Alotta 🟵	SeCan	
Alotta (9) WPB Banff VB (9)	SeCan SeCan	
WPB Banff VB ®	SeCan	
WPB Banff VB (2) WPB Canmore (2) VUA	SeCan SeCan SeCan	
WPB Banff VB @ WPB Canmore @ VUA WPB Whistler @ VUA	SeCan SeCan SeCan	
WPB Banff VB @ WPB Canmore @ VUA WPB Whistler @ VUA Canadian Western Hard White S	SeCan SeCan SeCan	
WPB Banff VB WPB Canmore VUA WPB Whistler VUA Canadian Western Hard White S AAC Tomkins	SeCan SeCan SeCan FP Genetics FP Genetics	
WPB Banff VB WPB Canmore VUA WPB Whistler VUA Canadian Western Hard White S AAC Tomkins AAC Whitehead VB AAC Whitehead VB	SeCan SeCan SeCan FP Genetics FP Genetics	
WPB Banff VB @ WPB Canmore @ VUA WPB Whistler @ VUA Canadian Western Hard White S AAC Tomkins @ AAC Whitehead VB @ Canada Western Soft White Spri	SeCan SeCan SeCan FP Genetics FP Genetics	

Canada	Wastern	Amber Durum	
Laliaua	Me2relli	Allibei Dululli	

Callada Westerli Alliber Durulli	
AAC Brigham VB 🟵	FP Genetics
AAC Cabri 🕾	SeCan
AAC Congress ®	CANTERRA SEEDS
AAC Current 🚳	Alliance Seed
AAC Frontier ®	SeCan
AAC Grainland 🕾	SeCan
AAC Marchwell VB	SeCan
AAC Raymore	SeCan
AAC Schrader (9)	FP Genetics
AAC Spitfire 🕾	SeCan
AAC Stronghold ®	SeCan
AAC Succeed VB ®	FP Geneetics
AAC Weyburn VB 🕾	Alliance Seed
CDC Alloy ®	FP Genetics
CDC Credence ®	CANTERRA SEEDS
CDC Defy ⊕	SeCan
CDC Desire 🕾	Syngenta Canada Inc.
CDC Dynamic ®	Proven Seeds
CDC Evident ®	Alliance Seed
CDC Precision ®	Alliance Seed
CDC Vantta 🕲	SeCan
CDC Verona 🕸	Alliance Seed
CDC Wiseton ®	SeCan
Strongfield	SeCan
Transcend 🐵	FP Genetics

WINTER WHEAT

Canada Mezicin ken Militei	
AAC Coldfront ®	SeCan
AAC Elevate 🕾	SeCan
AAC Gateway 🚳	Seed Depot
AAC Goldrush ®	FP Genetics
AAC Network ®	SeedNet
AAC Overdrive 🕾	SeCan
AAC Vortex ®	Alliance Seed
AAC Wildfire ®	SeCan
CDC Buteo	SeCan
Emerson 🚳	CANTERRA SEEDS

Canada Western Special Purpose

AAC Icefield ®	FP Genetics
Broadview	CANTERRA SEEDS
CDC Falcon	SeCan

FALL RYE	
Open Pollinated	
Danko	FP Genetics
Hazlet	SeCan
Prima	SeCan
SU Bebop @ VUA	FP Genetics
Hybrid	
Brasetto	KWS Seeds Canada Ltd.
KWS Bono	KWS Seeds Canada Ltd.
KWS Daniello	SeedNet
KWS Gatano	KWS Seeds Canada Ltd.
KWS Receptor ®	KWS Seeds Canada Ltd.
KWS Sandor ®	KWS Seeds Canada Ltd.
KWS Serafino ®	SeedNet
KWS Trebiano ®	KWS Seeds Canada Ltd.
SU Cossani	FP Genetics
SU Performer	FP Genetics

DISTRIBUTOR	PHONE NUMBER
Alliance Seed	1-877-270-2890
CANTERRA SEEDS	1-877-439-7333
Faurschou Farms Ltd. III	
FP Genetics	1-877-791-1045
KWS Seeds Canada Ltd.	1-403-926-8861
Sollio Agriculture	1-514-384-6450
Mastin Seeds	1-403-556-2609
Nutrien Ag Solutions Proven Seed	1-855-569-9444
Richardson Pioneer	1-204-934-5166
SeCan	1-800-665-7333
Seed Depot	1-204-825-2000
SeedNet Inc.	1-403-715-9771
Syngenta Canada Inc.	1-877-964-3682



AJ ARMSTRONG

Boissevain, MB 204-534-2566 Cell: 204-534-8599 armstrongseeds@gmail.com

Wheat: AAC Westking, AAC Wheatland VB, AAC Starbuck VB,

SY Manness, and AAC Hockley Oats: CDC Endure, CDC Anson, AAC Douglas

Barley: AAC Connect Flax: CDC Rowland

Peas: AAC Carver and Boost

Soybeans: Several high performing varieties available.

Pinto Beans: SV6139GR

Grain and silage corn and forages available.

PEDIGREED GROWERS AND PROCESSORS

† GROWERS LIST

BARLEY	s	F	R	С
AAC CONNECT (9)				
Boissevain; Armstrong Seeds Ltd. 204-534-2566				C
Brandon; Wheat City Seeds Ltd. 204-727-3337				C
Decker; Murray Farms Inc. 204-764-0366				Ċ
Pilot Mound; Wallace, Joe 204-825-4543				Ċ
Virden; Clearview Acres Ltd. 204-748-7666			R	
AAC LARIAT ®				
Darlingford; Morrow, Graham 204-362-8986		F		
Virden; Clearview Acres Ltd. 204-748-7666				C
AAC PRAIRIE (9)				
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813			R	
AAC STOCKTON 🟵				
Plumas; Court Seeds Ltd. 204-386-2354			R	
AB ADVANTAGE (9)				
Cromer; Bartel Seeds 204-851-1755		F		C
Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151				C
Ste. Rose du Lac; Gamache, Ryan 204-447-2118				C
Warren; Riddell Seed Co. 204-227-5679		F		
AB CATTLELAC (2)				
Plumas; Tonn, Todd & Darren & Nolan 204-386-2206	S	F		
Ste. Anne; Seine River Seed Farm 204-371-7700				C
ALTORADO (2)				_
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				C
AS LAFLEUR ®		_		
Holland; Kubinec, Anastasia 204-526-2776		F	_	
Swan River; Oberlin Farms & Seed Services 204-734-2292			R	
CANMORE ®			D	
Darlingford; Morrow, Graham 204-362-8986 CARLETON			R	
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813			R	
CDC AUSTENSON &			K	
Arborg; Harreg Farms 204-642-2570	S	F	R	
Holland; Kubinec, Anastasia 204-526-2776	3	' ·	R	
MacGregor; Hulme Agra Products Inc. 204-871-4666			IX	c
Newdale: Warehamdale Seeds Ltd. 204-867-0268				C
Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704				(
Plumas; Court Seeds Ltd. 204-386-2354				C
Ste. Anne; Seine River Seed Farm 204-371-7700				C
Virden; Hutchison, Barry 204-851-6157				Ċ
CDC CHURCHILL (1)				-
Boissevain; Boissevain Select Seeds 204-534-0752				C
Carberry; Calvert Ag Inc. 204-573-1278			R	
Mather; McLennan Farms Ltd. 204-529-2372				C
CDC DURANGO ®				
Cromer; Bartel Seeds 204-851-1390				C

		_		_
Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151 Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676 Miniota; Walker, Alan Glen 204-567-3647 Plumas; Tonn, Todd & Darren & Nolan 204-386-2206 Reinland; Ens Farms Ltd. 204-325-4658	S	F	R R	С
Stonewall; Unger Seed Farm Ltd. 204-467-8630 CDC FRASER (2) Baldur, Scott Pantel 204-245-0860 CDC HARNESS Plumas; Court Seeds Ltd. 204-386-2354	S		R	С
CDC RENEGADE (2) Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676 CONLON (2) Portage La Prairie; Pugh Seeds Ltd. 204-871-1467				C
Somerset; Sierens Seed Service 204-744-2883 ESMA ② VUA Carberry; Calvert Ag Inc. 204-573-1278 Navin; James Farms Ltd. 204-222-8785				(
Oakviller, Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704 Oakbank; Willowdale Seeds 204-801-0659 Plumas; Court Seeds Ltd. 204-386-2354 Reinland; Ens Farms Ltd. 204-325-4658 Warren; Jones, Gavin R. 204-322-5604 Warren: Riddell Seed Co. 204-227-5679	S	F	R R R	С
RICHER (2) Arborg; Timchishen Seeds Farms 204-641-1288 MacGregor; Hulme Agra Products Inc. 204-871-4666 SY STANZA Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063			R	(
TRADITION Minto; Southern Seed 204-534-0988 AAC SYNERGY ⊗ Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854				(
OATS	s	F	R	c
AAC DOUGLAS Altona; LD Seeds 204-304-0048 Altona; Sawatzky, John 204-324-4018 Altona; Wiebe, LLoyd 204-324-7999 Arborg; Timchishen Seeds Farms 204-641-1288 Boissevain; Boissevain Select Seeds 204-534-0752 Boissevain; Latimer, Kevin B. & Duane E. 204-534-8318 Brandon; Wheat City Seeds Ltd. 204-727-3337 Carman; RJP Seed Ltd. 204-745-3304 Dufrost; R & R Catellier Farms 204-746-4175		F	R	

Trent VanHumbeck Manager Tel: 204-447-2916 Fax: 204-447-2937 Cell: 204-647-3314



Box 55 Laurier, MB. ROJ 1A0 E-mail: laurex@goinet.ca



• Colour sorter equipped

Derrick Beischer / Owner 204.564.2676 Plant | 204.773.6398 Cell Inglis, MB | beischerfamilyseeds@gmail.com

C

C

C

R R R

R R

F F

((

R ((

R C

F

F R

F

Homewood; Agassiz Seed Farm 204-745-6655				С	MacGregor; Hulme Agra Products Inc. 204-871-4666
MacGregor; Hulme Agra Products Inc. 204-871-4666			R	C	Minto; Fraser Seeds Ltd. 204-534-7458
Minto; Fraser Seeds Ltd. 204-534-7458				C	Reinland; Ens Farms Ltd. 204-325-4658
Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577				(Rosenort; Friesen Seeds Ltd. 204-746-8325
Oakbank; Willowdale Seeds 204-801-0659				C	Sanford; Bergen Seed Farm 204-793-3752
Portage La Prairie; Pugh Seeds Ltd. 204-871-1467				C	CDC HAYMAKER ®
Portage La Prairie; Sanderson, Garry 204-857-8406			R		Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675
Reinland; Ens Farms Ltd. 204-325-4658				C	Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070
St. Joseph; Remillard Seed Farm 204-737-2376				C	Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676
Ste. Anne; Seine River Seed Farm 204-371-7700				C	Oakbank; Willowdale Seeds 204-801-0659
Warren; Riddell Seed Co. 204-227-5679			R		Ste. Rose du Lac; Gamache, Ryan 204-447-2118
Wawanesa; Ellis Seeds 204-824-2290			R		Swan River; Oberlin Farms & Seed Services 204-734-2292
AAC FEDAK					Warren; Riddell Seed Co. 204-227-5679
Oakbank; Willowdale Seeds 204-801-0659		F			CDC SO-I ⊗
Warren; Riddell Seed Co. 204-227-5679	S				Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675
AAC FETCH					Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151
Minto; Fraser Seeds Ltd. 204-534-7458	S				CDC WESTGATE
AAC GLADYS					Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070
Arborg; Timchishen Seeds Farms 204-641-1288	S				CS CAMDEN (9)
Reinland; Ens Farms Ltd. 204-325-4658	S				Dauphin; Fisher Seeds Ltd. 204-622-8800
Russell; Keating Seed Farms Inc. 204-773-3854	S				Miniota; Walker, Alan Glen 204-567-3647
Sanford; Bergen Seed Farm 204-793-3752	S				Morris; Mueller, Malte 204-209-0024
CDC ANSON ®				,	Oak River; J.S. Henry & Son Ltd. 204-566-2422
Altona; LD Seeds 204-324-7999	C		D	C	Sanford; Bergen Seed Farm 204-793-3752
Arborg; Timchishen Seeds Farms 204-641-1288	S		R	C	Virden; Clearview Acres Ltd. 204-748-7666 KALIO ⊚
Boissevain; Armstrong Seeds Ltd. 204-534-2566 Boissevain; Boissevain Select Seeds 204-534-0752			R		Morris; Mueller, Malte 204-209-0024
Carman; RJP Seed Ltd. 204-745-3304	S	F	IX.	C	ORE BOOST ®
Dauphin; Fisher Seeds Ltd. 204-622-8800	3	Ľ	R	C	Arborg; Timchishen Seeds Farms 204-641-1288
Decker; Murray Farms Inc. 204-764-0366				C	Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151
Domain; Pitura Seeds 204-736-2849	S	F	R		Navin; James Farms Ltd. 204-222-8785
Fannystelle; Nadeau Seeds Inc. 204-436-2469				C	Oakbank; Willowdale Seeds 204-801-0659
Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070				C	Warren; Riddell Seed Co. 204-227-5679
Glenboro; Jefferies Seeds 204-720-7282	S	F			ORE LEVEL48 (9)
Homewood; Agassiz Seed Farm 204-745-6655				C	Morris; Red River Seeds Ltd. 204-746-3059
Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676				C	PINNACLE &
Killarney; Bar H Agri Seeds 204-523-7464				C	Rosser; KRYM Farms Ltd. 204-297-6377
MacGregor; Hulme Agra Products Inc. 204-871-4666			R	C	QUOQO1
Manitou; Sanders Seed Farm 204-242-4200 Minto; Southern Seed 204-534-0988				C	Stonewall; Unger Seed Farm Ltd. 204-467-8630 QUOOO2
Morris; Red River Seeds Ltd. 204-746-3059				C	Morris; Mueller, Malte 204-209-0024
Navin; James Farms Ltd. 204-222-8785				Ċ	SUMMIT &
Oak River; J.S. Henry & Son Ltd. 204-566-2422	S	F	R	ľ	Altona; LD Seeds 204-304-0048
Pilot Mound; Wallace, Joe 204-825-4543				C	Carman; RJP Seed Ltd. 204-745-3304
Plumas; Court Seeds Ltd. 204-386-2354				C	Domain; Pitura Seeds 204-736-2849
Reinland; Ens Farms Ltd. 204-325-4658			R		Homewood; Agassiz Seed Farm 204-745-6655
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				C	Killarney; Bar H Agri Seeds 204-523-7464
Rosenort; Friesen Seed 204-746-5751				(MacGregor; Hulme Agra Products Inc. 204-871-4666
Rosser; KRYM Farms Ltd. 204-297-6377			R		Plumas; Court Seeds Ltd. 204-386-2354
Russell; Keating Seed Farms Inc. 204-773-3854		L		C	Reinland; Ens Farms Ltd. 204-325-4658
Sanford; Bergen Seed Farm 204-793-3752	S	F	R	(Rosenort; Friesen Seed 204-746-8325
Somerset; Sierens Seed Service 204-744-2883			D	C	Rosenort; Friesen, Lloyd 204-746-5751
Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063 Ste. Anne; Seine River Seed Farm 204-371-7700			R	C	Sanford; Bergen Seed Farm 204-793-3752 Somerset; Sierens Seed Service 204-744-2883
Wawanesa; Ellis Seeds 204-824-2290				C	Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063
CDC ARBORG (9)				(Ste. Rose du Lac; Gamache, Ryan 204-447-2118
Cromer; Bartel Seeds 204-851-1390				C	Ste. Anne; Seine River Seed Farm 204-371-7700
Minto; Southern Seed 204-534-0988				C	201 371 7700
Plumas; Court Seeds Ltd. 204-386-2354				(
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				C	
CDC BYER					
Carman; RJP Seed Ltd. 204-745-3304	S		R	C	
Domain; Pitura Seeds 204-736-2849	S		R		
CDC ENDURE (1)				١.	
Boissevain; Armstrong Seeds Ltd. 204-534-2566				C	
Boissevain; Boissevain Select Seeds 204-534-0752			R		
Crystal City; Fallis, J. Allan & Mark A. 204-825-4525			R	,	
Holland; Kubinec, Anastasia 204-526-2776 Homewood; Agassiz Seed Farm 204-745-6655				(
1101111cm00u, nya3312 3ccu i aiiii 2047/43-0033					

A New Role — Offering Farmer Support with a Genetic Advantage

OPEN LISTENING, TRANSPARENCY AND COLLABORATION DEFINE EVERETT'S WORK WITH GROWERS. INDEPENDENT AGRONOMISTS AND THE RETAIL NETWORK.

By Chad Yanchyki, Sales Manager, FP Genetics

or decades, FP Genetics has played a quiet but vital role in Canadian agriculture — delivering seed genetics that farmers rely on to build their success. Now, with the introduction of the Western Product Specialist role, the company is strengthening that bridge between research, retail, and the realities of seed selection. Introducing Everett Boots, who's at the heart of this effort.

Growing up spending summers on his grandfather's farm east of Saskatoon, Sask., Everett developed an early love for agriculture. Enjoying being outside, working with crops and cattle, this connection guided him through a degree in agriculture at the University of Saskatchewan and over a decade with the Crop Development Centre, where he experienced firsthand the journey seed makes from breeding to field.

At the Crop Development Centre, he really came to understand the whole development process — from the initial variety breeding in the greenhouse to field trials and nurseries to the farmer's bin, and now, at FP Genetics, he aligns those dots in the real world.

Everett's role at FP Genetics is unchartered territory, with the opportunity to continually evolve as the future unfolds. "I came from research, and now I'm working with retailers — the hub for so many farmers." His role will be working directly with growers and independent agronomists on top of the retail network, educating them on the genetically advanced varieties available, bridging the gap for meeting their customers' needs. Offering solutions, with the traits that matter most.

His territory is carefully mapped out into sub-regions, which will allow him to visit as many retailers as possible, and more importantly, maintain an invaluable face-to-face connection. His goal for year one is simple, yet clear: "Be in front of as many people as I can, create those connections, nurture them. Then, moving forward, be that trusted source and reference point for our partners and the farm's decision makers."

The response has been welcoming and beyond encouraging. "Farmers have made mention they'd like to walk into any retailer and comfortably obtain advice about varieties and agronomics. That's the support and stewardship I will deliver."

His day can typically range from phone calls with growers, to on-site visits and work at trial locations, often joking that the most important thing about his role is



when the phone rings, he immediately jumps on it. "With the role being so new and specialized, you never know where that conversation will lead."


Everett takes this role both passionately and personally. In the end it's all about helping farmers confidently reach their full potential — FARMING must WIN. "Weather, interest rates, and commodity prices are all unpredictable, but your seed choice doesn't have to be. I want to help farmers make the most of what they can control and be ready to face the future and its challenges"


He's a natural fit for the role and for the company. Product knowledge can be learned, but qualities like open listening, transparency, and problem solving are deeply rooted in his personality. Everett's approachable nature is already making a positive difference in the field, and his collaborative mindset aligns well with the team's vision.

Everetts work is driven by identifying the challenges farmers face and offering them detailed and accurate solutions. "The door is always open," he says. "Farmers, retailers, agronomists — I'm just a phone call away. Let's develop custom strategies, build best practices, and tailor decisions to your individual needs."

FP Genetics isn't here to just sell seed — it's about the future unfolding, one gene, one variety at a time. It's about coming together to Farm on Purpose, with Purpose! \blacksquare

















Join thousands of Canadian growers who trust us to deliver innovative, reliable seed genetics season after season.

FARMÍNG WÍNS.

Visit **fpgenetics.ca** to connect and learn how. Call **877 791 1045** to speak with a

Territory Manager or Product Specialist.



S
0
\bigcirc
Ш Д
\mathcal{L}

FALL RYE	S	F	R	С
DANKO Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063 HAZLET		F		
Brandon; Wheat City Seeds Ltd. 204-727-3337			R	
Brunkild; Kletke Enterprises Ltd. 204-736-3334 Carman; RJP Seed Ltd. 204-745-3304			R R	C
Glenboro; Jefferies Seeds 204-720-7282				(
Holland; Kubinec, Anastasia 204-526-2776 Holland; Patenaude, Donald & Robert 204-526-5087		F		(
Reinland; Ens Farms Ltd. 204-325-4658			R	(
TRITICALE	s	F	R	С
AB SNOWCAT Reinland; Ens Farms Ltd. 204-325-4658				C
DURUM	s	F	R	С
AAC SCHRADER (9) Cromer; Bartel Seeds 204-851-1390			R	
SPRING WHEAT - MIDGE TOLERANT	s	F	R	С
AAC BROADACRES () - AAC BRANDON (4)				
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813 AAC CAMERON ⊕ - CARBERRY ⊛				(
Reston; Greig, Fred L.& Cameron & Roper, Jordan				C
AAC AHEAD - AAC ELIE ↔ Russell; Keating Seed Farms Inc. 204-773-3854	S	F		
AAC LEROY ® - AAC REDBERRY ®				,
Boissevain; Boissevain Select Seeds 204-534-0752 Minto; Fraser Seeds Ltd. 204-534-7458			R	C
AAC STARBUCK (9) – AAC BRANDON (4)				
Altona; Fuchsmeier, Joni 204-324-3859 Altona; Wiebe, Lloyd 204-324-7999			R	C
Baldur, Scott Pantel 204-245-0860			R	C
Binscarth; Inland Seed Corp. 204-683-2316 Boissevain; Boissevain Select Seeds 204-534-0752			R	c
Boissevain; Latimer, Kevin B. & Duane E. 204-534-8318			R	
Brandon; Wheat City Seeds Ltd. 204-727-3337		_		C
Brandon; Whetter, Rodney & Darren & Evan 204-729-7059 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675	S	F F		
Cromer; Bartel Seeds 204-851-1390		'	R	
Crystal City; Fallis, J. Allan & Mark A. 204-825-4525				(
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800 Dauphin: Fisher Seeds Ltd. 204-622-8800				(
Dufrost; Frosty Pine Farms Ltd. 204-746-4175				C
Domain; Pitura Seeds 204-736-2849		F	R	,
Dufrost; R & R Catellier Farms 204-746-4175 Fisher Branch; Gulay Family Farm 204-739-8184				(
Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070				C
Holland; Kubinec, Anastasia 204-526-2776 Holland; Patenaude, Donald & Robert 204-526-5087				(
Killarney; Bar H Agri Seeds 204-523-7464				(
MacGregor; Hulme Agra Products Inc. 204-871-4666			R	
Miniota; Walker, Alan Glen 204-567-3647 Newdale; Warehamdale Seeds Ltd. 204-867-0268				0
Morden; Wilson, James M. 204-362-2449				(
Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577		F		
Oak Bluff; Gousseau, Marcel E. & Robert 204-981-6953 Oak River; J.S. Henry & Son Ltd. 204-566-2422	S	F	R	C
Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704	3	'	K	C
Plumas; Court Seeds Ltd. 204-386-2354	C	г	D	C
Plumas; Tonn, Todd & Darren & Nolan 204-386-2206 Plum Coulee; Janzen, Ken, Jayme & Ernie A. 204-362-1789	S	F	R	C
Portage La Prairie; Sanderson, Garry 204-857-8406			R	
Dainlands Fac Farme Ltd. 204 72C 4CC0		F	D	C
Reinland; Ens Farms Ltd. 204-325-4658 Poston: Grain Frad I. & Cameron & Poner Lordan 204-877-3813				
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813 Rivers; Redsper Ent. Ltd. 204-328-5346			R R	C

Somerset; Sierens Seed Service 204-744-2883				(
St. Leon; Labossiere, Luc N. & Rejean F. 204-245-0191				(
Ste. Rose du Lac; Gamache, Ryan 204-447-2118				(
Virden; Clearview Acres Ltd. 204-748-7666				(
Virden; Hutchison, Barry 204-851-6157 Warren; Riddell Seed Co. 204-227-5679			D	(
Warren; Ridden Seed Co. 204-221-3619 AC STOUGHTON ⊕- AAC WESTKING ⊕			R	
Binscarth; Inland Seed Corp. 204-683-2316			R	
Grandview; Triple S Seeds Ltd. 204-638-2004			R	
Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577			R	
Russell; Keating Seed Farms Inc. 204-773-3854			R	
Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734			R	
St. Leon; Labossiere, Luc N. & Rejean F. 204-245-0191			R	
AC WALKER – AAC HOCKLEY (2) Binscarth: Inland Seed Corp. 204-683-2316	C	F		
Boissevain; Boissevain Select Seeds 204-534-0752	S S	F		
Domain; Pitura Seeds 204-736-2849	S	ľ		
Oak River; J.S. Henry & Son Ltd. 204-566-2422	_	F		
Plumas; Court Seeds Ltd. 204-386-2354		F		
Russell; Keating Seed Farms Inc. 204-773-3854		F		
AC WHEATLAND (2) - AAC BRANDON (4)				١.
Binscarth; Inland Seed Corp. 204-683-2316 Boissevain; Armstrong Seeds Ltd. 204-534-2566				(
Brandon; Wheat City Seeds Ltd. 204-234-2500			R	ľ
Brandon; Whetter, Rodney & Darren & Evan 204-729-7059			R	
Boissevain; Boissevain Select Seeds 204-534-0752			R	
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800				١
Darlingford; Morrow, Graham 204-362-8986				ľ
Decker; Murray Farms Inc. 204-764-0366			R	ľ
Fisher Branch; Gulay Family Farm 204-739-8184 Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070			R	l,
Grandview; Triple S Seeds Ltd. 204-638-2004				ľ
Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676				ď
Holland; Patenaude, Donald & Robert 204-526-5087				ŀ
Kenton; Robert H. Stevenson Ltd. 204-851-0493			R	
Kenton; Stevenson, Richard D.O. & Douglas 204-838-2696				ľ
Kenville; Carmichael, John A. 204-734-8683				1
Killarney; Chatham Seeds Ltd. 204-523-2050 Manitou; Sanders Seed Farm 204-242-4200				(
Mather; McLennan Farms Ltd. 204-529-2372				(
				(
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422	S	F	R	(
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543	S	F		(
Mather, McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346	S	F	R R	
Mather, McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854	S	F		
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734	S	F		
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351	S	F		
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-528-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290	S	F		
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-528-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290	s	F		
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290			R	c
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON & Altona; Fuchsmeier, Joni 204-324-3859			R	•
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON ♠ Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570			R	0
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON A Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860			R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON A Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570			R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752			R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 BPRING WHEAT Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 CERANDON Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT ACBRANDON & Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON & Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON & Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464 Lowe Farm; MB Seeds Ltd. 204-746-4652		F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON & Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464		F F	R	
Mather, McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J. & J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464 Lowe Farm; MB Seeds Ltd. 204-746-4652 MacGregor; Hulme Agra Products Inc. 204-871-4666		F F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherre; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON ♠ Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-534-0988 Morris; Red River Seeds Ltd. 204-746-3059 Newdale; Warehamdale Seeds Ltd. 204-746-3059 Newdale; Warehamdale Seeds Ltd. 204-867-0268		F F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-7147-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464 Lowe Farm; MB Seeds Ltd. 204-746-4652 MacGregor; Hulme Agra Products Inc. 204-871-4666 Minto; Southern Seed 204-534-0988 Morris; Red River Seeds Ltd. 204-746-3059 Newdale; Warehamdale Seeds Ltd. 204-867-0268 Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577		F	R	
Mather, McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherne; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON ♠ Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-523-7464 Lowe Farm; MB Seeds Ltd. 204-746-4652 MacGregor; Hulme Agra Products Inc. 204-871-4666 Minte; Southern Seed 204-534-0988 Morris; Red River Seeds Ltd. 204-746-3059 Newdale; Warehamdale Seeds Ltd. 204-867-0268 Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577 Oak River; J.S. Henry & Son Ltd. 204-566-2422		F F	R	
Mather; McLennan Farms Ltd. 204-529-2372 Miniota; Walker, Alan Glen 204-567-3647 Minto; Fraser Seeds Ltd. 204-534-7458 Oak River; J.S. Henry & Son Ltd. 204-566-2422 Pilot Mound; Wallace, Joe 204-825-4543 Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854 Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 Treherre; Stinson Seeds 204-526-5351 Wawanesa; Ellis Seeds 204-824-2290 SPRING WHEAT AC BRANDON ♠ Altona; Fuchsmeier, Joni 204-324-3859 Arborg; Harreg Farms 204-642-2570 Baldur, Scott Pantel 204-245-0860 Boissevain; Boissevain Select Seeds 204-534-0752 Carberry; Calvert Ag Inc. 204-573-1278 Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 Crystal City; Fallis, J. Allan & Mark A. 204-825-4525 Darlingford; Morrow, Graham 204-362-8986 Deloraine; Bolduc & Bell Farms 204-747-2913 Domain; Pitura Seeds 204-736-2849 Killarney; Bar H Agri Seeds 204-534-0988 Morris; Red River Seeds Ltd. 204-746-3059 Newdale; Warehamdale Seeds Ltd. 204-867-0268 Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577		F	R	

Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704				C	Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151				С
Portage La Prairie; Askin, Raymond T. & Jeffrey S. 204-856-6475				C	Crystal City; Fallis, J. Allan & Mark A. 204-825-4525				C
Portage La Prairie; Sissons Farms Ltd. 204-856-9908	S	F	R		Darlingford; Morrow, Graham 204-362-8986				C
Plum Coulee; Janzen, Ken, Jayme & Ernie A. 204-362-1789				C	Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800			R	C
Plumas; Court Seeds Ltd. 204-386-2354				(Dauphin; Fisher Seeds Ltd. 204-622-8800		_		C
Plumas; Tonn, Todd & Darren & Nolan 204-386-2206			R	(Decker; Murray Farms Inc. 204-764-0366	S	F		C
Pilot Mound; Wallace, Joe 204-825-4543				(Deloraine; Bolduc & Bell Farms 204-747-2913	S		R	(
Portage La Prairie; Sanderson, Garry 204-857-8406 Rosenort; Friesen Seeds Ltd. 204-746-8325				(Domain; Pitura Seeds 204-736-2849 Dufrost; Frosty Pine Farms Ltd. 204-746-4175	2	F		C
Sanford; Bergen Seed Farm 204-793-3752				C	Dufrost; R & R Catellier Farms 204-746-4175		ļ'.		C
Somerset; Sierens Seed Service 204-744-2883			R	C	Elphinstone; Gerrard Family Seeds 204-365-0321				C
Ste. Anne; Seine River Seed Farm 204-371-7700				C	Fisher Branch; Gulay Family Farm 204-739-8184				C
AAC HOCKLEÝ ®					Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070	S	F	R	C
Arborg; Timchishen Seeds Farms 204-641-1288			R		Glenboro; Jefferies Seeds 204-720-7282				C
Binscarth; Inland Seed Corp. 204-683-2316			R		Grandview; Triple S Seeds Ltd. 204-638-2004	S	F	R	
Boissevain; Boissevain Select Seeds 204-534-0752			R	C	Hamiota; Doupe, Neil D. 204-764-0028				(
Carman; RJP Seed Ltd. 204-745-3304				(Holland; Kubinec, Anastasia 204-526-2776				(
Cromer; Bartel Seeds 204-851-1755				(Holland; Patenaude, Donald & Robert 204-526-5087				C
Cromer; Bartel Seeds 204-851-1390				(Holland; Vigar, Murray & Gary 204-526-2108		F		(
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800				(Homewood; Agassiz Seed Farm 204-745-6655		ŀ		(
Dauphin; Fisher Seeds Ltd. 204-622-8800		F		·	Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676				(
Domain; Pitura Seeds 204-736-2849 Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070		ļ .		C	Kenville; Carmichael, John A. 204-734-8683 Killarney; Bar H Agri Seeds 204-523-7464				C
Grandview; Triple S Seeds Ltd. 204-638-2004				(Killarney; Chatham Seeds Ltd. 204-523-2050				C
Homewood; Agassiz Seed Farm 204-745-6655				C	Lowe Farm; MB Seeds Ltd. 204-746-4652			R	
Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676				C	MacGregor; Hulme Agra Products Inc. 204-871-4666	S		R	
Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704				C	Manitou; Sanders Seed Farm 204-242-4200				C
Plumas; Court Seeds Ltd. 204-386-2354				C	Miniota; Walker, Alan Glen 204-567-3647			R	C
Plumas; Tonn, Todd & Darren & Nolan 204-386-2206			R	C	Minto; Fraser Seeds Ltd. 204-534-7458				C
Portage La Prairie; Sissons Farms Ltd. 204-856-9908	S		R		Morden; Wilson, James M. 204-362-2449		F		
Rosenort; Friesen Seed 204-746-5751				C	Morris; Mueller, Malte 204-209-0024	S	F		C
Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063			R		Navin; James Farms Ltd. 204-222-8785				(
Ste. Anne; Seine River Seed Farm 204-371-7700				C	Newdale; Warehamdale Seeds Ltd. 204-867-0268				C
Ste. Rose du Lac; Gamache, Ryan 204-447-2118				C	Niverville; Prairie Sky Crop Solutions 204-388-4303			R	C
AAC SPIKE (9)		١,	_		Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577			R	
Arborg; Timchishen Seeds Farms 204-641-1288		F	R		Notre Dame De Lourdes; Durand, Leo 204-248-2372				(
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800 Oakbank; Willowdale Seeds 204-801-0659			R R		Oak Bluff; Gousseau, Marcel E. & Robert 204-981-6953 Oak River; J.S. Henry & Son Ltd. 204-566-2422		F		(
AAC VIEWFIELD @			K		Oakbank; Willowdale Seeds 204-801-0659		F		C
Grandview; Triple S Seeds Ltd. 204-638-2004			R	C	Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704		ļ'.		C
Rosenort; Friesen Seed 204-746-5751			IX.	C	Pilot Mound; Wallace, Joe 204-825-4543				(
Swan River; Alford, Wayne G. 204-734-8196				C	Plum Coulee; Janzen, Ken, Jayme & Ernie A. 204-362-1789				C
AAC WALSH ®					Plumas; Court Seeds Ltd. 204-386-2354				C
Altona; LD Seeds 204-324-7999	S	F	R		Plumas; Tonn, Todd & Darren & Nolan 204-386-2206				C
Arborg; Timchishen Seeds Farms 204-641-1288	S	F			Portage La Prairie; Askin, Raymond T. & Jeffrey S. 204-856-6475	S	F		C
Boissevain; Boissevain Select Seeds 204-534-0752	S	F			Portage La Prairie; Pugh Seeds Ltd. 204-871-1467			R	
Cromer; Bartel Seeds 204-851-1390				C	Portage La Prairie; Sanderson, Garry 204-857-8406	S	F		(
Domain; Pitura Seeds 204-736-2849	S		R		Portage La Prairie; Sissons Farms Ltd. 204-856-9908				(
Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676			R		Reinland; Ens Farms Ltd. 204-325-4658	S		R	(
Killarney; Bar H Agri Seeds 204-523-7464		,	R		Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813		F	R	
MacGregor; Hulme Agra Products Inc. 204-871-4666	S	F			Rivers; Providence Farms 204-761-8702				(
Manitou; Sanders Seed Farm 204-242-4200 Plumas; Court Seeds Ltd. 204-386-2354	2	F			Rivers; Redsper Ent. Ltd. 204-328-5346 Rosenort; Friesen Seeds Ltd. 204-746-8325				(
Sanford; Bergen Seed Farm 204-793-3752	S	ļ [*]			Russell; Keating Seed Farms Inc. 204-743-3854				(
Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063	3		R		Sanford; Bergen Seed Farm 204-793-3752	S	F		C
Swan River; Alford, Wayne G. 204-734-8196		F	R		Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734	3	ļ.,		C
AAC WESTKING ®		Ľ			Somerset; Sierens Seed Service 204-744-2883	S		R	C
Altona; LD Seeds 204-304-0048				C	Stonewall; Unger Seed Farm Ltd. 204-467-8630	S	F		C
Arborg; Timchishen Seeds Farms 204-641-1288	S			C	St. Leon; Labossiere, Luc N. & Rejean F. 204-245-0191				C
Altona; Wiebe, LLoyd 204-324-7999				C	St. Joseph; Remillard Seed Farm 204-737-2376				C
Baldur, Scott Pantel 204-245-0860			R	C	Ste. Anne; Seine River Seed Farm 204-371-7700				C
Binscarth; Inland Seed Corp. 204-683-2316	S	F		C	Swan River; Badowski Farms Ltd. 204-281-0668				C
Boissevain; Armstrong Seeds Ltd. 204-534-2566		F		C	Swan River; Oberlin Farms & Seed Services 204-734-2292				C
Boissevain; Boissevain Select Seeds 204-534-0752				C	Virden; Clearview Acres Ltd. 204-748-7666				C
Boissevain; Latimer, Kevin B. & Duane E. 204-534-8318				C	Virden; Hutchison, Barry 204-851-6157			R	C
Brandon; Wheat City Seeds Ltd. 204-727-3337				C	Warren; Jones, Gavin R. 204-322-5604			R	
Brandon; Whetter, Rodney & Darren & Evan 204-729-7059	S	F		C	Warren; Riddell Seed Co. 204-227-5679	S	F		(
Carberry; Calvert Ag Inc. 204-573-1278			R	,	Wawanesa; Ellis Seeds 204-824-2290				C
Carman; Menold, Thomas 204-750-2682		,		(ACCELERATE ® VUX				
Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675	S	F	R	(Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800			D	C
Cromer; Bartel Seeds 204-851-1390			R	C	Morris; Mueller, Malte 204-209-0024			R	
							4		and the

				_
ALOTTA 🕾				
Carman; Menold, Thomas 204-750-2682			R	
Rivers; Redsper Ent. Ltd. 204-328-5346				C
Ste. Anne; Seine River Seed Farm 204-371-7700			R	(
Swan River; Badowski Farms Ltd. 204-281-0668			R	
Warren; Riddell Seed Co. 204-227-5679			R	
BAKER (9) VUA				
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800		F		C
Glenboro; Jefferies Seeds 204-720-7282			R	
Killarney; Chatham Seeds Ltd. 204-523-2050				(
Morris; Mueller, Malte 204-209-0024	S	F		
Pilot Mound; Wallace, Joe 204-825-4543		F		C
Stonewall; Unger Seed Farm Ltd. 204-467-8630	S	F		C
Virden; Clearview Acres Ltd. 204-748-7666				C
BOLLES ®				
Portage La Prairie; Pugh Seeds Ltd. 204-871-1467			R	C
Solsgirth; Nickel, James D. & John H. & Kevin J.& J. Gordon 204-773-6734 BREADWINNER ® VUA				C
Morden; Wilson, James M. 204-362-2449		F	R	
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813		' .	R	
CDC ENVY (9)			IX	
Russell; Keating Seed Farms Inc. 204-773-3854				C
Swan River; Oberlin Farms & Seed Services 204-734-2292				C
CDN BISON				1
Portage La Prairie; Faurschou, David & Glenn D. 204-327-5725				C
FALLER				ľ
MacGregor; Hulme Agra Products Inc. 204-871-4666				C
Oakbank; Willowdale Seeds 204-801-0659				C
Oakville; Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704				C
Plum Coulee; Janzen, Ken, Jayme & Ernie A. 204-362-1789				C
Rosenort; Friesen Seeds Ltd. 204-746-8325				C
Ste. Anne; Seine River Seed Farm 204-371-7700				C
PROSPER ®				
Altona; Wiebe, Lloyd 204-324-7999				C
Morris; Red River Seeds Ltd. 204-746-3059				C
Rosenort; Friesen Seeds Ltd. 204-746-8325				C
RECOIL VUA				
Morris; Mueller, Malte 204-209-0024	S		R	
SY MANNESS ®				
Altona; Wiebe, Lloyd 204-324-7999				C
Arborg; Timchishen Seeds Farms 204-641-1288	S	F	R	
Baldur; Desrochers, David Oscar 204-825-7400				C
Boissevain; Armstrong Seeds Ltd. 204-534-2566				(
Boissevain; Boissevain Select Seeds 204-534-0752				(
Carman; RJP Seed Ltd. 204-745-3304			D	C
Cromer; Bartel Seeds 204-851-1755			R	,
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800				(
Dauphin; Fisher Seeds Ltd. 204-622-8800				
Domain; Pitura Seeds 204-736-2849				(
Elphinstone; Gerrard Family Seeds 204-365-0321				ľ

				Г
Fannystelle; Nadeau Seeds Inc. 204-436-2469				ŀ
Glenboro; Jefferies Seeds 204-720-7282				ŀ
Grandview; Triple S Seeds Ltd. 204-638-2004				
Homewood; Agassiz Seed Farm 204-745-6655				
Killarney; Bar H Agri Seeds 204-523-7464				
Manitou: Sanders Seed Farm 204-242-4200				
Morris; Red River Seeds Ltd. 204-746-3059				
Navin: James Farms Ltd. 204-222-8785				
Newdale; Warehamdale Seeds Ltd. 204-867-0268				
Oakville: Miller, Andrea & Graham & Hofer, Don & Tyler 204-871-6704			R	
Rosenort; Friesen Seed 204-746-5751			K	
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				
, -,				
Russell; Keating Seed Farms Inc. 204-773-3854	_	F	D	
Sanford; Bergen Seed Farm 204-793-3752	S	ŀ	R	
Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063			_	ľ
Ste. Anne; Seine River Seed Farm 204-371-7700			R	
Swan River; Alford, Wayne G. 204-734-8196			R	
Wawanesa; Ellis Seeds 204-824-2290				ľ
SY TORACH ®				
Elphinstone; Gerrard Family Seeds 204-365-0321				
WINTER WHEAT	s	F	R	,
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800 Domain: Pitura Seeds 204-736-7849	S	F	R R	
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800 Domain; Pitura Seeds 204-736-2849 Gilbert Plains; Tokar Pedigreed Seed Corp. 204-648-7070 Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813 Ste. Anne; Seine River Seed Farm 204-371-7700 AAC WILDFIRE © Baldur, Scott Pantel 204-245-0860 Plumas; Court Seeds Ltd. 204-386-2354 AAC COLDFRONT © Domain; Pitura Seeds 204-736-2849 Minto; Southern Seed 204-534-0988 Rosenort; Friesen Seeds Ltd. 204-746-8325	S	F	R R R R	



Ian Froese

Boissevain Select Seeds

 Cell: (204) 534-0752
 Box 957

 Ph: (204) 534-6846
 Boissevain, MB

 Email: ian@boissevainselectseeds.ca
 ROK 0E0





Variety Description Key

A "CHECK CHARACTERISTICS" is at the bottom of each table for soybean and sunflower to display the long-term yield, number of site years, maturity and any other check attributes.

The grey box has been placed at the bottom of each table for canola and flax displaying the "GRAND" MEAN" for Yield (bu/acre) and the corresponding LSD value (p < 0.05).

Except for the long-term average yield, variety description information was obtained from the Cooperative Registration Trials. For Relative Maturity, actual number of days will depend on local climactic conditions and to some extent on management practices.

"Resistance Level" ratings: HS = highly susceptible; S = susceptible; MS = moderately susceptible; MR = moderately resistant; R = resistant; '-' = not available.

Site Years Tested is the cumulative number of locations over the years that a variety has been tested against the check variety.

Indicates a variety that is protected by Plant Breeders' Rights legislation that complies with UPOV 1978.

ndicates a variety that is protected by, or has been applied for and is pending, Plant Breeders' Rights legislation that complies with UPOV 1991.

Key to 2025 Yield Tables

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.


LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Canola & Soybean Comments

For specific notes regarding the canola tables, refer to the CANOLA COMMENTS at the top of those respective pages.

For specific notes regarding the soybean tables, refer to the SOYBEAN COMMENTS at the top of page 64.



Canola Variety Evaluation Trials Data:

All variety yields compared as a percentage of the check specific to that trial. Check variety was chosen based on % of acres grown in MASC 2024 Variety Marketshare Report. LibertyLink trial was run as separate from Roundup-Ready. All canola yield trials are straight-cut. Yields derived over two or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

Comments:

Variety descriptions summarize the performance of varieties tested in the 2025 Canola Variety Evaluation Trials. Data donated by the Manitoba Canola Growers Association. For more information visit canolagrowers.com. Lodging is rated on a 1 to 5 scale, where 5 is a completely lodged plant at harvest.

Blackleg Resistance

Varieties in the table below have a resistant (R) rating for Blackleg (<30% infection of Westar check) based on Western Canada Canola/Rapeseed Recommending Committee (WCC/RRC) rating. Lesions and yield loss can still occur, based on the level of inoculum and blackleg pathotype in the field, in combination with environmental conditions conducive for disease development. Some seed distributors have chosen to provide blackleg resistance grouping based on major-gene (qualitative) resistance within that variety in addition to the traditional rating. Labels identifying major resistance genes present will use the letters: A, B, C, D, E1, E2, F, G, H, and X. Adult-plant (quantitative) resistance remains an important factor. Visit blackleg.ca for details on how resistance groups work.

Clubroot Resistance


Clubroot is a long-lived soil-borne disease that can impact canola performance. Using clubroot resistant varieties in rural municipalities where clubroot has been found is highly recommended as a risk mitigation tool. To know for sure if your own fields have clubroot, soil testing is the only way to find out prior to finding galls in the field. See page 64 for the map indicating clubroot distribution in Manitoba.

Clubroot resistance is generally termed 1st or 2nd Generation based on genetic source. First-generation clubroot resistance confers resistance to clubroot pathotypes 2F 3H, 5I, 6M, and 8N, on the Canadian Clubroot Differential Set (Strelkov et al., 2018).

Second-generation sources contain resistance to a varying set of pathotypes outside the original five first-generation pathotypes, but may also have resistance to the original five. For further information on clubroot resistance labels, please visit clubroot.ca, refer to the company website, or speak with your seed representative.

Pod Shatter Resistance

The pod shatter rating scale was developed by the Canola Council of Canada in 2021 and uses a scale of 1-9, with 5-9 meaning lower shatter risk, and 1-4 having higher risk and being more suitable for swathing. Numeric pod shatter ratings are provided by their respective companies, or may not yet be identified on the new rating system.



Stand out in a whole new way Raxil Rise



Western Canada's #1 cereal seed treatment brand* just got better.



Raxil® Rise. Better looking. Harder working. Just as easy as ever. With enhanced control of seed- and soil-borne diseases including true loose smut (thanks to penflufen), it's your new go-to. If you're looking to stand out in a crowded field, stick with the brand seed treaters have trusted for 25 years.



RaxilRise.ca | 1888-283-6847 | @Bayer4CropsCA

*Source: 2025 AGDATA West Cereal Seed Treatment Report – Cereal Seed Treatments **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.** Bayer, Bayer Cross and Raxil® are registered trademarks of Bayer Group. Used under license. Bayer CropScience Inc. is a member of CropLife Canada. ©2025 Bayer Group. All rights reserved.

LIBERTYLINK CANOLA

Variety Description

			Man	itoba CVET Da	nta¹		WCC/RR	C Data²	
Name	Herbicide Tolerance ¹	No of Sites	Yield (% of check)	Yield (bu/acre)	Maturity (Days)	Lodging (1-5)	Blackleg Resistance ⁴ (Group) ^{4a}	Clubroot Resis- tance ⁴ (Generation) ^{4b}	Pod Shatter Rating ⁵ (1-9)
LibertyLink - Straight Cut									
BY 7204LL	LL	8	95%	59.0	97.1	1.2	R (E2)	R (1+2)	Y (7.5)
BY 7206LL	LL	8	99%	61.1	99.6	1.5	R (A, E2, G)	R (1+2)	Y (7.3)
CP24L3C (CROPLAN)	LL	7	96%	59.4	97.3	1.4	R	R (1+2)	Y (7.0)
CP25L3C (CROPLAN)	LL	7	97%	60.1	98.2	1.5	R	R (1+2)	Y (7.2)
CS4100 LL	LL	8	95%	58.7	97.8	1.5	R (E2, G)	R (1+2)	Y (7.0)
L330PC (InVigor)	LL	8	101%	63.0	96.1	1.4	R	R (1)	Υ
L333PC (InVigor)	LL	8	100%	62.0	98.0	1.4	R	R (1)	Υ
L340PC (InVigor)	LL	8	100%	62.0	96.2	1.4	R	R (1)	Υ
L350PC (InVigor)	LL	8	103%	64.1	99.9	1.5	R	R (1)	Υ
L356PC (InVigor)	LL	8	100%	62.0	97.2	1.5	R	R (1)	Υ
MC 5126LL	LL	8	88%	54.5	96.5	1.5	R	R (1+ 3A, 3D, 5X, 8E)	Y (6.0)
LSD			3.6	2.2					

¹ Data from independent canola hybrid testing in the Manitoba Canola Variety Evaluation Trials.

ROUNDUP READY CANOLA

Variety Description

			Mar	nitoba CVET Da	ıta¹		WCC/RR	C Data²	
Name	Herbicide Tolerance ³	No of Sites	Yield (% of check)	Yield (bu/acre)	Maturity (Days)	Lodging (1-5)	Blackleg Resistance ⁴ (Group) ^{4a}	Clubroot Resistance ⁴ (Generation) ^{4b}	Pod Shatter Rating ⁴ (1-9)
Roundup Ready - Straight Cut									
CP25T2C (CROPLAN)	TF	8	94%	57.8	97.2	1.6	R (E1, G)	R (1+2)	Y (7.3)
CS3200 TF	TF	8	91%	55.9	98.6	1.5	R (C)	R (1+2)	Y (7.0)
CS3300 TF	TF	8	100%	61.5	94.6	1.9	R (A, E2)	R (1)	Y (7.0)
MC 5230TF	TF	8	99%	60.7	97.2	2.1	R (RIm7, RImS)	R (1)	Y (7.6)
LSD			3.6	2.2					

¹ Data from independent canola hybrid testing in the Manitoba Canola Variety Evaluation Trials.

² Data from canola hybrid registration testing at Western Canadian Canola/Rapeseed Recommending Committee Trials.

³ Herbicide tolerance is indicated as LL - LibertyLink, TF - TruFlex, RR - Roundup Ready, CL - Clearfield

⁴ Genetic disease resistance is indicated with an "R" resistant rating to Blackleg, Clubroot, based on variety descriptions submitted to CFIA.

^{4a,b} Additional details of blackleg group and clubroot generation labels provided by respective companies.

⁵ The Canola Council of Canada rating system indicates that 1 = poor, 9 = excellent pod shatter resistance.

 $^{{}^2\,} Data\, from\, canola\, hybrid\, registration\, testing\, at\, Western\, Canadian\, Canola/Rapeseed\, Recommending\, Committee\, Trials.$

³ Herbicide tolerance is indicated as LL - LibertyLink, TF - TruFlex, RR - Roundup Ready, CL - Clearfield

⁴ Genetic disease resistance is indicated with an "R" resistant rating to Blackleg, Clubroot, based on variety descriptions submitted to CFIA. NT - not tested through WCC/RRC to date.

^{4a,b} Additional details of blackleg group and clubroot generation labels provided by respective companies.

⁵ The Canola Council of Canada rating system indicates that 1 = poor, 9 = excellent pod shatter resistance.

		L	ONG SEASON ZON	E			MID SEASON ZONE	
Name	Carman	Holland	Melita	Morden	Morris	Arborg	Hamiota	Swan River
Liberty Link - Straight Cut (bu)	/acre)							
BY 7204LL	38.6	53.7	61.3	77.1	59.0	45.8	74.6	62.1
BY 7206LL	38.6	55.6	61.7	78.8	54.5	56.2	75.8	67.9
CP24L3C (CROPLAN)	40.8	52.1	60.3	74.2	56.2		75.4	62.7
CP25L3C (CROPLAN)	37.4	52.7	60.4	74.8	56.1		74.6	65.9
CS4100 LL	42.4	55.2	56.9	75.8	56.8	40.8	74.3	64.3
L330PC (InVigor)	44.9	54.2	63.9	82.7	61.8	32.9	76.8	69.0
L333PC (InVigor)	52.9	60.6	58.4	72.1	62.9	43.8	79.5	71.1
L340PC (InVigor)	47.4	56.8	63.2	83.5	63.3	44.8	77.1	72.9
L350PC (InVigor)	45.9	60.1	62.3	75.5	60.0	41.2	81.4	67.1
L356PC (InVigor)	51.6	55.6	63.3	76.1	60.1	47.3	78.8	69.7
MC 5126LL	40.3	49.7	60.5	76.2	51.4	47.0	76.0	66.1
Mean	43.7	55.1	61.1	77.0	58.4	44.4	76.8	67.2
LSD (bu/acre)	3.5	4.4	7.9	5.5	5.2	8.1	4.8	8.7
CV	5.6	5.5	8.9	4.9	6.2	12.5	4.3	9.0
Seeding Date	13-May	27-May	26-May	1-Jun	25-May	23-May	26-May	21-May
Harvest Date	29-Aug	17-Sep	23-Sep	4-0ct	17-Sep	16-Sep	22-Sep	9-Sep



		L	ONG SEASON ZONE			MID SEASON ZONE				
Name	Carman	Holland	Melita	Morden	Morris	Arborg	Hamiota	Swan River		
Roundup Ready - Straight Cut	(bu/acre)									
CP25T2C (CROPLAN)	41.8	52.2	59.6	67.9	57.9		85.1	70.2		
CS3200 TF	34.1	54.0	67.0	63.1	48.2	29.3	76.7	75.0		
CS3300 TF	44.3	52.2	61.7	79.5	63.0	37.9	83.0	70.6		
MC 5230TF	42.5	55.2	69.5	76.5	61.1	28.7	81.2	71.2		
Mean	40.7	53.4	64.5	71.8	57.6	32.0	81.5	71.7		
LSD (bu/acre)	4.7	4.1	13.5	2.6	4.6	6.9	2.8	9.1		
CV	7.2	4.8	13.0	2.3	4.9	12.5	2.2	7.9		
Seeding Date	13-May	27-May	26-May	1-Jun	25-May	23-May	26-May	21-May		
Harvest Date	29-Aug	17-Sep	23-Sep	4-0ct	17-Sep	16-Sep	22-Sep	9-Sep		





Elevate your yield with soybeans specifically suited to Manitoba growing conditions.

BRETTYOUNG EARLY-MATURITY SOYBEANS

Proudly local and here to stay, BrettYoung's portfolio offers a wide range of maturities and herbicide systems, giving you the option you need to deliver high yields for your region.

TALK TO YOUR RETAILER TODAY

Name	Relative Maturity
BY NEBO XT	000.5 RM
BY MERU E3	00.2 RM
BY DENO XT	00.3 RM
BY ROBSON XT	00.6 RM




Prairie-Harmonized Clubroot Distribution Map

(September 2024, no updates for September 2025)

The map shows symptomatic clubroot findings by rural municipality (RM), discovered through visual field symptoms and presence of clubroot spores in soil through laboratory testing for DNA.

This map is also useful for farmers and/or those who advise growers on either side of the Manitoba-Saskatchewan border. The Ministry of Agriculture in Saskatchewan also shares out this style of map.



Author: Manitoba Agriculture Source: MB Ag Analysis Date: September 23, 2024

Manitoba 🦃

1:2,300,000 0 25 50 100 Kilometres





YIELDS WORTH CELEBRATING BrettYoung™ LibertyLink® Canola

Choose the canola hybrid that will help you achieve a successful season.

TALK TO YOUR RETAILER TODAY

- Pod DefendR® shatter tolerance technology
- Industry-leading double layered DefendR protection against blackleg and clubroot
- Strong early season vigour and excellent standability



Comments:

All variety descriptions other than yield are based on data from the Linseed Cooperative Trials in the Prairie provinces.

MCVET flax testing was done in partnership with the University of Saskatchewan Crop Development Centre across all three Prairie provinces in 2025.

All varieties are immune to rust.

All varieties are susceptible to pasmo.

Variety Descriptions

	Site		Maturity	Height		Seed		Oil Qu	ality¹:	Resista	nce Level:
Variety	Years Tested	Yield bu/acre	+/- 102 days	+/- 68 cm	Seed Colour	Size TSW	Oil Content	lodine Number	ALA Content	Lodging ²	Fusarium Wilt
AAC Bravo 🚳	30	34	1	0	brown	6.4	44.6	194.0	60.2	G	MR
AAC Bright ®	25	35	2	0	yellow	5.6	48.8	192.1	56.2	G	MR
AAC Marvelous®	19	37	2	0	brown	5.8	47.1	192.1	55.8	G	MR
CDC Bethune 🗆	84	35	0	0	brown	5.8	45.6	188.6	54.7	G	MR
CDC Dorado 🕾	19	33	-1	-5	yellow	5.9	46.6	206.6	65.8	FG	MR
CDC Esme (9)	21	37	2	-2	brown	6.3	44.5	192.0	57.1	G	MR
CDC Glas 🚳	53	36	1	3	brown	5.2	45.8	192.0	56.6	G	MR
CDC Kernen (9)	29	37	1	0	brown	6.5	45.4	191.6	57.3	VG	MR
CDC Neela ®	24	35	1	3	brown	5.7	45.5	194.4	59.1	G	MR
CDC Plava 🚳	21	35	-2	-3	brown	5.7	46.5	195.5	57.2	G	MR
CDC Rowland ®	28	39	4	0	brown	6.8	45.2	195.1	59.2	G	MR
CDC Sorrel 🚳	56	35	1	3	brown	6.4	45.1	192.7	57.8	F	MR
FP2608	20	36	3	-6	brown	5.9	44	190.0	56.7	VG	VG
Hanley 🗆	30	32	-2	-5	brown	5.7	44.7	197.7	58.6	VG	R
Topaz ®	12	34	0	0	brown	5.8	45.9	188.2	54.4	G	MR
VT50 (NuLin50) 🚳	28	34	4	-5	yellow	5.1	47.1	209.4	67.6	VG	MR
WestLin 70	12	34	2	5	brown	6.4	45.8	194.5	61.9	G	MR
WestLin 71 ®	15	35	2	-5	brown	5.6	47.5	198.1	61.2	G	MR
WestLin 72 ⁽⁹⁾	29	34	3	-3	brown	5.4	47.0	192.8	57.0	VG	MR
GRAND MEAN (bu/acre)		35									
LSD (p<0.05)		2.3									

¹⁰il quality of flax is based on the amount of linolenic acid measured in the seed or as measured by iodine value which is calculated from the fatty acid composition of the seed. A higher iodine value and/or higher ALA content indicates a higher overall oil quality in the seed.



(Situated in the village of Reinland) Sellers of Pedigreed Seeds Since 1942

- Wheat
- Soybeans
- Oats
- Corn
- Edible Beans
- Forage Seeds

194 Reinland Avenue, Reinland MB R6P 0G5 Phone 204-325-4658 • E-mail: info@ensfarmsltd.com

Visit our website at ensqualityseed.com



BOX 25, DUFROST, MB Bus: 204-347-5588 Fax: 204-347-5890

E-mail: info@catellierseeds.com

SCOTT 204-921-0074 **RICHARD**

PATRICK

ROGER

204-746-4175 204-746-4546

204-746-4642

PEDIGREED SEED GROWER/PROCESSOR

² E = Excellent; VG = Very Good; G = Good; FG = Fair to Good; F = Fair; PF = Poor to Fair; P = Poor.

Flax Yield Comparis	sons							
					2025 Yield (bu/acr	e)		
VARIETY		Arborg	Carberry	Hamiota	Melita	Roblin	Rosenort	St. Rose du Lac
AAC Bright (9)		15	26	27	57	41	25	
CDC Esme 🕲		14	30	37	57	44	37	31
CDC Glas 🐠		14	29	28	60	43	29	31
CDC Kernen 🖱		16	26	37	63	35	33	32
FP2608		18	30	38	65	38	31	34
	SITE GRAND MEAN (bu/acre)	15	29	27	60	42	32	32
	CV %	11	4.0	8.0	5.0	6.0	13.0	9
	LSD (bu/acre)	-	2	5	6	4	7	-
	Sign Diff	No	Yes	Yes	Yes	Yes	Yes	No
	Seeding Date	22-May	13-May	26-May	12-May	13-May	3-May	30-May
	Harvest Date	10-0ct	24-Sep	22-Sep	23-Sep	8-0ct	19-Sep	15-0ct



Pilot Mound, MB Walt-204-825-7810

Seed in stock:

Wheat: AAC Wheat King, AAC Brandon, SY Manness, AAC Starbuck, AAC Wheatland, Faller, Prosper Barley—Conlon Oats—AC Summit, CDC Anson Peas—AAC Chrome

Services we offer:

Cleaning Seed Production Delivery **Bulk Bagging Authorized Importer Contract Production** Warehousing Seed Treating

SOYBEANS

NOTES FOR ALL SOYBEAN TABLES

Maturity Notes:

Soybean varieties have been organized into 4 maturity zones - very early, early, mid and long season areas.

Relative days to maturity (dam) is the number of days from seeding to plant maturity (95% of the pods on the plant are mature with seeds rattling in the pods when plant is shaken) and is expressed as + or - days from the check. Growers need to be cautious when using only one year data when evaluating maturity and yield. Using multiple year maturity data when available will give you a better indication on how a variety will mature with different growing seasons. Actual days to maturity for the check is found in the grey check box at the bottom of the table.


General Notes:

Herbicide Tolerant and Conventional soybean varieties are evaluated separately, meaning direct comparison of varieties between different tables is not possible. All trials are solid seeded at 210,000 seeds/acre.

Hilum colour can range from Yellow (Y), Imperfect Yellow (IY), Grey (G), Brown (BR), Buff (BF), Tan(TN), Clear (CL), Imperfect Black (IB) or Black (BL) and is solely a marketing issue. The hilum is the point on the soybean seed where it attaches to the pod.

Iron Deficiency Chlorosis (IDC) rating scores 1=green leaves, 2=yellowish leaves, 3=green veins with yellow leaves, 4=brown dead tissue between green veins, 5=severe chlorosis and a stunted growing point. Ratings were taken from sites prone to iron chlorosis over the last 3 years. IDC tolerant varieties are varieties with lower IDC Scores and perform better on soils prone to iron deficiency.

Iron Deficiency Chlorosis (IDC) grouping is used because varieties will have different visual rating scores from year to year. Numerical ratings which are close but are in different groupings will show similar symptoms. Both numerical and groupings should be considered together when judging IDC. Tolerant=leaves stayed green, Semi Tolerant=leaves when yellow then turned green, Susceptible= leaves went chlorotic and had dead patches on their leaves and were often stunted.



WESTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

Comments:

The Western Manitoba soybean variety trial was sponsored by the Manitoba Pulse & Soybean Growers.


			Yield	Site	Maturity	IDC ³	Resi	stance		2	025 Yield %	of S003-R5	X	
Maturity Zone	Variety	Type ¹	% Check	Years Tested	(days) +/- check²	Rating/ Group	SCN ⁴	PRR ⁵	Dauphin	Hamiota	Holland	Melita	Souris	Swan River
Very Early	BY Nebo XT	R2X	90	12	-4	2.1 / ST	Yes	1c	83	88	87	89	88	85
Season Zone	S0009-J5X	R2X	94	16	-3	2.0 / ST	-	1c,3a	87	88	101	93	93	84
	S001-D8X	R2X	91	28	-2	2.0 / ST	-	1c	83	82	117	96	91	88
	PV S0009X84	R2X	100	16	-1	1.8 / ST	Yes	-	100	90	116	100	94	97
	Wolf R2X ⊕	R2X	88	22	-1	1.8 / ST	Yes	3a	88	83	90	91	86	83
	SI Mizuki XTN	R2X	100	6	-1	2.0 / ST	Yes	1c	103	102	112	98	92	97
	Alouette R2X	R2X	90	12	0	1.8 / ST	-	1c	87	94	93	98	87	79
	S003-B8XF	R2XF	90	6	0	2.2 / ST	-	1c	93	78	97	93	90	92
	Gecko R2X	R2X	94	16	0	2.0 / ST	-	1c	87	89	90	89	84	92
	NSC Newdale RR2X	R2X	90	6	0	1.9 / ST	Yes	1c	96	92	85	97	88	84
	S003-R5X	R2X	100	28	0	2.1 / ST	-	1c	100	100	100	100	100	100
	B0024EE	E3	93	12	0	1.9 / ST	-	1k,6	86	78	86	95	92	89
Early	BY Meru E3	E3	95	12	1	2.0 / ST	-	1c	89	91	102	101	94	90
Season Zone	TH85003XF	R2XF	97	12	1	1.9 / ST	Yes	1c,3a	96	91	93	103	97	88
	NSC Enforce E3	E3	99	11	1	1.7/ T	-	1k	90	94	97	97	88	93
	NSC Arden RR2X	R2X	96	21	1	1.8 / ST	-	1c	94	85	101	101	91	89
	Briggs R2X	R2X	92	22	1	1.9 / ST	Yes	1c	91	91	92	85	82	86
	P003Z08E	E3	96	12	2	2.1 / ST	-	1c	97	101	104	100	91	95
	Young R2X	R2X	98	28	2	1.7 / T	Yes	1c	91	94	105	99	90	86
	NSC Holland RR2X	R2X	95	18	2	1.9 / ST	-	1c	93	91	113	98	91	-
	BY Deno XT	R2X	98	16	3	1.9 / ST	Yes	1c	104	94	118	102	93	99
	Hart R2X	R2X	98	24	3	1.9 / ST	-	1c	103	93	112	102	91	-
	TH84002X	R2X	100	16	3	1.8 / ST	Yes	1c	98	97	100	99	95	90
	DKB001-07	R2X	99	15	3	1.8 / ST	Yes	1k	100	87	95	91	95	92
	Experimental lines t	hat are bei	ng tested / p	roposed for	registration in	Canada								
	PR180640-05	R2X	93	11	-2	2.0 / ST			91	87	106	84	85	83
	BY25X002002BCX	R2X	94	6	0	1.9 / ST	Yes	1c	91	89	105	99	91	91
	BY25X003001MSX	R2X	85	6	4	1.8 / ST	-	1k	85	79	95	87	90	78

Western Herbicide Tolerant Soybean Variety Descriptions

			Yield	Site	Maturity	IDC 3	Resi	stance		2	025 Yield %	of S003-R5	X	
Maturity Zone	Variety	Type ¹	% Check	Years Tested	(days) +/- check²	Rating/ Group	SCN⁴	PRR ⁵	Dauphin	Hamiota	Holland	Melita	Souris	Swan River
	Merino R2X	R2X	97	18	4	1.7 / T	Yes	1k	98	88	109	93	90	-
	P004Z87E	E3	97	12	4	2.0 / ST	-	1c	98	94	106	103	91	99
	Oslo XF	R2XF	98	10	4	1.9 / ST	-	1c	91	100	105	100	91	-
	Bourke R2X	R2X	96	23	4	1.8 / ST	-	1k	93	90	105	91	89	-
	Ryno R2X	R2X	98	12	4	2.0 / ST	-	1c	94	86	99	105	92	86
	DKB002-32	R2X	102	21	4	1.8 / ST	Yes	1k	102	98	104	94	94	94
	S005-Z5XF	R2XF	95	6	4	1.9 / ST	Yes	1c,3a	91	86	108	98	91	97
	SI 00323XT	R2X	103	16	5	2.0 / ST	-	1c	100	100	96	107	87	104
Mid	B0045EE	E3	92	6	5	2.0 / ST	Yes	1k	92	101	86	95	91	88
Season Zone	NSC OakBank RR2X	R2X	101	5	5	1.8 / ST	-	1c	100	99	110	105	96	-
ZOTIC	DKB004-04	R2X	99	11	5	1.7/T	Yes	1c	106	99	117	98	92	89
	PV 22s002 R2X	R2X	96	28	5	2.0 / ST	Yes	1k	94	88	112	88	86	91
	B0065EE	E3	96	6	6	2.0 / ST	Yes	1c	101	95	102	103	84	96
	P007A68E	E3	103	15	6	1.9 / ST	-	1c	108	103	115	105	91	106
	SI Avita E3	E3	100	6	7	1.7 / T	-	1c	105	81	116	108	93	100
	Melo XF	R2XF	99	10	7	1.7/T	Yes	1c,3a	103	86	115	99	96	-
	TH82005 R2X	R2X	102	23	7	1.9 / ST	-	1k	108	90	107	99	102	-
	P007Z82E	E3	99	6	7	1.8 / ST	Yes	1c	94	94	116	101	93	99
	CHECK Characteristics						SOO3-R5 acre)	X (bu/	70	56	44	60	76	69
	S003-R5X		66	28	120		CV%		5.9	4.9	8.2	5.0	5.5	6.7
			bu/acre	site	days		LSD%		9	7	14	8	8	10
				years			Sign Dif	ff.	Yes	Yes	Yes	Yes	Yes	Yes
							Seeding) Date	19-May	26-May	27-May	27-May	27-May	22-May
							Harvest	Date	6-0ct	8-0ct	8-0ct	1-0ct	2-0ct	9-0ct

1 R2X -Xtend technology (dicamba and glyphosate), R2Y-Roundup-Ready 2 technology (glyphosate only), RR1 - Roundup Ready 1 technology (glyphosate), E3 Enlist (glyphosate, 2,4-D,glufosinate) WPX-Blended Variety Extend Tolerant (glyphosate, dicamba), R2XF Extend Flex Technology (Glyphosate,Dicamba,glufosinate)

⁵ PRR-Phytophthora Race Specific Resistant Genes



Working for farmers



MPSG is proud to collaborate with MCVET and the seed industry to conduct regional variety trials. These trials deliver unbiased, third-party data on agronomics, disease resistance, and quality, empowering farmers to make informed decisions when selecting varieties for their farm.

For more information, visit manitobapulse.ca or follow us on social media @MBPulseGrowers.

² Relative days to maturity based on multiple year average.

³ Iron Deficiency Chlorosis (IDC) Groupings -These ratings determined at a separate trial near Winnipeg that is prone to IDC

T-Tolerant, ST-Semi-Tolerant, S-Suceptible

⁴ SCN -Soybean Cyst Nematode Resistance



MEET THE RISING STAR NSC HOMEWOOD

High Yielding 00.6 that Shines in the field Semi-Bushy Plant with Excellent Standability Very Strong IDC

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Contact your local crop protection dealer or call the technical support line at 1:800-657-4944 for recommended Roundup Ready® Xtend Crop System, weed control programs. Roundup Ready 2 Xtend® is a registered trademark of Bayer Group, Used under license



EASTERN MANITOBA CONVENTIONAL SOYBEANS

Comments:

The Eastern Manitoba conventional soybean variety trial was sponsored by Manitoba Pulse & Soybean Growers.

Variety Descriptions

Maturity Zone	Variety	Yield % Check	Site Years Tested	Maturity (days)¹ +/-of Check	Hilum Colour	IDC ² Rating/Grouping
Very Early	CDC Cedar 🕾	94	5	-9	IY	1.9 / ST
Season Zone	Pamela	95	5	-5	ΙY	1.7 / T
Early	Rosser	97	29	-4	ΙΥ	1.9 / ST
Season	Reynolds	94	31	-1	ΙΥ	2.1 / ST
Zone	Abaca 🕾	114	27	0	ΙΥ	1.8 / ST
	Liska 🕾	100	32	0	ΙΥ	2.3 / S
	Arietta	106	13	0	ΙΥ	2.1 / ST
	Experimental lines that a	re being tested / proposed for	registration in Canada			
	OT22-04	102	17	-3	Υ	2.1 / ST
	PR193653C-08	103	5	-1	IY	2.0 / ST
	PR193657-03	102	5	0	IY	1.8 / ST
Mid	Nala 🕾	101	8	2	Υ	1.9 / ST
Season Zone	Koa 🕾	101	10	2	IY	1.8 / ST
.one	Aurelina 🕲	105	26	2	IY	1.9 / ST
	Dufferin	100	14	3	IY	2.0 / ST
	Experimental lines that a	are being tested / proposed for	registration in Canada			
	CM248-015	106	3	2		1.8 / ST
Long Season Zone	Hana	99	12	5	Υ	2.0 / ST
CHECK CHARACTERISTICS						
Liska		52 bu/acre	32 site years	123 days		

¹ Maturity Ratings are averaged across the Carman, Morris, Portage, St. Adolphe sites.

T-Tolerant, ST-Semi-Tolerant, S-Susceptible



² Iron Deficiency Chlorosis (IDC) Groupings - These long-term ratings are determined at a separate trial near Winnipeg that is prone to IDC.

EASTERN MANITOBA CONVENTIONAL SOYBEANS

	mnarisons	

					20	25 Yield: % of Liska		
		Maturity (days) ¹		Earl	y Sites		Core Sites	
Maturity Zone	Variety	+ / - of Check		Beausejour	Stonewall	Carman	Morris	St. Adolphe
Very Early Season	CDC Cedar 🕾	-9		109	81	94	97	84
Zone	Pamela	-5		101	86	91	99	92
Early Season Zone	Rosser	-4		110	92	87	97	91
	Reynolds	-1		109	93	89	103	91
	Abaca ®	0		128	110	105	118	113
	Liska	0		100	100	100	100	100
	Arietta	0		117	108	84	107	103
	Experimental lines	that are being tested	/ proposed for registra	tion in Canada				
	0T22-04	-3		110	99	95	98	105
	PR193653C-08	-1		105	116	80	109	106
	PR193657-03	0		97	107	89	108	112
Mid Season Zone	Nala 🕾	2		-	-	101	107	116
	Koa 9	2		-	-	92	104	110
	Aurelina 🕾	2		117	114	90	106	111
	Dufferin	3		-	-	98	103	97
	Experimental lines	that are being tested	/ proposed for registra	tion in Canada				
	CM248-015	2		-	-	88	118	111
ong Season Zone	Hana	5		-	-	89	104	106
heck Characteristics	Liska	123	Liska (bu/acre)	60	45	50	51	50
		days	CV %	5.4	4.9	6.3	5.8	5.8
			LSD%	10	8	10	10	10
			Sign Diff	Yes	Yes	Yes	Yes	Yes
			Seeding Date	8-May	20-May	26-May	22-May	12-May
			Harvest Date	3-0ct	2-0ct	3-0ct	2-0ct	29-Sep

¹ Data based on long-term maturity across all core sites.





Ag-Quest conducts resistance tests to help producers identify herbicide-resistant populations in weed seed samples.

Samples must be received by December 31st.

For more info: 204-776-2087 or www.agquest.com

WESTERN MANITOBA CONVENTIONAL SOYBEANS

Comments:

The Western Manitoba conventional soybean variety trial was sponsored by Manitoba Pulse & Soybean Growers.

Variety Descriptions									
Soybean Maturity Zone	Variety	Yield % of Check	Site Years Tested	Hilum Colour	Maturity (days)¹ +/- of Check	IDC ² Rating/Grouping	2025 Yield % Liska		
							Melita	Souris	Swan River
Very Early Season Zone	Ambella 🕾	86	13	BR	-12	1.9 / ST	82	90	94
Early Season Zone	CDC Cedar 🕾	95	5	IY	-5	1.9 / ST	92	94	100
Mid Season Zone	Abaca 🕾	112	7	IY	0	1.8 / ST	121	116	111
	Liska 🕲	100	13	IY	0	2.3 / S	100	100	100
	Rosser	101	9	IY	0	1.9 / ST	97	102	119
	Koa ®	103	3	IY	2	1.8 / ST	100	105	125
	Experimental lines that are being tested / proposed for registration in Canada								
	X6405-8	97	3	IY	-4	1.8 / ST	98	96	109
	PR193657-02-11	93	3	ΙY	0	2.0 / ST	89	97	101
CHECK CHARACTERISTICS	Liska					Liska (bu/acre)	53	64	52
		50 13 bu/acre site years	13		123 days	CV%	6.5	3.9	10.3
			site years			LSD%	11	-	20
						Sign Diff	Yes	No	Yes
						Seeding Date	27-May	27-May	22-May
						Harvest Date	1-0ct	2-0ct	8-0ct



EASTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

Comments:

The Eastern Manitoba herbicide tolerant soybean trial was sponsored by Manitoba Pulse & Soybean Growers.

			Yield	Site	Relative Days to	IDC ³	Resi	stance
Maturity Zone	Variety	Type ¹	% Check	Years Tested	Maturity² + or – of Check	Rating/Group	SCN ⁴	PRR ⁵
Very Early	SI Mizuki XTN	R2X	97	5	-5	2.0 / ST	Yes	1c
Season Zone	PV S0009X84	R2X	100	17	-4	1.8 / ST	Yes	-
	NSC Newdale RR2X	R2X	95	5	-3	1.9 / ST	Yes	1c
Early	S003-R5X	R2X	93	7	-2	2.1 / ST	-	1c
Season Zone	B0024EE	E3	94	12	-2	1.9 / ST	-	1k,6
	Young R2X	R2X	97	27	-1	1.7 / T	Yes	1c
	Alouette R2X	R2X	94	12	-1	1.8 / ST	-	1c
	TH84002X	R2X	98	17	-1	1.8 / ST	Yes	1c
1id	NSC Arden RR2X	R2X	97	21	0	1.8 / ST	-	1c
ason Zone	NSC Enforce E3	E3	102	12	0	1.7 / T	-	1k
	NSC Holland RR2X	R2X	100	27	0	1.9 / ST	-	1c
	Briggs R2X	R2X	91	10	0	1.9 / ST	Yes	1c
	S003-B8XF	R2XF	92	5	0	2.2 / ST	Yes	1c
	Hart R2X	R2X	100	24	1	1.9 / ST	-	1c
	Merino R2X	R2X	98	18	1	1.7 / T	Yes	1k
	TH85003XF	R2XF	99	12	1	1.9 / ST	Yes	1c,3a
	P003Z08E	E3	99	12	2	2.1 / ST	-	1c
	B0045EE	E3	98	5	2	2.0 / ST	Yes	1k
	NSC Homewood RR2X	R2X	108	10	2	1.8 / T	-	1c
	Ryno R2X	R2X	104	12	2	2.0 / ST	-	1c
	Bourke R2X	R2X	100	24	2	1.8 / ST	-	1k
	DKB002-32	R2X	102	24	2	1.8 / ST	Yes	1k
	Oslo XF	R2XF	103	12	3	1.9 / ST	-	1c
	PV 22s002 R2X	R2X	97	27	3	2.0 / ST	Yes	1k
	NSC OakBank RR2X	R2X	107	12	3	1.8 / ST	-	1c
	BY Robson XT	R2X	114	9	3	2.0 / ST	-	1c
	P004Z87E	E3	101	12	3	2.0 / ST	-	1c
	Experimental lines that are b	eing tested / propos	ed for registration	in Canada				
	BY25X002002BCX	R2X	95	5	0	1.9 / ST	Yes	1c
	BY25X003001MSX	R2X	93	5	3	1.8 / ST	-	1k
	BY25X005003BCX	R2X	105	5	3	1.9 / ST	-	1c,3a

			Yield	Site	Relative Days to	IDC ³	Resi	stance
Maturity Zone	Variety	Type ¹	% Check	Years Tested	Maturity² + or – of Check	Rating/Group	SCN⁴	PRR ⁵
Long Season Zone	SI 00323XT	R2X	107	17	4	2.0 / ST	-	1c
	Melo XF	R2XF	108	7	4	1.7 / T	Yes	1c,3a
	S005-Z5XF	R2XF	101	5	4	1.9 / ST	Yes	1c, 3a
	DKB004-04	R2X	99	10	5	1.7 / T	Yes	1c
	Mao R2X	R2X	109	14	5	1.7 / T	Yes	1c
	Badger R2X	R2X	108	13	5	1.7 / T	-	1k
	P007A68E	E3	107	17	5	1.9 / ST	-	1c
	TH82005 R2X	R2X	105	27	5	1.9 / ST	-	1k
	SI 00623XT	R2X	110	17	5	2.0 / ST	-	1c
	S007-A2XS	R2X	105	21	6	1.9 / ST	-	-
	P009Z94E	E3	108	7	6	1.8 / ST	Yes	1k,6
	DKB007-91XF	R2XF	103	7	6	1.9 / ST	-	1c
	P008Z25E	E3	109	7	7	1.9 / ST	-	1c
	Triquet R2X	R2X	110	9	7	1.7 / T	Yes	1k
	DKB006-80	R2X	111	13	7	1.7 / T	Yes	1c
	SI Avita E3	E3	102	5	8	1.7/ T	-	1c
	S007-C2E3	E3	103	5	8	1.7 / T	-	1c,3a
	DKB009-96	R2X	107	7	8	1.9 / ST	Yes	1c,1k
	DKB008-48	R2X	108	12	8	1.8 / ST	Yes	1c,1k
	P007Z82E	ЕЗ	106	5	8	1.8 / ST	Yes	1c
	PV S007XF55	R2XF	109	7	8	1.7 / T	Yes	-
	B0065EE	E3	102	5	8	2.0 / ST	Yes	1c
	TH81007 R2XN	R2X	108	14	9	1.7 / T	Yes	1c
	SI 00723XFN	R2XF	106	17	9	1.8 / ST	Yes	1c
	TH74007E	E3	108	7	11	1.9 / ST	Yes	3a
CHECK CHARACTERISTICS	NSC Holland RR2X		54	27	117			
			bu/acre	site years	days			

¹ R2X -Xtend technology (dicamba and glyphosate), R2Y-Roundup-Ready 2 technology (glyphosate only), RR1 - Roundup Ready 1 technology (glyphosate), E3 Enlist (glyphosate, 2,4-D, glufosinate) WPX-Blended Variety Extend Tolerant (glyphosate, dicamba), R2XF Extend Flex Technology (Glyphosate, Dicamba, glufosinate)

² Maturity Ratings are averaged across Carman, Morris, Portage, St. Adolphe sites over multiple years.

³ Iron Deficiency Chlorosis (IDC) Groupings -These ratings are determined at a separate trial near Winnipeg that is prone to IDC.

T=Tolerant, ST=Semi-Tolerant, S=Susceptible

⁴SCN -Soybean Cyst Nematode Resistance

⁵ PRR-Phytophthora Race Specific Resistant Genes









PLANT THE 100TH SEASON OF PIONEER

OILSEED CROPS

EASTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

Yield Comparisons

					2025 Yield:	% of NSC Holland	RR2X	
		Relative Days to		Early	Sites		Core Sites	
Maturity Zone	Variety	Maturity ¹		Beausejour	Stonewall	Carman	Morris	St. Adolphe
Very Early	SI Mizuki XTN	-5		90	99	105	98	97
Season Zone	PV S0009X84	-4		94	100	102	97	113
	NSC Newdale RR2X	-3		86	104	98	94	98
Early	S003-R5X	-2		95	96	103	91	107
Season Zone	B0024EE	-2		94	91	108	79	95
	Young R2X	-1		81	104	102	96	106
	Alouette R2X	-1		89	91	105	102	101
	TH84002X	-1		91	110	104	103	114
Mid	NSC Arden RR2X	0		88	92	100	96	96
Season Zone	NSC Enforce E3	0		100	100	97	88	107
	NSC Holland RR2X	0		100	100	100	100	100
	Briggs R2X	0		77	110	90	83	102
	S003-B8XF	0		89	86	97	92	98
	Hart R2X	1		95	107	93	102	124
	Merino R2X	1		90	108	99	101	119
	TH85003XF	1		88	101	101	95	112
	P003Z08E	2		97	111	88	83	111
	B0045EE	2		95	100	92	91	115
	NSC Homewood RR2X	2		-	-	115	107	123
	Ryno R2X	2		95	92	102	103	105
	Bourke R2X	2		88	110	107	98	118
	DKB002-32	2		84	113	107	101	108
	Oslo XF	3		95	99	106	102	113
	PV 22s002 R2X	3		88	111	101	98	119
	NSC OakBank RR2X	3		100	116	110	107	124
	BY Robson XT	3		-	-	114	105	132
	P004Z87E	3		110	108	98	92	118
	Experimental lines that are	e being tested / proposed	for registration in Can	ada				
	BY25X002002BCX	0		85	95	101	100	99
	BY25X003001MSX	3		84	105	90	90	102
	BY25X005003BCX	3		88	110	114	109	119



GROWER - PROCESSOR - PEDIGREED SEED

CEL: 204-461-0051 CEL: 204-794-6446

PHONE: 204-467-8630 FAX: 204-467-9560 EMAIL: admin@ungerseed.ca
BOX 471, STONEWALL, MANITOBA ROC 2Z0

20% 11 1, 01011211/122, 113/11/11/02/11/00 220

Eastern Herbicide Tolerant Soybean Yield Comparisons

Naturity Zone Variety Maturity Beausejour Stonewall Carman Moris St. Adolgo			Relative Days to		Early	Sites		Core Sites			
Seson Zone Melo NF 4 - - 89 106 118 5005-ZSXF 4 91 112 102 99 108 DK8004-04 5 - - - 103 99 115 Badger RZX 5 - - - 107 103 123 P007A6EE 5 106 119 110 106 120 TH82005 RZX 5 87 129 104 106 116 \$1 00623XT 5 87 129 104 106 116 \$1 00623XT 5 104 121 112 115 126 \$0007-AXX 6 94 127 99 102 128 \$0007-AXX 6 94 127 99 102 128 \$0007-AXX 6 9 127 99 102 128 \$00009396 8 10 9 10 10 </th <th>Maturity Zone</th> <th>Variety</th> <th></th> <th></th> <th>Beausejour</th> <th>Stonewall</th> <th>Carman</th> <th>Morris</th> <th>St. Adolphe</th>	Maturity Zone	Variety			Beausejour	Stonewall	Carman	Morris	St. Adolphe		
SOD-7-25KF		SI 00323XT	4		104	120	112	107	123		
DK8004-04 5 - 103 99 115 Mao RZX 5 98 107 129 Badger RZX 5 - 107 103 123 P007A66E 5 106 119 110 106 120 TH82005 RZX 5 87 129 104 106 116 S1006ZXI 5 104 121 112 115 126 S007-AZXS 6 94 127 99 102 128 P009294E 6 109 83 120 DK8007-91VF 6 100 100 124 Triquet RZX 7 100 100 124 Triquet RZX 7 101 110 115 DK8006-80 7 101 110 115 DK8006-80 7 101 104 127 SI AVIALE S 8 105 97 100 100 108 S007-CZE3 8 92 110 104 91 126 DK8009-96 8 104 114 136 DK8008-48 8 102 108 120 DK8008-48 8 103 120 106 90 114 PV S007XF55 8 100 90 124 PV S007XF55 8 94 107 108 97 100 TH8007 RZXN 9 8 8 94 107 108 97 100 TH8007 RZXN 9 8 8 94 107 108 97 100 S1007ZXFN 9 8 8 94 107 108 97 100 TH8007 RZXN 9 8 8 94 107 108 97 100 TH8007 RZXN 9 8 8 94 107 108 97 100 TH8007 RZXN 9 8 8 98 107 133 TH74007E 11 - - 107 93 112 Check Characteristics 17 NSC Holland RRZX 8 44 47 71 5.7 5.4 Check Characteristics 17 NSC Holland RRZX 8 44 47 71 5.7 5.4 S0007 RZXN 44 47 71 5.7 5.4 S0007 RZXN 40 50 50 50 50 S0007 RZXN 44 47 71 5.7 5.4 S0007 RZXN 40 50 50 50 S0007 RZXN 40 50 50 50 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 40 50 50 50 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8 12 9 10 S0007 RZXN 9 8 7 8	Season Zone	Melo XF	4		-	-	89	106	118		
Mao R2X 5 - - 98 107 129 Badger R2X 5 - - 107 103 123 P007A68E 5 106 119 110 106 120 TH82005 R2X 5 87 129 104 106 116 \$100623XT 5 104 121 112 115 126 \$007-A2XS 6 94 127 99 102 128 \$008799FE 6 - - 109 100 102 120 \$00807-9NF 6 - - 100 100 120 120 120 100 100 122 100 100 120 120 100 100 122 120 100 100 122 120 100 100 122 120 100 100 100 122 123 120 100 100 100 100 100 100 <td></td> <td>S005-Z5XF</td> <td>4</td> <td></td> <td>91</td> <td>112</td> <td>102</td> <td>99</td> <td>108</td>		S005-Z5XF	4		91	112	102	99	108		
Badger RZX S		DKB004-04	5		-	-	103	99	115		
POOTAGBE 5 106 119 110 106 120 TH82005 R2X 5 87 129 104 106 116 SI 00623XT 5 104 121 112 115 126 SOOT-ALXS 6 94 127 99 102 128 POO9294E 6 109 83 120 DKB007-91NF 6 100 100 104 POO822SE 7 100 100 104 Triquet R2X 7 101 110 115 DKB006-80 7 101 110 115 DKB006-80 7 101 104 127 SI Avita E3 8 105 97 100 100 108 SOOT-CETS 8 92 110 104 91 126 DKB009-96 8 104 114 136 DKB008-48 8 102 108 120 POO7282E 8 103 120 106 90 114 PV SOOTXF55 8 110 99 122 BOGSEE 8 94 107 108 97 110 TH81007 R2XN 9 87 138 98 107 135 TH74007E 11 107 93 112 Check Characteristics 117 NSC Holland RRZX 64 47 71 57 5.4 LSD% 7 8 12 9 10 Sign Diff Yes		Mao R2X	5		-	-	98	107	129		
TH82005 R2X 5 87 129 104 106 116		Badger R2X	5		-	-	107	103	123		
SI 00623XT 5		P007A68E	5		106	119	110	106	120		
SOO7-AZXS 6 94 127 99 102 128		TH82005 R2X	5		87	129	104	106	116		
P009294E 6		SI 00623XT	5		104	121	112	115	126		
DK8007-91XF 6		S007-A2XS	6		94	127	99	102	128		
P008ZZSE		P009Z94E	6		-	-	109	83	120		
Triquet R2X 7		DKB007-91XF	6		-	-	108	105	120		
DKB006-80 7		P008Z25E	7		-	-	100	100	124		
SI AVITA ES		Triquet R2X	7		-	-	101	110	115		
S007-C2E3 8 92 110 104 91 126		DKB006-80	7		-	-	110	104	127		
DKB009-96 8 104 114 136		SI Avita E3	8		105	97	100	100	108		
DKB008-48		S007-C2E3	8		92	110	104	91	126		
P007782E		DKB009-96	8		-	-	104	114	136		
PV S007XF55		DKB008-48	8		-	-	102	108	120		
B0065EE		P007Z82E	8		103	120	106	90	114		
TH81007 R2XN 9		PV S007XF55	8		-	-	110	99	122		
SI 00723XFN 9 87 138 98 107 133 TH74007E 11 - 107 93 112 Check Characteristics 117 NSC Holland RR2X (bu/acre) NSC Holland RR2X days CV % 4.4 4.7 7.1 5.7 5.4 LSD% 7 8 12 9 10 Sign Diff Yes Yes Yes Yes Yes Yes Yes Yes Yes		B0065EE	8		94	107	108	97	110		
TH74007E		TH81007 R2XN	9		-	-	101	108	120		
Check Characteristics 117 NSC Holland RR2X (bu/acre) 81 43 49 57 49 NSC Holland RR2X days CV % 4.4 4.7 7.1 5.7 5.4 LSD% 7 8 12 9 10 Sign Diff Yes Yes Yes Yes Yes Yes		SI 00723XFN	9		87	138	98	107	133		
NSC Holland RR2X days CV % 4.4 4.7 7.1 5.7 5.4		TH74007E	11		-	-	107	93	112		
LSD% 7 8 12 9 10 Sign Diff Yes Yes Yes Yes Yes Yes		Check Characteristics	117		81	43	49	57	49		
Sign Diff Yes Yes Yes Yes Yes Yes		NSC Holland RR2X	days	CV %	4.4	4.7	7.1	5.7	5.4		
				LSD%	7	8	12	9	10		
Seeding Date 8-May 21-May 26-May 22-May 12-May				Sign Diff	Yes	Yes	Yes	Yes	Yes		
Securing Date O Flay 2.1 Flay 2.0 Flay 1.2 Flay				Seeding Date	8-May	21-May	26-May	22-May	12-May		
Harvest Date 3-Oct 2-Oct 3-Oct 2-Oct 29-Sep				Harvest Date	3-0ct	2-0ct	3-0ct	2-0ct	29-Sep		

¹ Data based on long term maturity across all core sites.



SUNFLOWERS - CONFECTIONARY TYPE

Comments:

These varieties were tested and data donated by the Manitoba Crop Alliance (MCA).

All sunflowers varieties listed are susceptible to sclerotinia and sunflower rust strains present in Manitoba.

Genetic resistance to verticillium wilt is rated as moderately susceptible to moderately resistant for all sunflower varieties presented.

Plant population and environment will contribute greatly to the final product.

Variety Descriptions

		Genetic	Site	Yield	Maturity ²	Height	20	25 Seed Sizing	(%) ³	
Company	Hybrid	Traits ¹	Years	% Check	(+/- check)	(inches)	>22/64	>20/64	<20/64	
Nufarm	N6L377CL	CL	11	100%	0	0	69	18	14	
MCA	MCA359	ExSun	15	102%	-1	3	84	9	7	
CHS	RH1121		6	109%	0	6	84	11	5	
	Experimental lines being tested/proposed for registration in Canada									
MCA	EX30359	ExSun	3	103%	-2	2	92	4	4	
MCA	EX46359	ExSun	3	108%	-1	0	92	5	3	
MCA	EX55359	ExSun	3	106%	-2	-2	91	5	4	
	CHECK CHARACTERISTICS									
	N6L377CL		11 site years	2164 lb/ac	138 days	58 inches				

¹Genetic traits include CL = Clearfield tolerance; ExSun = Express tolerance; DM = Downy Mildew Resistance.

Refer to the MCA website at mbcropalliance.ca for more details.

Site Comparisons St. Agathe

						2025 Seed Sizii	ıg (%)²	_
Hybrid	Yield (lbs/acre)	Moisture (%)	Maturity¹ (days to R9)	Height (inches)	>22/64	>20/64	<20/64	Test Wt³ (lb/bu)
N6L377CL	2284	17		59	85	12	3	19
MCA359	2017	18		60	99	1	0	22
RH1121	2972	17		68	90	7	3	21
Experimental lines	being tested/propos	ed for registration	ı in Canada					
EX30359	2533	14		58	96	3	1	21
EX46359	2656	16		58	91	7	2	19
EX55359	2547	14		52	91	5	3	22
Site Grand Mean	2502	12		59				21
CV%	9.8	11.5		5.1				5.6
Sign Diff	Yes	Yes		Yes				Yes
LSD (0.05)	445	2.4		5.5				2.1
Planting Date	29-May							
Desiccation Date	3-0ct							
Harvest Date	10-0ct							

¹Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.


² Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

³ Totals may not add to 100% due to rounding.

² Totals may not add to 100% due to rounding.

³Test weights are reported in lbs per Avery (Canadian) bushel.

Refer to the MCA website at mbcropalliance.ca for more details.



				Beausej	our							Mel	ita			
	Yield		Maturity ¹		2025	Seed Sizin	g (%)²		Yield	Mois-	Maturity ¹		2025	Seed Sizin	g (%)²	
Hybrid	(lbs/ acre)	Moisture (%)	(days to R9)	Height (inches)	>22/64	>20/64	<20/64	Test Wt³ (lb/bu)	(lbs/ acre)	ture (%)	(days to R9)	Height (inches)	>22/64	>20/64	<20/64	Test Wt³ (lb/bu)
N6L377CL	2034	19	142	53	93	4	3	20	3389	17	133	68	85	10	6	22.3
MCA359	2025	18	142	56	96	2	3	20	3498	18	131	68	95	2	3	24.4
RH1121	2179	19	142	56	95	3	2	21	3219	17	133	73	89	5	6	24.2
Experimental lines being tested/proposed for registration in Canada																
EX30359	2034	20	142	57	90	5	5	20	3342	14	130	70	90	4	6	24.6
EX46359	2361	20	143	54	96	2	2	19	3282	16	130	69	90	5	6	23.7
EX55359	2204	18	142	56	91	5	4	21	3392	14	130	67	90	5	6	23.9
Site Grand Mean	2139	19	142	55				20	3354	16	131	69				23.9
CV%	11.2	11.3	0.8	2.5				3.5	4.5	11.0	2.97	3.3				4.9
Sign Diff	Yes	Yes	Yes	Yes				Yes	Yes	Yes	Yes	Yes				Yes
LSD (0.05)	434	3.9	2.1	2.5				1.3	277	3.1	7.1	4.1				2.1
Planting Date	13-May								26-May							
Desiccation Date	3-0ct								3-0ct							
Harvest Date	10-0ct								14-0ct							

SUNFLOWERS - OIL TYPE

Comments:

These varieties were tested and data donated by the Manitoba Crop Alliance (MCA).

Oil sunflower markets include bird food, oil crush and de-hull. Variety selection becomes more important when trying to capture de-hull markets. Choose varieties with better de-hull ratio, larger size and higher test weight. Environment will contribute greatly to final product.

Plant population and environment will contribute greatly to the final product.

Per cent (%) oil content was unavailable at press time, visit mbcropalliance.ca for more detail.

Variety Descriptions

Company	Variety	Herbicide/Disease Tolerance¹	Site Years	Yield (% check)	Maturity² (+/- check)	Height (+/- check, inches)	Oil Type³	Test Weight⁴	
WinField United CROPLAN	CP432E	ExSun	20	105	-1	-2	NS	29.3	
WinField United CROPLAN	CP455E	ExSun	20	114	3	0	НО	28.4	
Nufarm	N4H161 CL	CL/ExSun	18	95	-9	-13	НО	29.8	
Nufarm	N4H205 E	ExSun	7	108	-3	-5	НО	27.5	
Nufarm	N4H493 CL	CL	3	99	-2	-2	CO	24.3	
Nufarm	N4HM354	CL	29	112	0	-4	NS	30.0	
Pioneer Hi-Bred	P63HE501	ExSun	20	106	0	0	НО	30.3	
Pioneer Hi-Bred	P63HE920	ExSun	14	108	4	0	НО	30.8	
Pioneer Hi-Bred	P63ME80	ExSun/DM	33	100	0	0	NS	29.8	
CHECK CHARACTERISTICS									
	P63ME80		33 site years	2667 lb/ac	125 days	62 inches			

Genetic traits include CL = Clearfield herbicide tolerance; ExSun = Express SG herbicide tolerance; DM = Downy Mildew Resistance.

Site Comparisons

			St. Agathe					Beausejou	ır				Melita		
Hybrid	Yield (lbs/ acre)	Mois- ture (%)	Maturity (days to R9)	Height (inches)	Test Wt² (lb/bu)	Yield (lbs/ acre)	Mois- ture (%)	Maturity ¹ (days to R9)	Height (inches)	Test Wt² (lb/bu)	Yield (lbs/ acre)	Mois- ture (%)	Maturity ¹ (days to R9)	Height (inches)	Test Wt² (lb/bu)
CP432E	2078	10		52	29	2291	10	137	45	23	2907	12	131	67	30
CP455E	2179	12		54	27	2549	11	144	54	23	3096	14	131	76	29
N4H161 CL	2110	11		39	31	1827	13	114	33	24	2795	14	130	58	29
N4H205 E	2887	12		51	27	1578	11	138	46	21	3220	12	127	72	26
N4H493 CL	2388	11		53	25	2191	11	138	52	21	3577	14	129	76	27
N4HM354	2631	13		50	30	2107	11	133	43	24	3022	13	130	69	30
P63HE501	2465	10		58	29	2388	11	139	50	25	3178	12	130	74	29
P63HE920	2786	11		60	29	2027	12	140	49	24	3481	15	133	77	33
P63ME80	2779	10		63	26	2319	13	140	50	22	3101	12	133	74	30
Site Grand Mean	2478	11.0		53.3	28	2142	11	136	47	23	3153	13	29.1	71.3	29.1
CV%	10.1	15.8		8.5	4.0	14.5	13.9	1.4	8.7	3.2	5.2	9.2	2.5	4.1	2.5
Sign Diff	Yes	Yes		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LSD (0.05)	432	3.0		8	2.0	539	3	3	7.0	1	282	2	1	5	1
Planting Date	28-May					23-May					16-May				
Desiccation Date	3-0ct					3-0ct					3-0ct				
Harvest Date	10-0ct					10-0ct					14-0ct				

Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown. 2 Test weights are reported in lbs per Avery (Canadian) bushel.

² Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.


³ Oil Type include NS=NuSun; H0=High Oleic; C0 = ConOil

⁴ Test weights reported in lbs per Avery (Canadian) bushel.

³ Totals may not add to 100% due to rounding.

Refer to the MCA website at mbcropalliance.ca for more details.

Proven Peformance Trusted Genetics





Contact your local Nufarm distributor to learn about our newest high-oleic hybrids and to reserve your seed today!

DISTRIBUTOR CONTACTS FOR LISTED VARIETIES IN SEED MANITOBA 2026

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at end of this section.

CANOLA	
BY 7204LL	BrettYoung
Y 7206LL	BrettYoung
P24L3C	WinField United Canada CROPLAN
P25L3C	WinField United Canada CROPLAN
P25T2C	WinField United Canada CROPLAN
53200 TF	CANTERRA SEEDS
53300 TF	CANTERRA SEEDS
54100 LL	CANTERRA SEEDS
330PC	BASF InVigor
333PC	BASF InVigor
340PC	BASF InVigor
343PC	BASF InVigor
350PC	BASF InVigor
356PC	BASF InVigor
1C 5126LL	Maizex Seeds
C 5230TF	Maizex Seeds
LAX	
AC Bravo 🕲	FP Genetics
AC Bright ®	SeCan
AC Marvelous 🕾	FP Genetics
AC Prairie Sunshine ®	SeCan
Emerson	SeCan
C® Prairie Blue 🗆	SeCan
™ Prairie Thunder 🕸	CANTERRA SEEDS
OC Bethune 🗆	SeCan
OC Buryu 🟵	SeCan
C Dorado 🕲	SeedNet
OC Esme ®	SeCan
OC Glas 🚳	SeCan
OC Kernen @	SeCan
OC Neela ®	CANTERRA SEEDS
OC Plava 🚳	SeCan
C Rowland ®	SeCan
OC Sanctuary 🚳	SeCan
OC Sorrel 🕲	SeCan
P2608	SeCan
anley 🕲	SeCan

CANTERRA SEEDS

VT50 (NuLin50) 🚳	Nutrien Proven Seed
Topaz 🕾	Alliance Seed
WestLin 60 ⊛	Nutrien Proven Seed
WestLin 70	Nutrien Proven Seed
WestLin 71 ⊕	Nutrien Proven Seed
WestLin 72 [®]	NNutrien Proven Seed

CONVENTIONAL	SOYBEANS
AAC Halli 🕾	Interlake.org Inc.
Abaca (9)	SAATBAU LINZ eGen
Ambella 🕾	SAATBAU LINZ eGen
Amistar	Semican Inc.
Arietta	Semences Saatbau Canada Inc.
Aurelina ®	SAATBAU LINZ eGen
Baffin	SG CERESCO
CDC Cedar 🕾	Secan
Dufferin	Sevita International
Fjord	SG CERESCO
Hana	Prograin Inc
Jador	Semican Inc.
Jago	SG CERESCO
Kebek	SG CERESCO
Koa ⊛	Prograin Inc
Liska 🟵	Prograin Inc
Maya	Prograin Inc
Mozart	Semican Inc.
Nala 🕲	Prograin Inc
Pamela	Semences Saatbau Canada Inc.
Prostar ®	Semican Inc.
Reynolds	Sevita International
Rosser	Sevita International
Siberia	Prograin Inc
Stanley	Sevita International

ROUNDUP READ	Y SOYBEANS
Alouette R2X	SeCan
B0024EE	BREVANT seeds
B0044EE	BREVANT seeds
B0045EE	BREVANT seeds
B0065EE	BREVANT seeds

Lightning 🚳

B0074EE	BREVANT seeds	Melo XF	Prograin Inc
Badger R2X	Maizex seeds	Merino R2X	Prograin Inc
Bourke R2X	SeCan	NSC Arden RR2X	Northstar Genetics Canada
Briggs R2X	SeCan	NSC Dauphin RR2X	Northstar Genetics Canada
BY Deno XT	BrettYoung	NSC Enforce E3	Northstar Genetics Canada
BY Meru E3	BrettYoung	NSC EXP0008CX	Northstar Genetics Canada
BY Nebo XT	BrettYoung	NSC Holland RR2X	Northstar Genetics Canada
BY Robson XT	BrettYoung	NSC Homewood RR2X	Northstar Genetics Canada
DKB0008-87	DEKALB	NSC OakBank RR2	Northstar Genetics Canada
DKB001-07	DEKALB	NSC Winkler RR2X	Northstar Genetics Canada
DKB002-32	DEKALB	Oslo XF	Prograin Inc
DKB004-04	DEKALB	P002A42E	Pioneer Hi-Bred
DKB006-80	DEKALB	P003Z08E	Pioneer Hi-Bred
DKB007-91XF	DEKALB	P004Z87E	Pioneer Hi-Bred
DKB008-48	DEKALB	P007A68E	Pioneer Hi-Bred
DKB009-96	DEKALB	P007Z82E	Pioneer Hi-Bred
Elmo E3	Prograin Inc	P008Z25E	Pioneer Hi-Bred
Gecko R2X	Prograin Inc	P009Z94E	Pioneer Hi-Bred
Hart R2X	SeCan	PV 16s004 R2X	Nutrien Ag Solutions
Major R2X	Secan	PV 22s002 R2X	Nutrien Ag Solutions
Mao R2X	Prograin Inc	PV S0007X74	Nutrien Ag Solutions



PV S0009X84	Nutrien Ag Solutions
PV S002EN36	Nutrien Ag Solutions
PV S004XF26	Nutrien Ag Solutions
PV S007XF55	Nutrien Ag Solutions
Ryno R2X	Prograin Inc
S0009-J5X	Pitura Seeds/NK
S001-D8X	Pitura Seeds/NK
S003-B8XF	Pitura Seeds/NK
S003-R5X	Pitura Seeds/NK
S005-Z5XF	Pitura Seeds/NK
S007-A2XS	Pitura Seeds/NK
S007-C2E3	Pitura Seeds/NK
SI 001XTN	Sevita International
SI 00221XTN	Sevita International
SI 00321XT	Sevita International
SI 00323XT	Sevita International
SI 00421XT	Sevita International
SI 00623XT	Sevita International
SI 00723XFN	Sevita International
SI 007XTN	Sevita International
TH 87003 R2X	Thunder Seeds Canada
TH74007E	Thunder Seeds Canada
TH81007 R2XN	Thunder Seeds Canada
TH82005 R2X	Thunder Seeds Canada
TH84002X	Thunder Seeds Canada
TH84005XF	Thunder Seeds Canada
TH85003XF	Thunder Seeds Canada
Triquet R2X	SeCan
Young R2X	SeCan

- see Sunflower table to determine which companies market specific varieties -

DISTRIBUTOR	PHONE NUMBER
Alliance Seed	1-877-270-2890
BASF	1-877-371-2273
Bayer CropScience Canada Ltd. (DEKALB)	1-888-283-6847
BrettYoung	1-800-665-5015
BREVANT seeds	1-800-667-3852
CANTERRA SEEDS	1-877-439-7333
FP Genetics	1-877-791-1045
Interlake.org Inc.	1-204-641-0230
Maizex Seeds	1-519-682-1720
Northstar Genetics Canada	1-204-262-2425
Nufarm Americas Inc	1-877-841-7447
Nutrien Proven Seed	1-204-435-2063
Pioneer Hi-Bred	1-306-385-3001
Pitura Seeds/NK	1-204-736-2849
Prograin Inc.	1-800-817-3732
SAATBAU LINZ eGen	1-514-609-0881
SeCan	1-800-665-7333
SeedNet	1-403-715-9771
Semican Inc.	1-819-362-8823
Sevita International	1-613-989-3000
SG CERESCO	1-450-454-2727
Thunder Seeds Canada	1-306 213 8888
WinField United CROPLAN	1-306-249-5112





Triple S Seeds Ltd.

Specializing in Pedigreed Seed Production, Seed **Processing and Treating**

Troy 204-638-2004 | Branden 204-572-4774 triplesseeds@gmail.com, triplesseeds.ca RR4 Grandview, MB ROL 0Y0

† GROWERS LIST

FLAX	s	F	R	С
CDC ESME (9)				
Arborg; S.S Johnson Seeds 204-376-5228				C
Carman; Menold, Thomas 204-750-2682				C
Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151		_		(
Holland; Patenaude, Donald & Robert 204-526-5087		F		(
Oak Lake; Gerlyn Acres Ltd. 204-851-2241 Stonewall; Unger Seed Farm Ltd. 204-467-8630				(
Wawanesa: Ellis Seeds 204-824-2290				(
CDC GLAS ®				١
Notre Dame De Lourdes; Durand Seeds Inc. 204-745-7577		F		
CDC ROWLAND ®				
Boissevain; Armstrong Seeds Ltd. 204-534-2566				C
Holland; Kubinec, Anastasia 204-526-2776		_	R	
Notre Dame de Lourdes; Durand Seeds Inc. 204-745-7577	S	F		,
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				C
COVERANC				H
SOYBEANS	S	F	R	С
ABACA (9)				
Morris; Red River Seeds Ltd. 204-746-3059			R	
ALOUETTE RZX Arbara: Timehishan Saads Farms 20.4-6.41-1288			R	
Arborg; Timchishen Seeds Farms 204-641-1288 Carman; RJP Seed Ltd. 204-745-3304			К	C
Darlingford; Morrow, Graham 204-362-8986				C
Kenton; Stevenson, Richard D.O. & Douglas 204-838-2696				C
Miniota; Walker, Alan Glen 204-567-3647				C
Oakbank; Willowdale Seeds 204-801-0659			R	
ARIETTA				
Morris; Red River Seeds Ltd. 204-746-3059	S			R
BOURKE R2X			D	
Brandon; Wheat City Seeds Ltd. 204-727-3337 Carman; RJP Seed Ltd. 204-745-3304		F	R R	
Oakbank; Willowdale Seeds 204-801-0659		Г	К	C
Portage la Prairie; Askin, Raymond T. & Jeffrey S. 204-856-6475				C
BRIGGS R2X				
Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800			R	
Ste. Rose du Lac; Gamache, Ryan 204-447-2118				C
EHLERS R2X				
Arborg; Timchishen Seeds Farms 204-641-1288	_	F		
Carman; RJP Seed Ltd. 204-745-3304 Dufrost; Frosty Pine Farms Ltd. 204-746-4175	S	F F		
Oakbank; Willowdale Seeds 204-801-0659		F		
Stonewall; Unger Seed Farm Ltd. 204-467-8630		F		
Warren; Riddell Seed Co. 204-227-5679	S	F		
HART R2X				
Darlingford; Morrow, Graham 204-362-8986				C
Holland; Patenaude, Donald & Robert 204-526-5087				C
Portage la Prairie; Askin, Raymond T. & Jeffrey S. 204-856-6475			R	
Oakbank; Willowdale Seeds 204-801-0659 Oakville: Miller, Andrea & Graham & Hofer, Don & Tyson 204-871-6704				(
Ste. Anne; Seine River Seed Farm 204-371-7700				(
Stonewall: Unger Seed Farm Ltd. 204-467-8630			R	٠
Warren; Riddell Seed Co. 204-227-5679	S	F		
Wawanesa; Ellis Seeds 204-824-2290			R	
NS EXPOOREX				
Domain; Pitura Seeds 204-736-2849	S	F		
Rosenort; Friesen Seeds Ltd. 204-746-8325	S	F		
NSC ARDEN RRZX				_
Darlingford; Morrow, Graham 204-362-8986				(
Domain; Pitura Seeds 204-736-2849 Oak River; J.S.Henry & Son Ltd. 204-566-2422	S			C
Plumas; Court Seeds Ltd. 204-386-2354	3			C
· ·				C
K621011: ALGO F LEGO F & CAIMBLUM & ROUBL INLUM AND				C
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813 St. Claude: R-Wav Ag. Ltd. 204-379-2582				, -
St. Claude; R-Way Ag. Ltd. 204-379-2582				
	S			

NSC ENFORCE E3				
Rosenort; Friesen Seeds Ltd. 204-746-8325			R	
NSC HOLLAND RR2X				
Domain; Pitura Seeds 204-736-2849	S	F		C
Homewood; Agassiz Seed Farm 204-745-6655				C
Morden; Wilson, James M. 204-362-2449				(
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813				(
Rosenort; Friesen Seeds Ltd. 204-746-8325	S	F	R	
St. Claude; R-Way Ag. Ltd. 204-379-2582				C
NSC HOMEWOOD RR2X				
Darlingford; Morrow, Graham 204-362-8986				(
Domain; Pitura Seeds 204-736-2849	S	F	R	
Homewood; Agassiz Seed Farm 204-745-6655				C
Rosenort; Friesen Seeds Ltd. 204-746-8325	S	F	R	
NSC NEWDALE RR2X				
Oak River; J.S.Henry & Son Ltd. 204-566-2422	S	F		
Russell; Keating Seed Farms Inc. 204-773-3854		F		
NSC OAKBANK RR2X				
Domain; Pitura Seeds 204-736-2849			R	
Rosenort; Northview Farms 204-712-5917			R	
NSC WINKLER RR2X				
Rosenort; Friesen Seeds Ltd. 204-746-8325				C
Domain; Pitura Seeds 204-736-2849	S			C
WHEELER R2X				
Arborg; Timchishen Seeds Farms 204-641-1288	S	F		
Darlingford; Morrow, Graham 204-362-8986		F		
Holland; Patenaude, Donald & Robert 204-526-5087		F		
Reston; Greig, Fred L.& Cameron & Roper, Jordan 204-877-3813		F		
Warren; Riddell Seed Co. 204-227-5679	S	F		
YOUNG R2X				
Arborg; Timchishen Seeds Farms 204-641-1288			R	
Brandon; Wheat City Seeds Ltd. 204-727-3337				C
Dauphin; Fisher Seeds Ltd. 204-622-8800			R	C
Kenton; Stevenson, Richard D.O. & Douglas 204-838-2696			R	
MacGregor; Hulme Agra Products Inc. 204-871-4666			R	
Miniota; Walker, Alan Glen 204-567-3647			R	
Ste. Rose du Lac; Gamache, Ryan 204-447-2118			R	
Holland; Patenaude, Donald & Robert 204-526-5087				C
Oakbank; Willowdale Seeds 204-801-0659				C
Rivers; Redsper Ent. Ltd. 204-328-5346			R	
Warren; Riddell Seed Co. 204-227-5679			R	
Wawanesa; Ellis Seeds 204-824-2290			R	



Exclusive Canadian supplier of **PETKUS** seed cleaning equipment





The future of seed cleaning.

306-900-2045 behstco.com Warehouse in Warman, SK





Pulse Crops

Variety Description Key

A "CHECK CHARACTERISTICS" box has been placed at the bottom of each table to display the long-term yield, site years, maturity and any other check attributes.

Except for the long-term average yield, variety description information is obtained from the Cooperative Registration Trials. For relative maturity, please keep in mind the actual number of days to reach maturity will depend on local climatic conditions and to some extent on management practices.

"Resistance Level" ratings: VG = Very Good; G = Good; F = Fair: P = Poor: VP = Very Poor: "n/a" = not available

Site Years Tested is the cumulative number of locations over the years that a variety has been tested against the check variety. The more site years, the more dependable the data

Indicates a variety that is protected by Plant Breeders' Rights legislation that complies with UPOV 1978

Indicates a variety that is protected by or has been applied for and is pending, Plant Breeders' Rights legislation that complies with UPOV 1991

VUA Variety Use Agreement in effect

TKW (Thousand Kernel Weight) is the weight in grams of 1000 seeds.

Kev to 2025 Yield Tables

Yields derived over two or more growing seasons are the best indicator of variety performance. For new varieties, the average yield over all sites is more reliable than data from a single location. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random. variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

FABABEANS

Comments:

The fababean variety trial was tested by MCVET and partially sponsored by the Manitoba Pulse & Soybean Growers. Traditionally tannin fababean with tan coloured seed coats and coloured flowers contain tannins and can't be fed directly to livestock. Low tannin fababeans have white seed coats and flowers and can be fed directly to livestock.

			Days to				25 « Variety	
Class/Variety	Yield % of Check	Site Years Tested	Maturity *	TKW (g)	Dauphin	Morden	Souris	Swan River
Colored Flower (Tannin)								
Dosis 🕲	90	9	103	480	86	90	95	97
Fabelle 🕾	100	14	111	492	100	100	100	100
-utura 🖲	102	9	112	489	95	105	105	114
/ictus [®]	104	14	111	401	107	106	109	138
Hammer (9)	105	6	100	444	94	103	106	111
/arieties suported for registration	on by the PRCPSC							
Ketu	110	4	106	416	100	107	117	115
CHECK CHARACTERISTICS								
Fabelle (tannin)	87 bu/acre	14 Site Years	111 days	Fabelle (bu/acre)	92	127	83	44
				CV%	6.0	11.1	4.9	8.5
				LSD (%)	9	17	8	15
				Sign Diff	Yes	Yes	Yes	Yes
White Flower (Low Tannin)								
DC 1089 🐵	101	9	110	386	98	98	105	110
DC 1142 ®	92	9	114	358	88	81	91	107
CDC 1310 👳	101	6	108	333	106	90	101	117
DL Nevado 🕲	100	13	107	421	100	100	100	100
luno ®	109	9	106	403	101	99	103	140
Navi 🕾	109	14	129	401	99	89	114	146
CHECK CHARACTERISTICS								
DL Nevado (Low Tannin)	74	13	107	DL Nevado (bu/acre)	73	112	76	33
	bu/acre	Site Years	days	CV%	6.0	11.1	4.9	8.5
				LSD (%)	11	20	9	19
				Sign Diff	Yes	Yes	Yes	Yes
				Seeding Date	25-May	9-May	8-May	6-May
				Harvest Date	23-Sep	9-0ct	16-Sep	22-Sep

^{*} Maturity ratings are based on days until swathing, but will vary depending on seeding date.

FIELD BEANS - MANITOBA NARROW ROW TRIALS

Comments:

Long-term yield data and days to maturity are Manitoba Pulse & Soybeans Growers (MPSG) Trials grown in 10 to 12 inch row spacing. More detailed measurements from the trials are available to MPSG members and will be distributed in the December Special Edition of the Pulse Beat magazine. Days to maturity is critical. Do not select a variety that will not mature in time, under normal growing conditions. Early fall frost severely affects yield and quality.

		١	ears Tested			Yield	Site Years	Maturity ¹
Bean Class	Variety	2025	2024	2023		%Check	Tested	(days) +/-Check
Small Seeded Type:	S					% CDC Blackstrap		+/- CDC Blackstrap
Black	CDC Blackstrap 🕾	Х	Х	Х		100	40	0
Black	CDC SuperJet		Х			95	33	4
Black	CDC Turtle Mountain ®	Х	Х			107	9	1
Black	Eclipse 🍩	Х	Х	Х		106	28	4
Black	Umbra 🕾	Х	Х			117	9	8
Navy	AAC Argosy	Х	Х	Х		95	22	10
Navy	AAC Shock	χ	Х	Х		88	27	8
Navy	Blast ®	Х	Х			109	9	6
Navy	CDC Whitetrack (9)	Х	Х			84	9	11
Navy	Indi	Х	Х	Х		92	24	6
Navy	OAC Charm	Х	Х	Х		105	11	9
Navy	OAC Seal ®	Х	Х	Х		100	11	8
Navy	Steam 🕲	Х	Х			111	9	7
Navy	T9905	Х	Х	Х		94	29	9
Varieties that are ro	egistered in the US or being tested or	proposed for regi	stration in C	anada				
Black	B3033350		Х	Х		104	9	6
Black	B3036381		Х	Х		102	9	8
Black	Butte	Х				107	5	8
Black	ND Galaxy	Х				96	5	6
Black	Slate	Х				112	5	7
Navy	AuSable	Х				96	5	12
Navy	ND Polar	Х	Х			92	9	11
Large Seeded Type:	S					% Windbreaker		+/- Windbreaker
Pinto	Bronco	Х	Х	Х		89	14	5
Pinto	Eternal 🕾	Х	Х			108	9	12
Pinto	OAC Toast	Х				106	7	5
Pinto	Vibrant	Х	Х	Х		111	17	2
Pinto	Windbreaker	Х	Χ	Х		100	32	0
Varieties that are re	egistered in the US or being tested or	proposed for regi	stration in C	anada				
Pinto	Charro	Х	Х	Х		101	14	7
Pinto	USDA Diamondback	Х		Х		99	10	6
Pinto	USDA Rattler	Х		Х		118	10	5
CHECK CHARACTERIS	STICS							
	Bean Grouping				Check Varieties	Yield (lbs/ac)	Site Years	Days to Maturity
	Small seeded				CDC Blackstrap	2699	40	98
	Large seeded				Windbreaker	2560	32	103

¹ Maturity data provided to compare relative differences among varieties - actual maturity will vary depending on seasonal growing conditions.

PULSE CROPS

FIELD BEANS - WIDE ROW TRIALS

Comments:

Long-term yield data and days to maturity are from Manitoba Pulse & Soybean Growers (MPSG) trials.

Individual site and more detailed measurements from these trials are available to MPSG members and distributed free in the Winter Edition of the Manitoba Pulse Beat to all MPSG members in good standing.

Results are from row crop trials located at Morden, Portage, Carman, and Winkler sites.

MARKET CLASS / Variety	2025	2024	2023	Yield % of Check	Site Years Tested	Maturity ¹ (days +/- Check
NAVY				% of T9905		+/- T9905
AAC Argosy	Х	Х	Х	100	27	3
AAC Shock	Х	Х	Х	93	23	0
Armada	Х	Х	Х	104	19	-1
Blast @	Х	Х		104	8	-1
Blizzard	Х	Х	Х	101	14	-1
CDC Whitetrack ®	Х			90	8	2
HMS Victory	Х	Х	Х	102	21	-2
Indi	Х	Х	Х	99	43	-1
Liberty	Х	Х	Х	105	14	2
OAC Charm	Х	Х	Х	97	6	1
OAC Seal ®	Х	Х	Х	98	10	2
Steam ®	Х	Х		113	8	1
T9905	Х	Х	Х	100	51	0
Valiant	Х	Х	Х	96	15	-3
Varieties that are registered in the U.S. o	or being tested or propose	d for registratio	on in Canada			
AuSable	Х			89	4	2
ND Polar	Х	Х		95	8	3
PINTO				% of Vibrant		+/- Vibrant
Bronco	Х	Х	Х	81	14	3
Cowboy ®	Х	Х	Х	96	21	-1
Eternal 🕲	Х	Х		94	8	9
Gleam	Х	Х	Х	93	15	0
Mystic	Х	Х	Х	97	15	3
ND Palomino ®			Х	94	13	7
OAC Toast	Х	Х		90	8	2
SV6139GR 🖲			Х	98	23	0
Vibrant	Х	Х	Х	100	32	0
Windbreaker		Х	Х	90	28	0
Varieties that are registered in the U.S. o	or being tested or propose	d for registratio	on in Canada			
Charro	Х	Х	Х	99	14	5
Rustler	Х	Х	Х	89	14	-2
USDA Rattler	Х		Х	104	10	3
USDA Diamondback	Х		Х	85	10	4

MARKET CLASS / Variety	2025	2024	2023	Yield % of Check	Site Years Tested		Maturity ¹ (days) +/- Check
BLACK				% of Eclipse			+/- Eclipse
Black Tails	Х	Χ	Х	103	21		3
CDC Blackstrap (9)	Х	Х	Х	90	32		-6
CDC Superjet		Х		88	40		-3
CDC Turtle Mountain ®	Х	Х		93	8		-4
Eclipse 🚳	Х	Х	Х	100	60		0
Umbra (9)	Х	Х		112	8		3
Varieties that are registered in the U.S. or	being tested or propose	d for registrati	on in Canada				
Ace			Х	101	9		-1
B3033350		Х	Х	101	10		-1
B3036381		Х	Х	99	10		3
Butte	Х			108	4		2
ND Galaxy	Х			95	4		0
Slate	Х			107	4		2
CRANBERRY				% of Krimson			+/- Krimson
Krimson	Х			100	32		0
OAC Firestripe	Х	Χ	Х	140	10		3
OAC Navabi	Х	Χ	Х	117	10		-2
GREAT NORTHERN				% of Pink Panther			+/- of Pink Panther
Virgo	Х	Х	Х	142	14		2
Varieties that are registered in the U.S. or	being tested or propose	d for registrati	on in Canada				
Eiger	Х	Х	Х	147	10		3
ND Pegasus	Х			113	3		4
DARK RED KIDNEY				% of Pink Panther			+/- of Pink Panther
Dynasty	Х	Х	Х	112	17		5
Gallantry	Х	Х	Х	127	11		4
Rampart	Х	Х		110	10		5
Varieties that are registered in the U.S. or	being tested or propose	d for registrati	on in Canada				
161156	Х	Х	Х	79	10		0
181021	Х	Χ	Х	96	10		1
LIGHT RED KIDNEY				% of Pink Panther			+/-Pink Panther
Big Red	Х	Χ	Х	99	34		-3
Clouseau			Х	97	17		-2
Pink Panther	Х	Х	Х	100	67		0
Red Dawn			Х	97	13		-6
Check Varieties				First Year Tested	Yield Ibs/ac	Site Years Tested	Maturity (days)
Eclipse				2005	2494	60	100
Krimson				2013	1790	32	101
Pink Panther				2001	1960	67	103
T9905				2009	2461	51	104
Vibrant					- 101	32	

¹ Annual weather variations will impact the actual number of days it takes a variety to fully mature, so will vary from year to year. Choosing a variety that needs a longer growing season than your farm has increases your risk of frost damage and lower returns.

FIELD PEAS

									Resistance	e Level to:			
Variety	Yield % Check	Site Years Tested	Relative Maturity ¹	Relative Vine Length	Seed Size (TKW)	Lodging	Powdery Mildew	Mycos- phaerella blight	Fusarium Root Rot ²	Seed Coat Green ³	Breakage	Dimpling⁴	Bleaching
Yellow													
AAC Aberdeen 🕾	101	31	Long	М	250	VG	VG	F	I	G	F	F	n/a
AAC Beyond ®	96	37	Early	М	210	G	VG	F	MR	G	F	F	n/a
AAC Carver ®	100	67	Early	L	240	G	VG	F	- 1	G	G	G	n/a
AAC Chrome ®	106	40	Long	М	240	G	VG	F	I	G	G	G	n/a
AAC Delhi ®	100	28	Mid	М	290	G	VG	F	MR	G	F	G	n/a
AAC Harrison 🕾	94	15	Mid	L	223	VG	VG	F	MR	G	G	G	n/a
AAC Julius ®	97	23	Mid	М	210	G	VG	F	MR	G	G	G	n/a
AAC McMurphy ®	98	23	Mid	L	270	VG	VG	F	MR	G	G	G	n/a
AAC Profit ®	100	27	Mid	М	230	G	VG	F	I	G	F	G	n/a
Boost ®	97	29	Early	М	230	G	VG	F	MR	G	VG	G	n/a
Caphorn 🖭	95	29	Mid	М	260	G	VG	F	MR	G	G	G	n/a
CDC 5791 (9) VUA	99	23	Long	L	246	G	VG	F	MR	G	VG	G	n/a
CDC 5845 ® VU A	99	17	Long	L	236	VG	VG	F	MR	G	G	G	n/a
CDC Amarillo	98	50	Long	М	230	VG	VG	F	MR	G	F	F	n/a
CDC Boundless ®	98	15	Long	L	230	VG	VG	F	MR	G	G	G	n/a
CDC Canuck ®	102	6	Long	L	240	VG	VG	F	MR	G	VG	G	n/a
CDC Citrine (9)	103	23	Mid	L	230	G	VG	F	MR	G	G	G	n/a
CDC Hickie ®	98	29	Mid	М	230	VG	VG	F	MR	G	G	G	n/a
CDC Lewochko 👳	100	48	Long	L	230	VG	VG	F	I	G	G	G	n/a
CDC Tollefson ®	103	29	Long	L	240	VG	VG	F	MR	G	G	G	n/a
ProStar ®	98	29	Early	М	240	G	VG	F	MR	G	VG	G	n/a
Varieties supported f	or registratio	n by the PF	RCPSC										
DL995-96	100	6	Early	L	195	VG	VG	F	MR	G	G	G	n/a
LAP23-0014	99	6	Early	L	250	G	VG	F	I	G	G	G	n/a
LAP23-0017	92	6	Long	L	235	G	VG	F	I	G	G	G	n/a
Green													
CDC Forest ®	100	34	Long	L	230	G	VG	F	ı	n/a	G	G	G
CDC Limerick	95	43	Long	М	210	VG	VG	F	I	n/a	VG	G	G
CDC Huskie 🕲	100	23	Long	М	220	G	VG	F	MR	n/a	G	G	G
CDC Spruce ®	96	19	Long	L	240	G	VG	F	I	n/a	F	F	G
Varieties supported f	or registratio	n by the PF	RCPSC										
LAP23-0004	100	6	Long	L	230	VG	VG	F	I	n/a	G	G	G
LSD (.05)	4												
CHECK CHARACTERIST	ICS												
AAC Carver ®	76 bu/ acre		89 Days										

Relative maturity ratings compared to check AAC Carver determined at Manitoba trial sites, Maturity equal or up to 2 days later consider early, 5 days plus considered long

A number of new varieties are participating in a Variety Use Agreement **VUA**. If producers purchase a VUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the VUA when purchasing seed.

The Prairie Recommending Committee for Pulse and Special Crops (PRCPSC) is responsible for the testing and evaluation of pulse and special crop candidate cultivars for registration in Western Canada.

²Fusarium Root Rot- MR -Moderate Restance, I=Inderminate

³ Green seed coats: G = 0-10%; F = 11-25%

⁴ Seed coat dimpling rating: VG = 0-5%; G = 6-20%; F = 21-50%

For Protein data on Peas please go to seedmb.ca

Yield Comparisons

Variety	Carberry	Holland	Melita	Roblin	Souris	Swan River
Yellow						
AAC Beyond ®	104	95	110	115	88	93
AAC Carver (9)	100	100	100	100	100	100
AAC Harrison ®	103	90	103	97	90	92
AAC McMurphy 🕾	108	95	104	116	106	102
Boost ®	105	94	107	112	103	98
Caphorn ®	113	92	101	109	98	95
CDC 5791 (1) VUA	105	100	116	117	105	106
CDC Boundless ®	101	98	112	121	98	89
CDC Canuck' (9)	107	98	120	121	103	113
CDC Hickie 🕲	105	94	107	110	94	97
CDC Lewochko ®	101	99	116	125	97	102
CDC Tollefson ®	103	95	113	115	102	91
ProStar ®	99	93	107	108	112	99
Varieties supported for registration by the PRCP	SC					
DL995-96	106	98	113	114	109	101
LAP23-0014	107	96	109	102	107	104
LAP23-0017	103	88	96	112	98	92
Green						
CDC Huskie 🕾	108	97	115	118	103	106
Varieties supported for registration by the PRCP	SC					
LAP23-0004	102	96	113	132	104	99
AAC Carver (bu/acre)	70	76	76	64	85	68
CV %	7.6	6.0	3.8	8.2	6.1	6.8
LSD (%)	13	10	7	15	10	11
Sign Diff	No	Yes	Yes	Yes	Yes	Yes
Seeding Date	8-May	27-May	6-May	7-May	8-May	6-May
Harvest Date	25-Aug	8-Sep	19-Aug	25-Aug	25-Aug	21-Aug



SEINE RIVER SEED FARM

PEDIGREED SEED GROWERS SELLING QUALITY SEED SINCE 1964



SeCan

SEEDS

BRIAN DUECK

R.R. 1, BOX 6-A STE. ANNE, MB R5H 1R1 CELL (204) 371-7700 EMAIL: srsfarm@live.com www.seineriverseedfarm.ca

BrettYoung-



SOYBEANS CEREALS FORAGES



A division of Murray Farms inc.

Reputable Seed Service Since 1969

For more info contact:

Ryan 204.764.0366 Dale 204.764.0361 mfiseed@gmail.com Decker, MB

Wheat

AAC Westking AAC Wheatland SY Manness

Oats

CDC Anson CS Camden

Barley

2 Row - AAC Connect (Feed or Malt)

Peas

Yellow **CDC** Hickie

DISTRIBUTOR CONTACTS FOR LISTED VARIETIES IN SEED MANITOBA 2026

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

FABABEAN		DINTO	
219-16 🟵	SeCan	PINTO Bronco	Various Bean Dealers
Allison ®	Prairie Fava	CDC Pintium	Various Bean Dealers Various Bean Dealers
CDC 1089 ®	Saskatchewan Pulse Growers	Cowboy (9)	University of Saskatchewan
CDC 1142 @	Harvest Genetics	Eternal	Hensall District Coop
CDC 1310' ®	Saskatchewan Pulse Growers	Gleam	ADM- Seed West
DL Nevado ®	Stamp Seeds	Mystic	Various Bean Dealers
Dosis ®	SeedNet	OAC Toast	Hensall District Coop
Fabelle @	SeedNet	SV6139GR (9)	CANTERRA SEEDS
Futura ®	SeedNet	SV6533GR (9)	CANTERNA SEEDS
Juno ®	Prairie Fava	Vibrant	ADM- Seed West
Navi ®	Harvest Genetics	Windbreaker	CANTERRA SEEDS
Victus ®	Valesco Genetics, LLC	Tillabledici	CHITEHATSEES
	14.550 56.164.5, 225	BLACK	
FIELD BEAN	NS .	Black Tails	Various Bean Dealers
NAVY		CDC Blackstrap (9)	Ben Martens Charlois & Seed
AAC Argosy	Various Bean Dealers	CDC Jet	Ben Martens Charlois & Seed
AAC Shock	Various Bean Dealers	CDC SuperJet	Ben Martens Charlois & Seed
Armada	ADM- Seed West	CDC Turtle Mountain	Ben Martens Charlois & Seed
Blast	Hensall District Coop	Eclipse 🕲	Western Harvest Bean
Blast ®	Hensall District Coop	Umbra	Hensall District Coop
Blizzard	Various Bean Dealers		
Bolt	Hensall District Coop	CRANBERRY	
CDC Whitetrack ®	McDougall Acres Farming Corporation	Krimson	Various Bean Dealers
Fathom	University of Guelph	OAC Candycane	Various Bean Dealers
HMS Medalist	ADM- Seed West	OAC Firestripe	Various Bean Dealers
HMS Victory	Various Bean Dealers	OAC Navabi	Various Bean Dealers
Indi	ADM- Seed West	OAC Racer	Various Bean Dealers
Liberty	ADM- Seed West		
Nautica	Hensall District Coop	DARK RED KIDNEY	
OAC Charm	Treasure Valley Seed CO	Cabernet	Various Bean Dealers
OAC Fusion	Various Bean Dealers	 Dynasty	Hensall District Coop
OAC Seal	Jefferies Seeds Ltd	Gallantry	Hensall District Coop
OAC Spark	University of Guelph	Rampart	Various Bean Dealers
Rogue	Hensall District Coop	<u> </u>	
Steam ®	Hensall District Coop	LIGHT RED KIDNEY	
	<u> </u>	Big Red	Various Bean Dealers
SV1893GH ⊕ T0005	CANTERRA SEEDS Traccure Valley Seed Company	Clouseau	Various Bean Dealers
T9905	Treasure Valley Seed Company	Pink Panther	Various Bean Dealers
Valiant	ADM- Seed West	- mar unurer	Tantous Deuri Deureis


Red Dawn

Various Bean Dealers

WHITE KIDNEY		
OAC Snowshoe	Various Bean Dealers	
Yeti	Various Bean Dealers	
GREAT NORTHERN		
Aries	Various Bean Dealers	
Virgo	Various Bean Dealers	

FIELD PEAS	
AAC Aberdeen 🕾	Alliance Seed
AAC Beyond ®	CANTERRA SEEDS
AAC Carver ®	CANTERRA SEEDS
AAC Chrome (9)	FP Genetics
AAC Comfort ®	CANTERRA SEEDS
AAC Harrison ®	FP Genetics
AAC Julius ®	FP Genetics
AAC Lacombe ®	SeedNet Inc
AAC Lorlie	Wagon Wheel Seed Corp.
AAC McMurphy 🕾	FP Genetics
AAC Planet ®	SeedNet Inc
AAC Profit ®	FP Genetics
Boost ®	Pitura Seeds
Caphorn 🖲	Valesco Genetics, LLC
CDC 5791 🕲 VUA	CANTERRA SEEDS
CDC 5845 © VUA	Alliance Seed
CDC Amarillo	Saskatchewan Pulse Growers
CDC Boundless ®	SeCan
CDC Canuck 🕲	SeCan
CDC Citrine 🕾	Saskatchewan Pulse Growers
CDC Engage 🟵	Alliance Seed
CDC Forest ®	SeCan
CDC Hickie 🕾	SeCan
CDC Huskie 🕲	SeCan
CDC Lewochko 🕾	SeCan
CDC Limerick	Saskatchewan Pulse Growers
CDC Meadow	Saskatchewan Pulse Growers
CDC Rider	FP Genetics
CDC Spruce ®	SeCan
CDC Tollefson 🕲	Saskatchewan Pulse Growers
ProStar ®	CANTERRA SEEDS

DISTRIBUTOR	PHONE NUMBER
ADM-Seed West	1-800-637-5843
Agriculture and Agri-Food Canada	1-613-773-1000
Alliance Seed	1-877-270-2890
Ben Martens Charolais & Seed	1-204-534-6952
CANTERRA SEEDS	1-877-439-7333
Columbia Seeds	1-403-654-2158
Cyre Seed Farms	1-780-349-4775
Harvest Genetics	1-306-715-2733
Hensall District Coop	1-204-295-3938
Jefferies Seeds Ltd	1-204-720-7282
McDougall Acres Farming Corporation	1-306-693-3649
Pitura Seeds	1-204-736-2849
Prairie Fava	1-204-720-7282
Riddell Seed Co.	1-204-227-5679
Rudy Agro	1-306-873-8670
Saskatchewan Pulse Growers	1-306-668-5556
SeCan	1-800-665-7333
SeedNet Inc	1-403-715-9771
FP Genetics	1-403-739-2233
Treasure Valley Seed Company	1-218-791-6159
University of Saskatchewan	1-306-966-5855
Valesco Genetics, LLC	1-701-898-0647



† GROWERS LIST

FIELD BEAN	s	F	R	С
CDC BLACKSTRAP (9)				
Swan River; Badowski Farms Ltd. 204-281-0668			R	C
OAC SEAL Glenboro; Jefferies Seeds 204-720-7282				C
SV6139GR @				C
Boissevain; Armstrong Seeds 204-534-2566				C
Glenboro; Jefferies Seeds 204-720-7282 Portage La Prairie; Sissons Farms Ltd. 204-856-9908				(
Swan River; Badowski Farms Ltd. 204-281-0668				(
WINDBREAKER				
Altona; Wiebe, Lloyd 204-324-7999				(
Portage la Prairie; Sissons Farms Ltd. 204-856-9908				C
FABABEAN	s	F	R	С
CDC 1142 (9)				
Plumas; Court Seeds Ltd. 204-386-2354				C
Souris; Kohut, David Anton & Richard & Gregory & Katherine 204-483-3063	S	F	R	
FABELLE ⁽²⁾ Warren; Riddell Seed Co. 204-227-5679		F		
JUNO ®		Ċ		
Cromer; Bartel Seeds 204-851-1390			R	
Glenboro; Jefferies Seeds 204-720-7282			R	
LENTIL	S	F	R	С
LENTIL CDC JIMINI	S	F	R	С
CDC JIMINI Binscarth; Inland Seed Corp. 204-683-2316	S	F	R	c
	s	F	R R	Ť
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS				C
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER				C
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS				(c
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282			R R R	(c
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543	S		R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854	S	F	R R R	(c
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543	S		R R R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME	S	F	R R R R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME Arborg; Timchishen Seeds Farms 204-641-1288	S	F	R R R R R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME Arborg; Timchishen Seeds Farms 204-641-1288 Baldur; Desrochers, David Oscar 204-825-7400	S	F	R R R R R R R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS AAC CARVER Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME Arborg; Timchishen Seeds Farms 204-641-1288	S	F	R R R R R	(c ((
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME © Arborg; Timchishen Seeds Farms 204-641-1288 Baldur; Desrochers, David Oscar 204-825-7400 Boissevain; Boissevain Select Seeds 204-534-0752 Carman; RJP Seed Ltd. 204-745-3304 Elphinstone; Gerrard Family Seeds 204-365-0321	S	F	R R R R R R R	(c c c c c c c c c c c c c c c c c c c
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME © Arborg; Timchishen Seeds Farms 204-641-1288 Baldur; Desrochers, David Oscar 204-825-7400 Boissevain; Boissevain Select Seeds 204-534-0752 Carman; RJP Seed Ltd. 204-745-3304 Elphinstone; Gerrard Family Seeds 204-365-0321 Grandview; Triple S Seeds Ltd. 204-688-2004	S	F	R R R R R R R	C C C C C C C C C C C C C C C C C C C
Binscarth; Inland Seed Corp. 204-683-2316 FIELD PEAS Boissevain; Armstrong Seeds 204-534-2566 Dauphin; Fisher Seeds Ltd. 204-622-8800 Glenboro; Jefferies Seeds 204-720-7282 Pilot Mound; Wallace, Joe 204-825-4543 Russell; Keating Seed Farms Inc. 204-773-3854 Stonewall; Unger Seed Farm Ltd. 204-467-8630 Virden; Clearview Acres Ltd. 204-748-7666 AAC CHROME © Arborg; Timchishen Seeds Farms 204-641-1288 Baldur; Desrochers, David Oscar 204-825-7400 Boissevain; Boissevain Select Seeds 204-534-0752 Carman; RJP Seed Ltd. 204-745-3304 Elphinstone; Gerrard Family Seeds 204-365-0321	S	F	R R R R R R R	(c c c c c c c c c c c c c c c c c c c

CD	CR	LA	Ck	(ST	'R /	VD.
	G L	4 7 = '				. 1

- Early, high yielding black

CDC TURTLE MOUNTAIN

- Taller for harvest ease



Contact Ben at 204.534.8370 martenscharolaisandseed.com

LIVIOLETTA Neepawa; DSV Northstar Ltd. 204-476-5241		F		
FORAGE PEAS	S	F	R	С
Boissevain; Armstrong Seeds 204-534-2566 Domain; Pitura Seeds 204-736-2849 Russell; Keating Seed Farms Inc. 204-773-3854	S	F F	R R	ľ
PS BOOST (9)				C
Russell; Keating Seed Farms Inc. 204-773-3854				C
Reston; Greig, Fred L. & Cameron & Roper, Jordan 204-877-3813				C
Holland; Patenaude, Donald & Robert 204-526-5087 CDC TOLLEFSON (2)				(
CDC MEADOW Welland: Batanauda, Donald & Robert 20.4, E24, E0.97				,
Reston; Greig, Fred L. & Cameron & Roper, Jordan 204-877-3813				C
Miniota; Walker, Alan Glen 204-567-3647				(
Arborg; Timchishen Seeds Farms 204-641-1288 Dauphin; Dauphin Plains Seeds Ltd. 204-638-7800			R	(
CDC LEWOCHKO (2) Arbara: Timchichan Saads Farms 204, 641, 1200			ח	٢
Warren; Riddell Seed Co. 204-227-5679	S	F		
St. Leon; Labossiere, Luc N. & Rejean F. 204-245-0191				C
Holland; Patenaude, Donald & Robert 204-526-5087 Menold, Ulrich, Tyler & Lucas 204-750-2675				(
Decker; Murray Farms Inc. 204-764-0366				(
CDC HICKIE (9)				
Holland; Kubinec, Anastasia 204-526-2776			R	
Elphinstone; Gerrard Family Seeds 204-365-0321			R	
Domain; Pitura Seeds 204-736-2849 CDC ENGAGE				Ĺ
CDC CITRINE ®				C
Warren; Riddell Seed Co. 204-227-5679	S			
Stonewall; Unger Seed Farm Ltd. 204-467-8630	S			
Reston; Greig, Fred L. & Cameron & Roper, Jordan 204-877-3813	5			
Arborg; Timchishen Seeds Farms 204-641-1288 Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151	S S			
CDC CANUCK Asharus Timehishan Soods Farms 20.4 6.41 1200	c			
Stonewall; Unger Seed Farm Ltd. 204-467-8630			R	
St. Leon; Labossiere, Luc N. & Rejean F. 204-245-0191			R	
Crystal City; Buchanan, Kenneth S., Jayden, & Dean K. 204-825-7151			R	
Inglis; Beischer Family Farm Seeds Ltd. 204-564-26/6				ľ
ABARTH (9) Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676				C
Boissevain; Boissevain Select Seeds 204-534-0752			R	
AAC PROFIT 🕸				
Inglis; Beischer Family Farm Seeds Ltd. 204-564-2676		F		
Russell; Keating Seed Farms Inc. 204-773-3854 AAC MCMURPHY				ľ
Rivers; Redsper Ent. Ltd. 204-328-5346				(
Grandview; Triple S Seeds Ltd. 204-638-2004	S	F	R	
Cromer; Bartel Seeds 204-851-1755				C
Carman; RJP Seed Ltd. 204-745-3304				C
RAC JULIUS ⊠ Boissevain; Boissevain Select Seeds 204-534-0752				С
Wawanesa; Ellis Seeds 204-824-2290 AAC JULIUS (®)				C
Somerset; Sierens Seed Service 204-744-2883				C
Ste. Anne; Seine River Seed Farm 204-371-7700				C
Rivers; Redsper Ent. Ltd. 204-328-5346 Russell; Keating Seed Farms Inc. 204-773-3854				(
Plumas; Court Seeds Ltd. 204-386-2354			R	C
Oak River; JS Henry & Son 204-566-2422			R	



Key to 2025 Yield Tables

Yields derived over two or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV% = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD value to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.





GRAIN CORN - LONG SEASON

Comments:

Carman bushel weight is missing due to a software issue at harvest time.

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution.

All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at mbcropalliance.ca

			Carman				Rosebank			
CHU¹	Hybrid	Trait(s) ²	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2000	P71231PCE	6	166	17.6	-	62	187	21.3	58.0	71
2025	TH6072 VT2P	6	165	20.4	-	62	202	23.3	56.7	73
2050	MZ 1231DBR	6	161	22.6	-	64	195	22.2	58.0	70
2050	CX25071A/VT2P	6	167	20.4	-	64	221	21.9	58.7	73
2050	P72068AM	19	160	19.9	-	64	202	20.5	58.8	72
2075	DKC21-36RIB	6	195	22.6	-	66	227	22.9	56.5	72
2075	DKC072-12RIB	6	151	21.3	-	68	210	21.1	59.4	70
2075	P7389AM	6	177	19.4	-	69	230	21.4	57.4	72
2075	TH6474 VT2P	19	186	22.3	-	69	195	22.3	58.1	71
2100	PV 60474RIB	6	184	22.0	-	62	223	22.8	57.4	71
2125	P74691PCE	6	144	19.4	-	62	215	22.1	57.4	70
2125	DKC074-82RIB	6	209	21.0	-	62	269	24.0	55.2	73
2150	P75303PCE	6	184	20.7	-	64	251	23.5	56.9	73
2150	EXP075-25	6	201	23.4	-	63	225	22.8	56.9	71
2150	MZ 1397DBR	6	156	21.2	-	63	199	21.8	58.4	73
2150	CP1440VT2P	6	187	24.1	-	64	230	25.1	56.4	76
2150	CX25175VC	6	189	22.8	-	64	235	23.9	56.1	74
2175	PV 61276RIB	6	182	22.8	-	65	207	23.7	57.3	73
2190	IFS1022 X IFS1023	6	189	23.0	-	70	213	24.6	57.0	71
2200	NS 275	6	190	24.2	-	62	231	23.5	56.9	75
2200	A4494G2 RIB	6	164	20.3	-	64	180	23.9	56.8	69
2225	HZ 1435	30	171	22.3	-	69	219	23.9	53.8	74
2225	TH6578 VT2P	6	172	22.0	-	67	217	23.9	56.5	70
2225	TH6278 VT2P	6	199	22.3	-	69	247	24.8	55.0	72
2250	MZ 1544DBR	6	210	22.4	-	68	250	23.4	55.1	75
2250	DKC28-25RIB	6	200	21.2	-	67	245	24.1	55.2	73
2250	P7822AM	6	183	19.7	-	71	266	22.1	57.3	73
2250	P78150PCE	6	207	23.9	-	66	266	23.9	55.3	71
2250	NS 277	19	198	22.4	-	72	236	23.1	56.0	72
2280	XFS1052 X XFS1053	6	189	24.2	-	64	166	25.9	55.5	76
2300	255	6	207	24.6	-	62	236	26.5	55.2	74
2300	A4646G2 RIB	6	186	23.1	-	63	242	25.7	55.0	76
2300	E49K32 R	6	177	24.9	-	66	250	24.4	55.7	74
2300	P80463PCE	6	198	23.9	-	67	251	25.0	56.0	72
2325	A4848G2 RIB	6	196	24.3	-	65	238	25.3	55.4	74







Shot rock for performance



- ✓ Yield 109% of AAC Brandon
- Short strong straw
- R to leaf, stem rust and I to stripe rust
- ✓ MR to FHB ("Good" rating)

Genes that fit your farm. 800-665-7333 secan.com









Carman Rosebank Yield (bu/ **Bushel Wt** 50% Silk Yield Moisture **Bushel Wt** 50% Silk CHU1 Hybrid Trait(s)2 acre) Moisture (%) (lbs/bu) (d) (bu/acre) (%) (lbs/bu) (d) 2325 TH6380 VT2P 6 193 69 203 26.9 54.2 73 25.2 70 XFS1054 X XFS1055 6 175 22.8 232 24.1 74 2370 56.8 2375 6 213 24.3 66 242 25.1 76 CP2130VT2P 55.6 6 22.5 65 25.6 76 2400 P82288PCE 183 269 55.3 2400 TH6182 VT2P 6 201 21.5 69 282 25.4 55.0 73 2400 A5175G2 RIB 6 205 26.6 68 247 26.3 55.6 73 2425 4 72 **DLF 2495RR** 174 28.8 62 229 30.3 55.3 2450 CX24183VC 28 204 29.9 _ 68 236 31.8 52.3 75 2450 DKC32-49RIB 6 207 25.9 64 226 23.7 55.6 75 2450 DKC081-18RIB 6 200 20.8 64 296 26.5 54.7 75 2450 NS 283 6 197 29.6 64 225 28.5 53.8 75 2450 CP2288VT2P 6 179 68 24.3 56.3 76 25.8 260 2450 HZ 2225 6 139 23.7 68 268 30.8 52.6 78 65 2475 TH8483 DV 34 171 24.3 231 26.3 53.9 75 29.9 77 2500 PV 62485RIB 6 186 24.7 62 257 53.8 2500 MZ 2344DBR 6 181 24.4 65 258 25.5 54.6 75 2500 CP2324VT2P 6 220 22.8 68 287 26.7 53.6 73 2500 CX25083A/VT2P 6 204 24.2 70 260 26.1 54.5 75 2550 P85199PCE 8 196 26.9 62 301 28.9 53.7 77 2550 A5292G8 RIB 6 183 29.6 65 250 30.1 54.7 76 2550 TH6185 VT2P 6 206 27.8 64 279 29.2 54.3 76 2575 6 67 277 28.8 77 DKC35-29RIB 206 25.4 54.9 2600 DKC36-48RIB 6 154 25.9 -65 316 27.6 54.1 76 2625 A5424G2 RIB 6 187 28.7 67 268 26.9 54.5 76 2625 CP2585VT2P 6 180 30.9 68 282 29.2 54.7 77 Mean 186 23.6 66 240 25.1 55.7 74

¹Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region.

1.3

1

Yes

5.5

21

Yes

8-May

8-0ct

4.7

1.9

Yes

1.2

1.0

Yes

1.9

2

Yes

7.5

2.9

Yes

²See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at seeds-canada.ca/corn-hybrid-database. Information provided includes technology, brand name and refuge requirements.

Explanation of Codes for Special Genetic Traits				
Code	GM Traits			
4	Roundup Ready Corn 2			
6	VT Double PRO			
8	SmartStax			
19	Agrisure GT/CB/LL or Agrisure 3010			
28	Agrisure Above			
30	PowerCore Enlist (PCE)			
34	Duracade Viptera			

CV (%)

LSD (0.05)

Sign Diff

Planting Date

Harvest Date

10.4

31

Yes

22-May

10-0ct



913S





2100-2200 CHU 75 DAY RM

northstargenetics.ca

924S





2225-2325 CHU 83 DAY RM

932S ROUR





2300-2400 CHU 89 DAY RM



204.353.2885 contact@northstargenetics.ca



Excellent tonnage

Tall hybrids with large, flex ears Very good roots and standability

High quality silage

Extended chopping window

Ready to feed sooner

Increased butterfat

More digestible fibre

Highly available starch

Excellent for grazing

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.
Roundup Ready® 2 Technology contains genes that confer
tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to
glyphosate.
Roundup Ready® is a registered trademark of Bayer Group. Used under license

©NORTHSTAR GENETICS 2025

GRAIN CORN - MID SEASON

Comments:

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution.

All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content. MacGregor bushel weight is missing due to a software issue at harvest time.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at mbcropalliance.ca

				Ma	cGregor	
CHU ¹	Hybrid	Trait(s)²	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2000	P71231PCE	6	141	15.3	-	64
2025	A3979G2 RIB	6	165	16.1	-	65
2025	TH6072 VT2P	6	166	16.7	-	65
2050	P72068AM	6	165	15.4	-	65
2050	CX25071A/VT2P	6	162	16.7	-	66
2050	MZ 1231DBR	6	178	18.1	-	64
2050	MZ 1255DBR	19	184	17.6	-	66
2075	DKC21-36RIB	6	187	17.5	-	66
2075	DKC072-12RIB	6	196	17.8	-	65
2075	P7389AM	6	161	16.6	-	65
2075	TH6474 VT2P	19	170	17.7	-	65
2100	PV 60474RIB	6	150	17.9	-	64
2125	DKC074-82RIB	6	189	17.2	-	67
2125	P74691PCE	6	163	16.0	-	65
2150	EXP075-25	6	184	18.0	-	66
2150	P75303PCE	6	163	16.5	-	67
2150	CP1440VT2P	6	192	20.4	-	69
2150	MZ 1397DBR	6	184	18.3	-	66
2150	CX25175VC	6	180	17.4	-	66
2175	PV 61276RIB	6	171	17.4	-	65
2190	IFS1022 X IFS1023	6	177	17.1	-	66
2200	NS 275	6	194	18.3	-	69
2200	A4494G2 RIB	6	195	17.7	-	65
2225	HZ 1435	30	154	16.0	-	70
2225	TH6278 VT2P	6	191	17.9	-	65
2225	TH6578 VT2P	6	176	18.8	-	66
2250	DKC28-25RIB	6	188	17.9	-	67
2250	P7822AM	6	186	17.0	-	67
2250	P78150PCE	6	181	16.8	-	66
2250	MZ 1544DBR	6	205	19.0	-	69
2250	NS 277	19	190	18.2	-	68
2280	XFS1052 X XFS1053	6	192	20.7	-	68
2300	P80463PCE	6	193	21.4	-	67
2300	E49K32 R	6	190	18.4	-	70
2300	255	6	191	21.4	-	69
2300	A4646G2 RIB	6	184	19.4	-	69
2325	A4848G2 RIB	6	195	20.1	-	67
2325	TH6380 VT2P	6	186	20.4	-	68
2370	XFS1054 X XFS1055	6	178	19.1	-	70

				Mac	Gregor	
CHU¹	Hybrid	Trait(s) ²	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2375	CP2130VT2P	4	185	20.9	-	70
2375	DLF 2333RR	6	138	25.1	-	66
2400	P82288PCE	6	202	19.1	-	69
2400	A5175G2 RIB	6	191	22.0	-	70
2400	TH6182 VT2P	6	198	17.7	-	66
2450	DKCO81-18RIB	6	203	19.9	-	69
2450	DKC32-49RIB	6	170	19.5	-	72
2450	CP2288VT2P	6	187	22.0	-	69
2450	CX24183VC	6	177	21.9	-	71
2500	CX25083A/VT2P	6	205	21.2	-	69
2500	MZ 2344DBR	6	186	20.6	-	69
2550	P85199PCE	6	195	22.7	-	71
		Mean	180	18.6	-	67
		CV (%)	8.5	4.7	-	1.4
		LSD (0.05)	25	1.4	-	2
		Sign Diff	Yes	Yes	-	Yes
		Planting Date	21-May			
		Harvest Date	14-0ct			

¹Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region.

Explanation of Codes for Special Genetic Traits				
Code	GM Traits			
4	Roundup Ready Corn 2			
6	VT Double PRO			
19	Agrisure GT/CB/LL or Agrisure 3010			
30	PowerCore Enlist (PCE)			





²See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at seeds-canada.ca/corn-hybrid-database. Information provided includes technology, brand name and refuge requirements.

GRAIN CORN - SHORT SEASON WEST

Comments:

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution. All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at mbcropalliance.ca

				Me	elita	
CHU ¹	Hybrid	Trait(s) ²	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
1925	TH6370 VT2P	6	157	23.8	60.8	73
1950	P69155PCE	6	177	19.9	59.0	74
2000	NS EXP69	6	177	18.9	58.5	73
2000	PV 60570RIB	6	165	22.3	59.3	75
2000	P71231PCE	6	179	22.7	59.1	75
2025	PV 60371RIB	6	192	23.4	60.6	77
2025	A3979G2 RIB	6	182	25.0	60.6	76
2025	TH6072 VT2P	6	183	21.8	59.2	74
2050	MZ 1231DBR	6	179	23.8	59.9	74
2050	MZ 1255DBR	6	192	24.2	61.3	76
2050	CX25071A/VT2P	6	186	24.3	61.5	75
2050	P72068AM	19	172	27.3	64.4	78
2075	DKC21-36RIB	6	195	23.6	59.5	76
2075	DKC072-12RIB	6	183	22.8	60.6	73
2075	NS 271	6	173	20.7	59.6	72
2075	TH6474 VT2P	6	181	28.5	63.4	77
2075	P7389AM	19	183	26.4	60.4	76
2100	PV 60474RIB	6	190	27.6	62.2	77
2125	DKC074-82RIB	6	197	27.9	61.8	77
2125	P74691PCE	6	183	23.3	58.8	77
2150	EXP075-25	6	194	28.9	62.7	80
2150	MZ 1397DBR	6	188	23.3	60.5	75
2150	CX25175VC	6	175	32.1	66.6	76
2150	CP1440VT2P	6	179	30.6	65.1	79
2150	P75303PCE	6	196	28.8	62.8	76
2175	DLF 2158VT2P RIB	6	186	34.3	68.4	78
2190	IFS1022 X IFS1023	6	176	28.1	63.6	76
2200	NS 275	6	176	30.5	64.8	78
2200	A4494G2 RIB	6	178	26.2	61.4	75
2225	HZ 1435	30	174	32.9	64.3	78
2225	TH6278 VT2P	6	189	29.0	62.7	78
2225	TH6578 VT2P	6	185	29.5	63.1	76
2250	BY Brava RR2	4	175	37.8	73.7	76
2250	BYM2527002TR	4	163	33.6	71.0	80
2250	DKC28-25RIB	6	200	25.5	59.8	78
2250	BY Guernsey V2TP	6	184	37.5	73.9	76
2250	MZ 1544DBR	6	203	25.9	60.7	76
2250	P78150PCE	6	209	31.1	63.7	76
2250	P7822AM	19	190	31.9	66.7	81

			Melita			
CHU ¹	Hybrid	Trait(s) ²	Yield (bu/acre)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2300	A4646G2 RIB	6	184	35.6	68.8	78
2300	P80463PCE	6	193	33.1	66.5	81
2325	A4848G2 RIB	6	184	33.6	66.5	82
2325	TH6380 VT2P	6	161	33.0	65.3	78
2375	CP2130VT2P	6	194	33.3	66.3	78
2400	P82288PCE	6	202	37.8	70.3	83
		Mean	184	28.0	63.3	77
		CV (%)	7.5	13.1	4.6	2.8
		LSD (0.05)	22	5.9	4.6	4
		Sign Diff	Yes	Yes	Yes	Yes
		Planting Date	13-May			
		Harvest Date	9-0ct			

Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing

² See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at seeds-canada.ca/ corn-hybrid-database. Information provided includes technology, brand name and refuge requirements.

Explanation of Codes for Special Genetic Traits	
Code	GM Traits
4	Roundup Ready Corn 2
6	VT Double PRO
19	Agrisure GT/CB/LL or Agrisure 3010
30	PowerCore Enlist (PCE)

YOUR BEST CROP STARTS HERE



- Spring Wheat
- Barley
- Soybeans
- Oats
- Black Beans
- Yellow Peas
- Hybrid Fall Rye
- Seed Treatments
- Inoculants

Growing, Processing and Supplying Certified Seed since 1953!

204-773-3854

Russell MB

www.keatingseed.ca

DISTRIBUTOR CONTACTS FOR LISTED VARIETIES IN SEED MANITOBA 2026

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at end of this section.


GRAIN CORN	
255	NorthStar Genetics
A3979G2 RIB	PRIDE Seeds
A4226G2	PRIDE Seeds
A4494G2 RIB	PRIDE Seeds
A4646G2 RIB	PRIDE Seeds
A4848G2 RIB	PRIDE Seeds
A5175G2 RIB	PRIDE Seeds
A5292G8 RIB	PRIDE Seeds
A5424G2 RIB	PRIDE Seeds
BY Brava RR2	BrettYoung
BY Guernsey V2TP	BrettYoung
BYM2527002TR	BrettYoung
CP1440VT2P	CROPLAN
CP2130VT2P	CROPLAN
CP2288VT2P	CROPLAN
CP2324VT2P	CROPLAN
CP2585VT2P	CROPLAN
CX24183VC	Proven Seed
CX25071A/VT2P	CROPLAN
CX25083A/VT2P	CROPLAN
CX25175VC	Proven Seed
DKC069-10RIB	DEKALB
DKC072-12RIB	DEKALB
DKC074-82RIB	DEKALB
DKC081-18RIB	DEKALB
DKC21-36RIB	DEKALB
DKC28-25RIB	DEKALB
DKC32-49RIB	DEKALB
DKC35-29RIB	DEKALB
DKC36-48RIB	DEKALB
DLF 1999VT2P RIB	DLF Canada
DLF 2158VT2P RIB	DLF Canada
DLF 2333RR	DLF Canada
DLF 2495RR	DLF Canada
E49K32 R	Maizex Seeds
EXP075-25	DEKALB
HZ 1435	Horizon Seeds

IFS1022 X IFS1023	IFSI
MZ 1231DBR	Maizex Seeds
MZ 1255DBR	Maizex Seeds
MZ 1397DBR	Maizex Seeds
MZ 1544DBR	Maizex Seeds
MZ 2344DBR	Maizex Seeds
NS 271	NorthStar Genetics
NS 275	NorthStar Genetics
NS 277	NorthStar Genetics
NS 283	NorthStar Genetics
NS EXP69	NorthStar Genetics
NS EXP72D	NorthStar Genetics
P69155PCE	Corteva Agriscience (Pioneer)
P71231PCE	Corteva Agriscience (Pioneer)
P72068AM	Corteva Agriscience (Pioneer)
P7389AM	Corteva Agriscience (Pioneer)
P74691PCE	Corteva Agriscience (Pioneer)
P75303PCE	Corteva Agriscience (Pioneer)
P78150PCE	Corteva Agriscience (Pioneer)
P7822AM	Corteva Agriscience (Pioneer)
P80463PCE	Corteva Agriscience (Pioneer)
P82288PCE	Corteva Agriscience (Pioneer)
P85199PCE	Corteva Agriscience (Pioneer)
PV 60371RIB	Proven Seed
PV 60474RIB	Proven Seed
PV 60570RIB	Proven Seed
PV 61276RIB	Proven Seed
PV 62485RIB	Proven Seed
TH6072 VT2P	Thunder Seed
TH6182 VT2P	Thunder Seed
TH6185 VT2P	Thunder Seed
TH6278 VT2P	Thunder Seed
TH6370 VT2P	Thunder Seed
TH6380 VT2P	Thunder Seed
TH6474 VT2P	Thunder Seed
TH6578 VT2P	Thunder Seed
TH8483 DV	Thunder Seed
XFS1052 X XFS1053	IFSI
XFS1054 X XFS1055	IFSI

DISTRIBUTOR	PHONE NUMBER
Bayer CropScience Canada Ltd. (DEKALB)	1-888-283-6847
BrettYoung	1-800-665-5015
Ceres Global Seeds (Horizon Seeds)	1-888-974-7246
Corteva AgriScience (Pioneer Brand Seeds)	1-800-667-3852
DLF Pickseed Canada Inc. (DLF Canada)	1-204-633-0088
Illinois Foundation Seeds (IFSI)	1-765-448-9696
Maizex Seeds Inc. (Maizex Seeds)	1-877-682-1720
NorthStar Genetics Ltd. (NorthStar Genetics)	1-204-262-2425
Nutrien Ag Solutions (Proven Seed)	1-855-569-9444
PRIDE Seeds	1-800-265-5280
Thunder Seed Canada Inc. (Thunder Seed)	1-888-684-8633
WinField United Canada (CROPLAN)	1-888-975-4769

† GROWERS LIST

BUCKWHEAT	s	F	R	С
MANCAN Notre Dames de Lourdes; Durand Seeds Inc. 204-745-7577			R	C
HORIZON Morden; Springfield Mills Inc. 204-362-0513 AGASSIZ	S			C
Morden; Springfield Mills Inc. 204-362-0513 KOTO	S			
Notre Dames de Lourdes; Durand Seeds Inc. 204-745-7577	S	F		
INDUSTRIAL HEMP	s	F	R	С
FINOLA Ste. Agathe; Fresh Hemp Foods Ltd. 204-823-2898	S	F	R R	c
FINOLA	S	-		_
FINOLA Ste. Agathe; Fresh Hemp Foods Ltd. 204-823-2898 KATANI Dauphin; Fisher Seeds Ltd. 204-622-8800	S	-	R	_





From the Swan River Valley to the Red River Valley, and everywhere in between, we have the right fit for your acres.



S0009-J5X

- 2275 CHU / 0.009
- · Very good standability
- Very good white mould resistance



S001-D8X

- 2300 CHU / 0.01
- Very good drought tolerance
- · Tall, excellent pod height



S003-R5X

- 2325 CHU / 0.03
- Numerous 5-bean pods
- Very good phytophthora tolerance



S005-Z5XF

NEW

- 2350 CHU / 0.05
- Dicamba, Glufosinate and Glyphosate tolerant
- Excellent emergence



S007-A2XS

- 2425 CHU / 0.07
- · Very good yield potential
- Sulfonylurea tolerant, great option for residue concerns

Always read and follow insect resistance management requirements (where applicable), grain marketing and all other stewardship practices and pesticide label directions. Scan the QR code or visit cropscience.bayer.ca/product-legal to review important stewardship and product information including regulatory status, grain marketing requirements, herbicide and insect tolerance, pesticide use and product trial results.

Roundup Ready 2 Xtend®, Roundup Ready 2 Yteld®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. Used under license. LibertyLink® logo are registered trademarks of Bayer Group. All rights reserved. I All photos are either the property of Syngenta or are used with permission. STS® is a trademark of Corteva Agriscience

LLC. NK® and the Syngenta logo are trademarks of a Syngenta Group Company. © 2025 Syngenta.



horages

Key to 2025 Yield and Quality Tables

Yields derived over 2 or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sig Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Indicates a variety that is protected by Plant Breeders' Rights legislation that complies with UPOV 1978.

ndicates a variety that is protected by, or has been applied for and is pending, Plant Breeders' Rights legislation that complies with UPOV 1991.

VUA Variety Use Agreement in effect.

Forage Variety Registration Changes

Amendments to the Seeds Act Seeds Regulations are now in effect that streamline the variety registration process for forage varieties.

Forage crops are moved to Part III of Schedule III of the Seeds Regulations. Recommending Committees are no longer required for the registration of forage crop varieties, since the testing and merit requirements are removed. Registration still requires a standard application package to enable the CFIA to continue to protect health and safety, prevent fraud, and facilitate seed certification

FORAGE ADAPTATION & COMPARISON GUIDE

LEGUMES

			Winter		Tolerance	e to:	
Forage	Use	Longevity	Hardi- ness	Drought	Flooding	Salinity	Preferred Climate and Growing Conditions
Alfalfa	Hay & Pasture	Long	Good	Good	Low	Low to Moderate	Widely adapted to most Manitoba soils but will not tolerate areas that have periodic flooding.
Alsike Clover	Hay & Pasture	Short	Fair	Poor	Moderate	Low	Low-lying moist areas.
Birdsfoot Trefoil	Pasture	Long	Good	Moderate	High	Low to Moderate	Moist areas.
Cicer Milkvetch	Pasture	Long	Good	Moderate to High	Low	Moderate	Widely adapted but exhibits its habit best on more coarse textured soils.
Kura Clover	Pasture	Long	Good	Moderate	Moderate	Unknown	Tolerates low fertility and soil acidity, wet soils and some flooding.
Red Clover	Hay & Pasture	Short	Poor	Low	High	Low	Best suited to humid areas with moderate temperatures.
Sainfoin	Pasture	Long	Fair	High	Low	Low	Best on brown and dark brown soil areas. In very dry areas it yields poorly. Does well on thin gravelly soils.
Sweet Clover	Hay & Pasture	Short to Long	Good	Poor	Low to Moderate	Low	Prefers well drained silt loams to clay soils that have a consistent supply of moisture.
White Clover	Hay & Pasture	2-years	Fair	Moderate to High	Low	Moderate	Especially productive on fertile soils.
TAME GRASSES							
Altai Wild Ryegrass	Pasture	Long	Excellent	High	Low	Very High	Loam and clay soils best, but grows on a wide range of soils. Doesn't appear adapted to Manitoba conditions
Annual (Italian) Ryegrass	Hay & Pasture	Short Annual 1 year	Poor	Low	High	Low	Produces best on soils of medium to high fertility and grows best with adequate moisture.
Creeping Foxtail	Pasture	Long	Good	Low	High	Moderate	Adapted to areas where reed canarygrass grows well and soil moisture is continually available.
Creeping Red Fescue	Pasture Lawn	Long	Excellent	Moderate	Moderate	Low	Does best in high rainfall areas. Will grow in wide range of soil types.
Crested Wheatgrass	Hay & Pasture	Long	Excellent	Moderate to High	Low	Low to Moderate	Adapted to dry areas with good soils but will also establish on lighter soils.
Dahurian Wild Ryegrass	Pasture	Short	Good	Moderate	Low	High	Adapted to all soil zones.
Intermediate Wheatgrass	Hay & Pasture	Short to Medium	Good	Moderate to High	Low	Low	Well drained soils with ample moisture.
Kentucky Blue Grass	Pasture Lawn	Long	Excellent	Moderate	Moderate	Low	Prefers cool and humid. Grows on most soils.
Meadow Bromegrass	Hay & Pasture	Long	Good	High	Low	Low	Grows well on most soils where Smooth Brome does well.
Meadow Fescue	Pasture	Short - Medium	Good	Moderate	High	Low to Moderate	Prefers soil with good moisture and good drainage.
Meadow Foxtail	Pasture	Long	Good	Low	High	Low	Prefers cool moist conditions. High water table.
Orchard grass	Hay & Pasture	Short	Fair	Moderate	Low to Moderate	Low	Prefers moist conditions. Sandy soils are too dry for good growth unless in high rainfall area.
Perennial Ryegrass	Hay & Pasture	Short	Poor	Low	Low	Low	Needs high precipitation and fertility for high yields. Adapted to a wide range of soils.
Pubescent Wheatgrass	Hay & Pasture	Medium	Good	Moderate to High	Low	Low to Moderate	Widely adaptable with respect to precipitation, temperature, elevation, and low fertility soil.
Russian Wild Ryegrass	Pasture	Long	Excellent	Very High	Low	Very High	Can be grown on a wide range of soils. Most productive on fertile loams.
Smooth Bromegrass	Hay & Pasture	Long	Excellent	Moderate	Moderate	Low to Moderate	Well adapted to all soils in Manitoba.
Tall Fescue	Pasture	Medium	Good	Moderate	Moderate to High	High	Variety of soils. Does well on wet, poorly drained soils.
Tall Wheatgrass	Hay & Pasture	Medium	Excellent	Low	High	High	Adapted to saline and imperfectly drained alkali soils.
Timothy	Hay & Pasture	Medium	Good	Low	High	Low	Cool moist areas with good drainage.

			Winter		Tolerance	e to:	_
Native Grasses	Use	Longevity	Hardi- ness	Drought	Flooding	Salinity	Preferred Climate and Growing Conditions
Awned Wheatgrass	Hay & Pasture	Medium	Good	Moderate	Moderate	Low to Moderate	Prefers moderately sandy to loam soils with good moisture and drainage. Found in moist flats, meadows and low growing bushes
Big Bluestem	Pasture	Long	Good	Low to Moderate	Moderate	Low to Moderate	Grows under a wide range of conditions.
Green Needlegrass	Pasture	Long	Good	High	Moderate	Low to Moderate	Performs best on medium to heavy textured soils. Prefers moist sites with good drainage.
Little Bluestem	Pasture	Long	Good	High	Low	Moderate	Sandy, gravelly soils with shallow water table or where snow accumulates. Common on Prairie upland.
Northern Wheatgrass	Pasture	Long	Good	Very High	Moderate	Moderate	Prefers medium to coarse textured soil.
Prairie Cord Grass	Hay & Riperian	Long	Good	Low to Moderate	High	Low to Moderate	Wide range of soils (sand to clay) - does best on seasonally dry areas, marsh edges, wet meadows, drainageways.
Reed Canarygrass	Hay & Pasture	Long	Good	Moderate	Very High	Low	Moist cool climate. Poorly drained areas subject to temporary flooding.
Side Oats Grama	Hay & Pasture	Long	Good	Moderate to High	Low	Low to Moderate	Adapted to a range of soils. Performs best on fine textured soils. Found on rocky ridges, open grasslands and hillsides.
Slender Wheatgrass	Hay & Pasture	Medium	Good	Moderate	Moderate	High	Widely adapted - prefers sandy loams.
Switch grass	Pasture	Medium	Fair	Low	Moderate	Moderate	It has potential for good summer pasture when enough moisture. Grows best on loam and sandy loams.
Western Wheatgrass	Hay & Pasture	Long	Excellent	High	Moderate to High	High	Widely adapted - prefers heavy moderately aklaline soil. Tolerates periodic flooding.
Source: Manitoba Agriculture	- Forage Adaptation	a & Comparison Guid	le				



SILAGE CORN

Comments:

The silage corn hybrid trials were tested and the data released by the Manitoba Corn Committee (MCC).

The data presented here is for one year only. Use with caution.

All hybrids were evaluated at a target plant population of 32,000 plants per acre.

Yields are corrected to 65% moisture.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at mbcropalliance.ca

						Elm Cr	eek						!	St Pierr	е			
CHU¹ Rating	Hybrid	Trait ²	65% Yield (Mt/ac)	Moisture ³ (%)	50% Silk (days)	TDN (%)	ADF	NDF (%)	Milk/ Acre ⁴ (lbs/ac)	Beef/ Acre ⁵ (lbs/ ac)	65% Yield (Mt/ac)	Moisture ³ (%)	50% Silk (days)	TDN (%)	ADF	NDF (%)	Milk/ Acre ⁴ (lbs/ac)	Beef/ Acre ⁵ (lbs/ ac)
2050	CX25071A/VT2P	6	19.3	61.3	73	80.6	16.9	36.2	19633	2541	20.4	70.8	74	74.2	22.9	44.2	21407	2804
2150	CP1440VT2P	4	21.3	67.0	74	77.4	19.9	38.0	21652	2126	20.0	65.4	77	72.7	24.3	44.4	20215	2288
2150	913S	6	19.6	69.0	74	71.8	25.1	44.4	22268	2249	20.5	67.0	74	73.1	23.9	44.0	22670	2558
2200	AS1018G2 EDF	4	19.3	65.0	76	75.2	22.0	41.2	21413	2341	23.2	72.9	73	77.3	20.0	39.4	26452	3328
2200	MS 7711R	6	24.6	64.0	74	67.9	28.8	53.0	28857	2271	23.2	70.0	73	78.1	19.2	37.1	28318	3576
2225	TH6678 VT2P	30	25.0	69.9	74	76.2	21.0	39.9	26290	2635	23.2	69.8	76	76.0	21.2	41.7	21583	2502
2225	PV 61677SRIB	30	25.2	67.0	74	74.9	22.2	42.6	29631	2620	23.1	67.8	73	79.9	17.5	35.8	26318	3578
2225	HZ 1435	4	17.1	68.5	74	64.9	31.5	59.5	21108	1652	20.7	68.5	77	75.3	21.9	42.3	26476	3223
2225	TH4678 RR	6	24.0	72.4	75	72.7	24.3	45.6	27722	2297	25.9	68.8	78	77.2	20.0	39.9	26376	3022
2225	TH6477 PC	6	24.3	68.4	76	72.7	24.3	43.7	23148	2215	21.4	70.8	77	68.4	28.3	49.5	23630	2401
2250	MS 8022R	4	22.6	68.4	72	78.9	18.5	35.5	24593	2449	24.3	73.3	73	72.2	24.7	45.3	27421	2986
2250	MS 7822DBR	4	23.6	68.3	73	78.0	19.3	37.4	26462	2654	25.8	67.9	73	81.2	16.3	34.8	27646	3683
2250	PV 61578SRR	4	24.2	67.8	75	77.8	19.5	37.9	26439	2701	25.6	68.7	76	79.4	18.1	36.5	27260	3180
2250	BYM2527002TR	4	22.7	70.0	73	70.9	25.9	46.3	21838	2015	25.3	73.3	74	75.2	22.0	41.4	26000	3068
2250	BYM2528003TV	6	24.0	69.3	75	71.7	25.2	47.5	26011	2137	24.4	66.7	76	69.5	27.3	47.9	26825	2950
2250	BY Brava RR2	4	23.5	70.1	75	73.9	23.1	42.2	19597	1898	23.3	67.5	74	77.6	19.7	38.9	26038	2956
2250	BY Guernsey V2TP	6	25.3	65.7	74	83.3	14.3	32.1	24996	3077	24.3	68.6	74	80.7	16.8	36.1	25145	3394
2275	924S	4	24.8	69.3	80	70.2	26.7	48.6	22868	2069	25.6	68.2	81	74.5	22.6	43.4	28570	3439
2300	TH6180 VT2P	6	19.8	70.8	74	74.1	22.9	43.5	20835	1753	23.7	69.7	73	72.6	24.3	45.4	25111	2889
2350	AS1028G2 EDF	19	23.5	65.3	74	77.0	20.2	37.8	25812	2605	22.6	72.7	73	76.4	20.8	41.5	25260	2983
2350	HZ 1831	6	17.9	72.7	75	74.5	22.6	42.2	17572	1723	20.0	67.1	75	70.8	26.0	47.2	22778	2505
2375	DLF 2333RR	4	19.8	68.3	73	73.9	23.2	44.2	16876	1816	21.0	69.9	73	72.8	24.2	44.2	20731	2240
2375	CP2130VT2P	6	20.7	66.1	75	76.0	21.2	38.8	22358	2263	24.1	69.8	76	72.9	24.1	45.0	26468	3141
2400	932S	4	21.7	73.9	81	71.9	25.0	44.0	17853	1659	21.9	65.8	79	68.8	27.9	50.0	25549	2738
2400	AS1058G2 EDF RIB	4	23.5	70.5	80	75.7	21.5	41.7	23179	2270	25.8	69.3	77	73.2	23.9	45.1	25815	2976
2400	G3201 VT2Pro	4	25.3	68.1	76	75.8	21.3	40.0	27343	2713	25.0	71.2	79	76.1	21.1	41.4	28850	3351
2400	A5175G2 RIB	6	19.7	66.3	74	78.9	18.5	36.1	21818	2209	20.9	71.3	74	77.5	19.8	39.4	24741	3227
2400	NS EXP89F	6	18.7	73.9	84	73.1	23.9	44.9	15253	1559	22.1	67.2	80	72.2	24.8	45.2	24452	2748
2400	AS1047RR EDF	6	22.4	72.9	75	76.0	21.2	41.1	18576	2130	23.0	70.6	75	75.9	21.3	41.4	23582	2812
2425	951S	4	18.9	73.3	89	74.7	22.4	43.5	13297	1589	24.2	70.6	86	76.2	21.0	40.8	24054	2750
2425	948S	4	20.7	75.2	88	69.3	27.5	49.3	19399	1747	24.7	66.8	86	71.9	25.0	46.2	25045	2731
2425	DLF 2495RR	4	25.6	65.7	73	75.8	21.4	40.7	31139	2662	21.3	70.4	73	69.9	26.9	48.2	20816	2129
2450	BY Belmont RR2	4	20.9	68.8	74	74.1	23.0	45.5	25824	2180	23.4	66.7	75	72.5	24.5	44.4	26631	3004
2450	CP2288VT2P	4	22.5	68.0	76	72.6	24.4	47.8	22618	1882	23.6	64.8	76	73.1	23.9	45.0	27230	3166
2450	DKC081-18RIB	4	21.4	66.6	73	62.5	33.8	60.2	24259	1832	22.4	69.4	74	74.4	22.7	42.6	27185	3358

						Elm Cr	eek						9	St Pierr	e			
CHU ¹ Rating	Hybrid	Trait ²	65% Yield (Mt/ac)	Moisture ³ (%)	50% Silk (days)	TDN (%)	ADF (%)	NDF (%)	Milk/ Acre ⁴ (lbs/ac)	Beef/ Acre ⁵ (lbs/ ac)	65% Yield (Mt/ac)	Moisture ³ (%)	50% Silk (days)	TDN (%)	ADF	NDF (%)	Milk/ Acre ⁴ (lbs/ac)	Beef/ Acre ⁵ (lbs/ ac)
2450	HZ 2225	6	24.0	70.1	78	60.8	35.5	60.4	20250	1467	23.6	72.0	79	77.5	19.8	39.3	26959	3516
2450	MS 8270R	6	23.2	71.8	77	72.6	24.4	47.9	26200	2181	26.3	72.1	77	68.7	28.1	50.8	28127	2888
2475	PV 62683SRIB	34	25.2	67.8	77	76.9	20.4	39.2	24676	2431	26.0	69.3	73	76.6	20.6	39.8	27760	3217
2475	TH8483 DV	6	18.6	68.8	75	69.8	27.0	51.9	21406	1728	19.6	72.4	75	75.3	21.8	43.2	23403	2865
2500	CX25083A/VT2P	8	21.6	66.9	74	75.5	21.6	39.7	23483	2267	16.5	68.7	74	76.9	20.3	39.4	18656	2310
2500	CP2324VT2P	6	18.3	72.0	76	74.1	23.0	44.5	20024	1684	23.1	69.9	73	75.5	21.6	40.6	28857	3475
2500	DKC33-37RIB	6	20.7	69.2	74	77.4	19.9	37.6	22254	2205	24.9	72.0	74	70.4	26.4	46.9	28126	3231
2500	CP2585SS	6	21.0	72.5	80	75.3	21.9	43.8	21955	1859	21.9	68.0	77	77.8	19.5	38.5	23602	2817
2550	TH6185 VT2P	14	22.0	68.1	74	76.8	20.4	38.4	23026	2240	23.5	67.1	75	75.7	21.5	41.4	29165	3482
2550	HZ 2511	4	22.0	71.4	81	77.6	19.7	37.9	21848	2172	24.3	70.7	81	73.4	23.6	45.5	28159	3332
2550	MS 8632R	4	26.7	70.1	78	73.9	23.1	43.6	24025	2399	25.9	69.5	79	74.6	22.5	43.0	26274	2816
2550	DLF ExSeed LF RR	6	21.7	72.9	80	72.4	24.5	44.2	19298	1821	24.5	67.0	80	76.8	20.4	40.2	27334	3248
2600	DKC36-48RIB	6	22.9	68.6	76	78.6	18.8	36.2	22446	2229	24.5	70.2	77	80.8	16.7	34.9	29724	3930
2625	CP2585VT2P	6	22.5	69.7	79	67.8	28.8	53.5	21406	1685	23.4	69.8	78	74.3	22.8	43.8	25043	3153
2625	A5424G2 RIB	6	20.8	70.0	76	72.3	24.7	46.7	22817	1885	20.6	68.1	76	72.0	24.9	46.5	22376	2642
2625	CP2790VT2P	6	21.7	71.3	78	76.6	20.6	42.0	25779	2231	22.4	72.1	76	73.8	23.2	44.0	26172	3053
2625	X25086A/VT2P	6	19.4	71.8	77	80.7	16.8	33.3	21045	2164	24.6	69.2	79	76.7	20.5	39.3	27352	3200
2650	CX25087A/VT2P	4	24.6	68.4	75	73.3	23.8	43.4	25066	2350	22.4	69.6	79	75.2	21.9	41.8	25559	3124
2650	A5686G2 RIB	6	23.3	69.2	74	74.4	22.7	41.3	20085	1979	23.5	70.0	75	72.5	24.5	44.3	27128	3015
2650	CP2732SRR	6	24.0	71.5	79	72.3	24.7	47.3	24153	1998	22.9	71.1	78	79.3	18.1	37.3	24272	2908
2675	HZ 2910	28	24.6	71.1	82	74.2	22.9	41.7	22557	2179	24.0	68.3	78	70.0	26.8	48.2	27046	3086
2675	DKC088-04RIB	32	22.2	71.2	78	72.2	24.7	43.3	19140	1813	23.4	68.1	78	71.8	25.1	45.4	25606	2801
2700	HZ 3010	33	22.7	69.1	75	79.6	17.8	35.8	24025	2425	24.0	68.9	80	74.2	22.9	42.6	28893	3397
2725	HZ 3386	33	25.3	72.7	81	70.5	26.4	50.3	24243	1969	26.5	70.3	81	72.3	24.7	44.2	27905	3050
	Mean		22.2	69.4	76						23.3	69.4	76					
	CV %		9.8	3.1	1.4						11.1	4.4	1.2					
	LSD (0.05)		3.5	3.5	2						4.2	5.0	12					
	Sign Diff		Yes	Yes	Yes						Yes	Yes	Yes					
	Planting Da	te	12-May								14-May							
	Harvest Dat	e	16-Sep								3-0ct							

Leach company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region. ²See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at seeds-canada.ca/corn-hybrid-database. Information provided includes technology, brand name and refuge requirements.

⁵ Beef per Acre was calculated on the assumption that one pound of beef is produced for every six pounds of TDN.

Explanation	Explanation of Codes for Special Genetic Traits						
Code	GM Traits	Code	GM Traits				
4	Roundup Ready Corn 2	28	Agrisure Above				
6	VT Double PRO	30	PowerCore Enlist (PCE)				
8	SmartStax	32	Trecepta				
14	Agrisure GT	33	Duracade				
19	Agrisure GT/CB/LL or Agrisure 3010	34	Duracade Viptera				

³ Moisture content at harvest.

⁴ Milk per Acre was calculated using MILK2006, a model developed by the University of Wisconson Extension Service.

ANNUAL FORAGES

The MCVET Annual Forage trials evaluated different crop types and varieties for forage yield and quality for livestock feed.

Annual crops are more moisture efficient than perennial forages such as alfalfa or timothy.

Both warm (sorghum, millet) and cool season crops were included in the trials. Warm season crops are more drought and heat tolerant than cool season crops.

Varieties were selected for their higher grain yield, taller growth, lodging resistance, and better disease resistance.

Quality is highly dependent on plant maturity at harvest. For optimium quality: harvest barley at early-mid dough stage; oats & triticale at milk-early dough stage; peas at full pod formation; millet and sorghum at early heading.

Variety Descriptions

Variety descriptions for wheat, barley and oat crop types can be found in the Cereal Crops section of Seed Manitoba 2026 pages 15-39 Field pea variety information can be found on pages 90-91.

TRITICALE								
	Days to	Days to Resistance Level:						
Variety	Maturity (+/- Banjo)	Lodging	Stem Rust	Leaf Rust	Bunt	Fusarium		
AC Alta	-1	G	R	R	R	-		
AC Certa	-3	G	R	R	R	1		
Banjo	100 days	G	R	R	R	-		
Pronghorn	-4	G	R	R	R	1		
SANDRO	-3	G	R	R	R	-		
WCI Widdicombe ®	-4	VG	R	R	R	I		

Comments: WCI Widdicombe ((@)) has reduced awns.

	Seed Colour	Seed Size (seeds/lb)	Days to Head	Days to Maturity
FOXTAIL MILLET				
Yellow (Golden German)	Yellow	160-170,000	75-90	85-95
Red (Siberian)	Red	169-170,000	55-70	70-90
PROSO MILLET				
Green (Crown)	Gray/Green	70-90,000	50-60	85-90
Red (Cerise)	Red	70-90,000	50-60	85
Yellow (AC Prairie Gold)	Yellow	70-90,000	50-60	75
SORGHUM				
Forage Sorghum	-	-	-	85-90
Sorghum sudangrass	-	-	-	80-85
COVER CROP BLEND	-	-	-	-

Cover Crop Blend: Oats, barley, wheat, italian rye grass, triticale, peas, flax, radish, hairy vetch and turnip

Seed source for millet & sorghum: Imperial Seed Seed source for triticale: Field Crop Development Centre Cover Crop seed provided by Covers & Co.

EALS ER SIEGE

ding Early-Season isease Challenges in Cereal Crops

Slayton

density losses have exce 30% within the first 10 da planting."

worms hollow out kerne as, causing plant Recause they ection ther

gen reatm and ions. an sle

rusting,

plants n the

combine chemical control, biological tools, and cultural practices like rotation and residue management.

"Not

press

By i

wirev focus

most

Some

GPS-

to los

multi

plani

Seed Foun Seed

comb with

micro

emer

prod

vulne

Pairi

varie

emer

can

Biological Tools: The Role of Microbial Inoculants In addition to conventional seed treatments, microbial inoculants are gaining interest Mity to enhance early wth, improve nutrient ke, and in some cases, suppress disease organisms.

Acco, they are insect pests, seedling nd environmental nat can reduce stand d crop uniformity.

l seedlings are from day one. protection to shed quickly," Horth, a fourthgrower near-Melfort, van.

e vears see minimal on loss, others te just how much acks can affect . Addressing these requires a clear ding of the key threats anagement tools

seed or just be Prairie growers en multiple species, incl dingy, redbacked, and a western cutworms, each different feeding havio "There's little visible wa

Prairie Edge Ag. "A go from uniforn short period

visible, stand los ly occurred, and reng cereals late in the spi vpically results in reduced y potential. Foliar insecticides be effective if applied promotly when pest thresholds are met. Establishment Advantage: Why

anging Condit. and Pest Interactions Shifting weather patterns ar

altering pest and disease risks Warmer winters can increase overwinter survival of insects such as cutworms, while wetter springs may encourage pathogens like Fusarium and

"A healthy microbial community can help seedlings establish more quickly and tolerate stress," says Young.

in Alberta and Manit own yield increas igh disease to 6 icrobi

Built to break through.

This is what unstoppable looks like. Powered by Lumivia® CPL and Straxan®, your cereals don't just emerge—they launch. With exclusive grasshopper protection plus proven control of wireworms, cutworms, and seed- and soil-borne diseases, they get the strong, uniform start they need.

Learn more at Corteva.ca/seed-treatments

Lumivia CPL

INSECTICIDE SEED TREATMENT

Straxan

FUNGICIDE SEED TREATMENT





				Forage Quality ¹		
	_			RFV (%) ²		
Crop	Variety	Arborg	Carberry	Melita	Roblin	Average
Oats .	CDC Arborg ®	139	149	117	96	
Oats	ORe RUMINATOR ® VUA	127	134	97	123	
Oats .	ORe BOOST @ VUA	147	118	99	93	
Oats .	CDC Westgate ®	132	132	95	86	
	Oat Average	133	133	103	102	123
Barley	AB Advantage 🕾	175	221	147	95	
Barley	AB Tofield ®	215	280	155	121	
Barley	CDC Harness ®	207	216	136	144	
Barley	CDC Renegade (!)	174	235	134	106	
	Barley Average	193	238	143	117	191
Peas/Barley	CDC Lewochko ⊕ - AB Advantage ⊕	162	285	151	108	
Peas/Oats	DL Delicious (VUA - CDC Arborg ()	135	156	112	87	
	Pea/cereal Average	149	221	132	98	167
Spring Triticale	WCI Widdicombe ⊕	148	166	121	75	128
Proso Millet	Crown ⁵	137	103	104	101	
Foxtail Millet	Siberian ⁵	105	76	85	139	
	Millet Average	121	90	95	120	102
Sorghum Sudangrass	common ⁵	104	94	96	112	
Forage Sorghum	common ⁵	103	114	125	114	
	Sorghum Average	114	95	101	117	103
Cover crop	blend	147	170	102	103	131

 $^{^{\}rm 1}\,\mbox{Quality}$ tests were done by wet chemistry and were a composite of the three plots/site.

²Relative feed value (RFV)

³ Crude protein (CP)

⁴ Total Digestive Nutrients (TDN)

⁵ Due to lack of availability, common seed was used.

			C	P (%)3				T	DN (%)4		
Crop	Variety	Arborg	Carberry	Melita	Roblin	Average	Arborg	Carberry	Melita	Roblin	Average
Oats	CDC Arborg ®	8.1	9.9	11.4	10.8		71.3	71.9	63.1	60.2	
0ats	ORe RUMINATOR (9) VUA	8.7	9.8	11.2	8.3		68.9	69.8	60.6	67.4	
Oats	ORe BOOST @ VUA	8.0	9.9	12.2	11.2		71.1	66.5	61.1	60.2	
0ats	CDC Westgate (9)	8.1	8.9	10.9	9.0		71.2	67.7	59.9	58.3	
	Oat Average	8.2	9.6	11.4	9.8	9.8	70.6	101.0	61.2	61.5	73.6
Barley	AB Advantage ®	7.5	10.0	13.1	12.5		76.1	79.7	70.7	60.3	
Barley	AB Tofield ®	7.5	9.8	11.5	10.4		81.0	83.8	72.6	66.4	
Barley	CDC Harness (9)	8.8	10.5	11.0	6.1		80.0	77.7	69.8	70.3	
Barley	CDC Renegade ®	7.2	10.2	11.6	11.4		76.0	81.0	70.5	62.7	
	Barley Average	7.8	10.1	11.8	10.1	10.0	78.3	80.5	70.9	64.9	73.7
Peas/Barley	CDC Lewochko 🕸 - AB Advantage 🐿	7.7	13.9	14.6	5.9		74.8	82.4	71.2	63.8	
Peas/Oats	DL Delicious (9) VUA:- CDC Arborg (9)	9.6	12.9	12.7	6.4		68.5	74.5	63.9	56.5	
	Pea/cereal Average	8.7	13.4	13.6	6.2	10.5	71.6	78.4	67.5	60.1	69.4
Spring Triticale	WCI Widdicombe ®	8.7	11.2	12.9	5.3	9.5	73.8	73.4	65.7	52.3	66.3
Proso Millet	Crown ⁵	8.9	8.4	10.7	11.5		72.5	62.7	62.5	63.0	
Foxtail Millet	Siberian ⁵	10.6	9.2	10.9	10.5		65.1	53.6	56.0	68.8	
	Millet Average	9.8	8.8	10.8	11.0	10.1	68.8	58.1	59.3	65.9	63.0
Sorghum Sudangrass	common ⁵	10.0	10.9	8.0	11.4		66.0	60.2	58.3	63.8	
Forage Sorghum	common ⁵	12.0	12.1	6.9	5.3		66.3	66.5	65.3	66.2	
	Sorghum Average	10.2	9.8	9.5	9.9	9.9	67.7	60.2	60.3	65.5	63.4
Cover crop	blend	8.3	10.5	14.6	13.0	11.6	72.4	72.8	57.7	62.5	66.3

¹ Quality tests were done by wet chemistry and were a composite of the three plots/site.

² Relative feed value (RFV)

³ Crude protein (CP)

⁴ Total Digestive Nutrients (TDN)

⁵ Due to lack of availability, common seed was used.

2025 ANNUAL FORAGE - YIELD COMPARISONS

The 2025 annual forage trial combined all crops and varieties in one trial with three replicates per site.

Quality is highly dependent on plant maturity at harvest. Barley was harvested in mid dough stage; oats & triticale at milk- early dough stage; peas at early pod wrinkle; millet and sorghum at heading.

			2025 Dry Matter Y	ield (tonnes/acre)¹		Manitoba
Crop	Variety	Arborg	Carberry	Melita	Roblin	Average
Oats	CDC Arborg ®	2.0	2.7	5.5	5.6	3.95
0ats	ORe RUMINATOR 🕾 VUA	2.1	3.2	4.7	5.4	3.85
Dats	ORe BOOST @ VUA	2.0	2.6	5.5	5.1	3.80
Oats	CDC Westgate (9)	2.1	4.2	6.2	6.3	4.70
Oat Average						4.08
Barley	AB Advantage @	3.1	4.0	5.8	6.8	4.93
Barley	AB Tofield ®	3.1	3.5	4.2	6.5	4.33
Barley	CDC Renegade @	3.3	4.3	5.2	6.7	4.88
Barley	CDC Harness ®	3.3	4.3	5.5	6.9	5.00
Barley Average	CDC uquie22 🖾	3.3	4.3	5.5	0.9	4.78
bulley Average						4.10
Peas/Barley	CDC Lewochko 🕾 - AB Advantage 🕾	3.1	4.0	4.0	6.3	4.35
Peas/Oats	DL Delicious ® VUA- CDC Arborg ®	1.4	3.5	4.3	4.8	3.50
Pea/cereal Average						3.93
Spring Triticale	WCI Widdicombe ⊕	2.4	4.0	5.3	5.6	4.33
Proso Millet	Crown ²	2.5	2.8	4.5	4.5	3.58
Foxtail Millet	Siberian ²	1.8	3.9	4.4	4.8	3.73
Millet Average	Jischuli	1.0	5.5	76.7	7.0	3.65
Sorghum Sudangrass	common ²	2.6	3.9	12.6	6.9	6.50
Forage Sorghum	common ²		2.5	10.1	9.9	7.50
Sorghum Average						7.00
Cover crop	Cover crop blend	1.6	3.2	4.5	5.8	3.78
Grand Mean (tonnes/acre)		2.4	3.6	5.8	6.1	
CV %		18.9	3.5	9.5	18.6	
LSD (0.05)		0.8	0.2	1.2	1.9	
Sig Diff		Yes	Yes	Yes	Yes	
Seeding Date		May 6 & 27	May 8	June 4	May 26	
Harvest Date		24-Jul	Aug 7,11 & 12	Aug 12,13 & 20	Aug 12 & Sept 23	

 $^{^{\}rm 1}\,\mbox{Dry}$ matter yields measured under a one-cut system.

² Due to lack of availability, common seed was used.

Sorghum and millet were harvested later at most of the sites due to their later maturity.

Sorghum and millet were seeded later in Arborg.



REGISTER TODAY!

February 11 & 12

Victoria Inn Hotel and Convention Centre in Winnipeg, MB.

www.cropconnectconference.ca

Banquet Speakers




Patti Durand and Chris Corbett
Leadership & Management Mentors, Brightrack
Consulting

Keynote Speakers



Jacob ShapiroDirector of Research, Bespoke Group



Peter MansbridgeAward-winning Journalist, Former Chief Correspondent for CBC News & Anchor of The National

FORAGE CROP

DISTRIBUTOR CONTACTS FOR FORAGE VARIETIES IN SEED MANITOBA 2026

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

FORAGE	
·	ontacts and growers list for forage varieties of oat, ers list for perennial forage types.
ALFALFA	
Dakota	DSV NORTHSTAR LTD.
Escalade BR	DSV NORTHSTAR LTD.
Instinct	DLF CANADA INC.
Performer	DSV NORTHSTAR LTD.
Rugged ST	DSV NORTHSTAR LTD.
Sidewinder	DSV NORTHSTAR LTD.
Vision	DLF CANADA INC.
BIRDSFOOT	TREFOIL
Bull	DLF CANADA INC.
Lotanova	DLF CANADA INC.
Bromegrass	
AAC Maximus	DSV NORTHSTAR LTD.
AC Knowles	DSV NORTHSTAR LTD.

FESCUE	
Pradel	DSV NORTHSTAR LTD.
Preval	DSV NORTHSTAR LTD.
Yukon	DSV NORTHSTAR LTD.
SAINFOIN	
AAC Mountainview	DSV NORTHSTAR LTD.
TIMOTHY	
Arlaka	DLF CANADA INC.
Aturo	DSV NORTHSTAR LTD.
Comer	DLF CANADA INC.
Comtal	DLF CANADA INC.
Express	DSV NORTHSTAR LTD.
Ovation	DSV NORTHSTAR LTD.
Radde	DSV NORTHSTAR LTD.
Richmond	DLF CANADA INC.
Sahara DT	DLF CANADA INC.
Summergraze	DLF CANADA INC.



WHEAT

- > AAC Viewfield
- AAC Brandon
- > AAC Starbuck
- SY Manness
- > AAC Hockley
- AAC HOCKIE
- → Faller
- > Prosper
- > AAC Westking

FLAX

- > Rowland
- > Esme

OATS

- → Summit
- CDC Endure
- AAC Douglas
- CDC Anson

BARLEY

- > CDC Austenson
- > AAC Synergy

CORN

- > Northstar
- › Dekalb
- > Maizex
- *custom planting available

SOYBEANS

All the latest from Northstar, DeKalb, Maizex, Brett Young

CANOLA

- > Liberty Link
- > Clearfield

SEED TREATMENTS & INOCULANTS

CALL KEVIN, DEREK & RICK 204-746-8325 • WWW.FRIESENSEEDS.CA

Treasure	DSV NORTHSTAR LTD.
Valor	DLF CANADA INC.
WHEATGRASS	
AAC Renegade	DSV NORTHSTAR LTD.
CORN	
913S	NorthStar Genetics
924S	NorthStar Genetics
932S	NorthStar Genetics
948S	NorthStar Genetics
951S	NorthStar Genetics
A5175G2 RIB	PRIDE Seeds
A5424G2 RIB	PRIDE Seeds
A5686G2 RIB	PRIDE Seeds
AS1018G2 EDF	PRIDE Seeds
AS1028G2 EDF	PRIDE Seeds
AS1047RR EDF	PRIDE Seeds
AS1058G2 EDF RIB	PRIDE Seeds
BY Belmont RR2	BrettYoung
BY Brava RR2	BrettYoung
BY Guernsey V2TP	BrettYoung
BYM2527002TR	BrettYoung
BYM2528003TV	BrettYoung
CP1440VT2P	CROPLAN
CP2130VT2P	CROPLAN
CP2288VT2P	CROPLAN
CP2324VT2P	CROPLAN
CP2585SS	CROPLAN
CP2585VT2P	CROPLAN
CP2732SRR	CROPLAN
CP2790VT2P	CROPLAN
CX25071A/VT2P	CROPLAN
CX25083A/VT2P	CROPLAN
CX25087A/VT2P	CROPLAN
DKCO81-18RIB	DEKALB
DKC088-04RIB	DEKALB
DKC33-37RIB	DEKALB
DKC36-48RIB	DEKALB
DLF 2333RR	DLF Canada
DLF 2495RR	DLF Canada
DLF ExSeed LF RR	DLF Canada
G3201 VT2Pro	PRIDE Seeds
HZ 1435	Horizon Seeds
HZ 1831	Horizon Seeds
HZ 2225	Horizon Seeds
HZ 2511	Horizon Seeds

HZ 2910	Horizon Seeds
HZ 3010	Horizon Seeds
HZ 3386	Horizon Seeds
MS 7711R	Maizex Seeds
MS 7822DBR	Maizex Seeds
MS 8022R	Maizex Seeds
MS 8270R	Maizex Seeds
MS 8632R	Maizex Seeds
NS EXP89F	NorthStar Genetics
PV 61578SRR	Proven Seed
PV 61677SRIB	Proven Seed
PV 62683SRIB	Proven Seed
TH4678 RR	Thunder Seed
TH6180 VT2P	Thunder Seed
TH6185 VT2P	Thunder Seed
TH6477 PC	Thunder Seed
TH6678 VT2P	Thunder Seed
TH8483 DV	Thunder Seed
X25086A/VT2P	CROPLAN

DISTRIBUTOR CONTACTS -FORAGE SEED

DISTRIBUTOR	PHONE NUMBER
Alliance Seed	1-877-270-2890
BrettYoung	1-800-665-5015
DL Seeds	1-204-331-3611
DLF Canada	1-705-878-9240
Dyck Seeds	1-888-204-1000
FP Genetics	1-877-791-1045
Imperial Seed	1-204-786-8457
Interlake Forage Seeds	1-204-372-6920
DSV Northstar Ltd.	1-800-430-5955
Nutrien	1-800-661-3334
SeCan	1-800-667-0403

DISTRIBUTOR CONTACTS - CORN SILAGE

DISTRIBUTOR	PHONE NUMBER	_
Bayer CropScience Canada Inc (DEKALB)	1-888-283-6847	_
BrettYoung	1-800-665-5015	
DLF Canada Inc.	1-204-633-0088	
Horizon Seeds Canada Inc (Horizon Seeds)	1-855-983-7255	
Maizex Seeds Inc (Maizex Seeds)	1-877-682-1720	
NorthStar Genetics Ltd. (NorthStar Genetics)	1-204-262-2425	
Nutrien Ag Solutions (Proven Seed)	1-855-569-9444	
PRIDE Seeds	1-800-265-5280	
Thunder Seed Canada Inc (Thunder Seed)	1-888-684-8633	
WinField United Canada (CROPLAN)	1-888-975-4769	

† GROWERS LIST

ALFALFA	s	F	R	С
ALGONQUIN				
Faulkner; Olson, Brian 204-302-8322 Hilbre; Hickman, Wallace & Mark 204-768-0607				C
DAKOTA Neepawa; DSV Northstar Ltd. 204-476-5241				C
ENFORCER Neepawa; DSV Northstar Ltd. 204-476-5241		F		
ESCALADE BR		Г		,
Neepawa; DSV Northstar Ltd. 204-476-5241 JACKKNIFE				C
Neepawa; DSV Northstar Ltd. 204-476-5241 PERFORMER				C
Neepawa; DSV Northstar Ltd. 204-476-5241 RUGGED ST				C
Neepawa; DSV Northstar Ltd. 204-476-5241				C
Neepawa; DSV Northstar Ltd. 204-476-5241				С
BROMEGRASS - MEADOW	s	F	R	С
AAC MAXIMUS				
Neepawa; DSV Northstar Ltd. 204-476-5241		F		C
BROMEGRASS - HYBRID	S	F	R	С
AC KNOWLES Neepawa; DSV Northstar Ltd. 204-476-5241				C
BIRDSFOOT TREFOIL	s	F	R	С
BRUCE				
Fisher Branch; Interlake Forage Seeds Ltd. 204-372-6920 LEO		F		C
Beausejour; Murash Farms Ltd. 204-268-0211 Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212				C
REVIVE Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212				C
MEADOW FESCUE		_		-
	S	F	R	С
PREVAL Neepawa; DSV Northstar Ltd. 204-476-5241				С
Neepawa; Tibbett Enterprises Ltd. 204-841-3060 TENERO		F		
Neepawa; DSV Northstar Ltd. 204-476-5241 TETRAX				С
Neepawa; DSV Northstar Ltd. 204-476-5241				C
TALL FESCUE	s	F	R	С
COURTENAY				
Neepawa; DSV Northstar Ltd. 204-476-5241 PALATINE				C
Neepawa; DSV Northstar Ltd. 204-476-5241		F		
Mountain Road; Foggy Mountain Farms Ltd. 204-841-1403		F		
ROTINO Neepawa; DSV Northstar Ltd. 204-476-5241		F		
YUKON Neepawa; DSV Northstar Ltd. 204-476-5241				С

LUPIN - SWEET WHITE S F DIETA Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 SAINFOIN S F AAC MOUNTAINVIEW	R R	С
Carman; Menold, Ulrich, Tyler & Lucas 204-750-2675 SAINFOIN S F AAC MOUNTAINVIEW		
AAC MOUNTAINVIEW	R	_
		С
Neepawa; DSV Northstar Ltd. 204-476-5241		C
TIMOTHY s F	R	С
ATURO Neepawa; DSV Northstar Ltd. 204-476-5241 F CLIMAX		C
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 DOUBLECROP		C
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 EXPRESS		C
Neepawa; DSV Northstar Ltd. 204-476-5241 FJORD		C
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 OVATION		C
Neepawa; DSV Northstar Ltd. 204-476-5241 PRIMOR		C
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 RADDE		C
Neepawa; DSV Northstar Ltd. 204-476-5241		
RICHMOND		С
RICHMOND Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820		(
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212		С
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT		(
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE	R	((
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS – ANNUAL S F FALLADINO	R	(((c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS – ANNUAL s F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241		(((((((((((((((((((
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F	R	(((c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS – ANNUAL s F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241		(((((((((((((((((((
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c
Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 Riverton; Loewen Farms Riverside Ltd. 204-642-2820 SAHARA DT Middlebro; Ewacha, Curtis A. & Vicki 204-999-9212 TREASURE Neepawa; DSV Northstar Ltd. 204-476-5241 RYEGRASS - ANNUAL S F FALLADINO Neepawa; DSV Northstar Ltd. 204-476-5241 WHEATGRASS - CRESTED S F AAC RENEGADE	R	(((c c c c c c c c c c c c c c c c c

Additional Resources



RCES
RCES S
J R C E S
M C M M
C C
$ \sum_{i=1}^{n} \sum_{j=1}^{n} \sum$
(V)
Ω
\leq
_
\triangleleft

MANITOBA CROP VARIETY EVALUATION TEAM (MCVET) ennifer Seward (Chair)	(WADO)	
lanitoba Seed Growers' Association204-745-7940	Scott Chalmers, Manitoba Agriculture	
-MAILjennifer.seward@seedmanitoba.ca	Box 519, 139 Main St, Melita, MB ROM 1LO	
ennis Lange (Seed Manitoba Editor)	E-MAIL scott.chal	mers@gov.mb.ca
lanitoba Agriculture204-324-4383	CANADA MANITODA CDOD DIVERGIFICATION CEN	ITDE (CMCDC)
-MAILdennis.lange@gov.mb.ca	CANADA-MANITOBA CROP DIVERSIFICATION CEN	TIKE (CMCDC)
onia Wilson (Seed Manitoba Editor)	Haider Abbas, Manitoba Agriculture	204.041.4712
lanitoba Agriculture204-750-2840	Box 160, Jct of Hwys. #1 & #5, North of #5, Carberry, MB ROK 0H0	
MAILsonia.wilson@gov.mb.ca	E-MAILhaider.a	mp.ca@gov.mp.ca
zzal Liton (Trials Coordinator) Manitoba Agriculture	MANITOBA AGRICULTURE & MANITOBA AGRICUL	TIIDAI CEDVI
rent McCallum Agriculture and Agri-Food Canada	CORPORATION (MASC) SERVICE CENTRES	IUKAL SEKVI
urt McCartney Faculty of Agricultural and Food Sciences, University of Manitoba heldon Neufeld Manitoba Seed Growers' Association	Arborg	1 077 206 0461
rad Pinkerton Seeds Canada	Brandon	
au Gervais Seeds Canada	Dauphin	
rry Buss Manitoba Pulse and Soybean Growers	Headingley	
erry buss manitoba Pulse and Soybean Growers ndrew Hector Manitoba Crop Alliance	Killarney	
native nector Planitopa Crop Aniance	Morden	
ANITOBA SEED GROWERS' ASSOCIATION (MSGA)	Neepawa	
ebsite: seedmanitoba.ca	Portage la Prairie	
@seedmanitoba	Shoal Lake	
mnifer Seward, Executive Director	Steinbach	
inner Seward, Executive Director 1910, Carman, MB ROG 0J0	Swan River	
MAILjennifer.seward@seedmanitoba.ca	Virden	
	Corporate	
Armstrong, President Boissevain, MB	corporate	1-833-200-043/
mon Ellis, Vice-President Wawanesa, MB	MANITOBA BUCKWHEAT GROWERS ASSOCIATION	ı
om Greaves, Past President Domain, MB	mbbuckwheat.ca	•
dy Gerrard, Provincial Director Elphinstone, MB		
neldon Neufeld, Provincial Director Winkler, MB	Marc Durand, President	204 240 2200
acy Court, Provincial Director Plumas, Manitoba	Notre Dame de Lourdes, MB	
Ilison Fisher, Provincial Director Dauphin, Manitoba	E-MAIL durands	eeas@gmail.com
ndrew Ayre, National Director Minto, MB	Cam Stockford, Vice-President Altamont MB	
yan Murray, National Director Decker, MB	David Huyber Langruth, MB	
ROP RESEARCH ORGANIZATION PORTAGE (CROP)	Les McEwen Altamont, MB	
	Ken Giesbrecht Winnipeg, MB	
II Verwey	Albert Dohan Ethelbert, MB	
ortage la Prairie, MB204-871-0555 MAILverweyfarmsItd@mymts.net	Ben Fyk Garland, MB	
MAILverweylarnisita@mymts.net	Dan DeRuyck Treherne, MB	
OUTH INTERLAKE CROP TESTING COMMITTEE (STONEWALL)	Lee Anne Murphy, Industry Representative Independent	
on Gilmore	MANITOBA CANOLA GROWERS ASSOCIATION (MO	(GA)
MAILlynn.gilmore@gov.mb.ca	Address: 400-167 Lombard Ave, Winnipeg, MB R3B 0T6	LUA)
MAIL19111.giii1101e@gov.1110.Cd		
PPLIED PRODUCTION RESEARCH PARKLAND CROP	Website: canolagrowers.com Email: info@canolagrowers.com	
IVERSIFICATION FOUNDATION (PCDF)	Phone: 204-982-2122; Fax: 204-942-1841 X: @CanolaGrowers	
		201 002 2120
mes Frey, Manitoba Agriculture	Delaney Ross Burtnack, Executive Director	
0x 970, 117 2nd Ave N, Roblin, MB ROL 1P0	Cellphone:	
MAILjames.frey@gov.mb.ca	E-MAIL delaney@ca	nolagrowers.com
RAIRIES EAST SUSTAINABILE AGRICULTURE INITIATIVE (PESAI)	Warren Ellis, President Wawanesa, MB	
	Jackie Dudgeon-MacDonald, Vice-President Darlingford, MB	
irmal Hari, Manitoba Agriculture	Nicolea Dow, Secretary Portage la Prairie, MB	
ox 2000, 317 River Road West, Arborg, MB ROC 0A0204-391-3623	Charles Fossay, Past-President Starbuck, MB	
MAILnirmal.hari@gov.mb.ca	Darren Nykoliation, Director Carman, MB	
	Evan Gillis, Director Morden, MB	
	Jason Kehler, Director Carman, MB	

MANITOBA CROP ALLIANCE (MCA)

Address: Box 188, 38 4th Ave NE Carman, MB ROG 0J0

Website: mbcropalliance.ca Email: hello@mbcropalliance

Phone: 204-745-6661; Fax: 204-745-6122

X: @mb cropalliance

Pam de Rocquigny, Chief Executive Officer Carman, MB

Robert Misko, Chair, Wheat & Barley Crop Committee Roblin, MB

Jonothan Hodson, Vice-Chair - Corn Crop Committee Lenore, MB

Sally Parsonage, Secretary - Sunflower Crop Committee $\operatorname{\sf Baldur},\operatorname{\sf MB}$

Boris Michaleski, Wheat & Barley Crop Committee Ashville, MB

Leigh Smith. Flax Crop Committee Oak Lake. MB

Scott Mowbray, Wheat & Barley Crop Committee Cartwright, MB

Nick Matheson, Flax Crop Committee Stonewall, MB

Gregg Fotheringham, Sunflower Crop Committee Reston, MB

Doug Martin, Corn Crop Committee East Selkirk, MB

Carl Bangert, Corn Committee Beausejour, MB

Carly Chatham, Wheat & Barley Crop Committee Killarney, MB

MANITOBA FORAGE & GRASSLAND ASSOCIATION (MFGA)

Website: mfga.net Email: info@mfga.net

X: @MBForages

Duncan Morrison. MFGA Executive Director

c/o 145 Edstan Place Selkirk, MB R1A 2E8204-770-3548

duncan@mfga.net

Mike Duguid, Chair, Manitoba Beef Producers Rep Arnes, MB

Zack Koscielny, Vice-Chair, Producer Rep Strathclair, MB

Sean Smith, Finance Chair, Producer Rep Clanwilliam, MB

Amber McNish, Producer Rep Lyleton, MB

Jacques Saquet, Manitoba Bison Association Rep Laurier, MB

Ashley Nelson, Manitoba Sheep Association Rep Austin, MB

Zach Grossart, Producer Rep Brandon, MB

Paul Gregory, Producer Rep Fisher Branch, MB

Chelsi Beernaert, Producer Rep Hartney, MB

Peter Tokar. Producer Rep Swan River. MB

Mark Schram, Producer Rep Cartwright, MB

Robert Guimond, Dairy Farmers of Manitoba Rep Woodmore, MB

Guy Bouchard, Producer Rep Vita, MB

MANITOBA FORAGE SEED ASSOCIATION (MFSA)

Mailing address: Box 970, Arborg MB ROC 0A0

Website: forageseed.net

X: @MB Forage Seeds

Lisa O'Neill, MFSA Administrator

Roger Bu	r, MFSA Research Manager
E-MAIL	loneill@forageseed.ne
Arborg, Mb	

Arhora MR

Jamie Packulak, Director Fisher Branch, MB

Lucas Menold, Director Carman, MB

Bailey Sigvaldasson, Director Arborg, MB

Eric Loewen, Director Riverton, MB

Rod Fulford, Director Minitonas, MB

Lorne Boundy, Director Winnipeg, MB

Todd Vanstone. Director Miami. MB

Colin Grzenda, Director Broad Valley, MB

MANITOBA PULSE & SOYBEAN GROWERS (MPSG)

Address: Box 1760, 38 4th Ave NE, Carman MB ROG 0J0

Phone: 204-745-6488; Fax: 204-745-6213

Website: manitobapulse.ca

X: @MbPulseGrowers

Patti Rothenburger, Executive Director

Melvin Rattai, Chair Beausejour, MB

Brendan Phillips, Vice-Chair Hartney, MB

Alex Burgess. Director Minnedosa. MB

Ben Martens. Director Boissevain. MB

Robbie Misko, Director Roblin, MB

Bryce Pallister, Director Portage la Prairie, MB

John Preun, Director St. Andrews, MB

Frank Prince, Director Waskada, MB

Ernie Sirski, Director Dauphin

PRAIRIE OAT GROWERS ASSOCIATION (POGA)

Address: Box 20106, Regina, SK S4P 4J7

Phone: 306-530-8545

Shawna Mathieson. Executive Director

 Regina, SK
 306-530-8545

 E-MAIL:
 smathieson@poga.ca

Greg Bott, Co-President Eckville, AB

Ambrely Ralph, Co-President Arborfield, SK



102 2nd Ave - Rivers, MB

Branden Craik – General Manager Business phone: 204-328-5346 Cell: 431-351-1408 bcraik@redsper.ca

WE SELL:

- Wheat
- Barley
- Oats
- Rye
- PeasSoybeans
- **SERVICES PROVIDED:**
- Seed cleaning
- Seed treating
- Grain storage AWSA Warehouse
- rental space
- Organic certified to clean and store organic grade product

Visit our website for more information: www.redsper.ca

REGISTERED SEED MERCHANTS

REGISTERED SEED FIERCHARTS	
Alexander: Thomson Forage and Grass Seeds	204-328-7149
Altona: GJ Chemical Co. Ltd.	204-324-8090
Altona: LD Seed Company	204-304-0048
Altona: Sawatzky Seed Farms Inc.	204-324-4018
Altona: Wesmar Seeds Inc.	204-324-4097
Arborg: Burak Seeds	204-364-2480
Arborg: Floyd Farms Inc.	204-364-2308
Arborg: Foster Ag Services	204-364-2358
Arborg: Nutrien Ag Solutions (Canada) Inc.	204-376-5990
Arborg: Paterson Grain	204-376-5353
Arborg: S.S. Johnson Seeds Ltd.	204-376-5228
Arborg: Timchishen Seeds	204-641-1288
Arnaud: GJ Chemical Co. Ltd.	204-427-2337
Ashville: Intermountain Ag Supply	204-918-7582
Austin: Arctic Seeds Ltd.	204-685-2376
Baldur: David Desrochers	204-535-2090
Baldur: Pembina Co-op	204-535-2598
Beausejour : Beausejour Consumers Cooperative Ltd.	204-266-2019
Beausejour: Bangert Farms Ltd.	204-268-1268
Beausejour: Nutrien Ag Solutions (Canada) Inc.	204-268-3497
Beausejour: Terraco Beausejour	204-268-9797
Binscarth: Inland Seed Corp.	204-683-2316
Boissevain: Armstrong Seeds	204-534-2566
Boissevain: Boissevain Select Seeds Ltd.	204-534-0752
Boissevain: Double Diamond Farm Supply	204-534-2427
Boissevain: Martens, Ben and John	204-534-6952
Brandon: A.E. McKenzie Co. ULC	204-571-7500
Brandon: Lindenberg Seed Ltd.	204-727-0575
Brandon: Richardson Pioneer	204-727-5353
Brandon: SGB Agronomics Ltd.	204-573-0455
Brandon: Wheat City Seeds Ltd.	204-727-3337
Brunkild: MK Agro Ltd.	204-736-4769
Brunkild: Richardson Pioneer	204-736-5000
Brunkild: SKT Farms Inc.	204-295-9756
Carberry: Calvert Ag Inc.	204-573-1278
Carberry: Nutrien Ag Solutions (Canada) Inc.	204-834-2180
Carman: Bayer CropScience Inc.	204-751-0016
Carman: Bud McKnight Seeds Ltd.	204-745-2310
Carman: RJP Seed Ltd.	204-745-0088
Carman: Ronlin Farms Ltd.	204-745-3415
Carman: Ulrich & Monika Menold Ltd.	204-745-2822
Centerport: Paterson Grain	204-694-4445
Centreport: DLF Canada Inc.	204-633-0088
Clearwater: Sloane AgriVentures Ltd.	204-873-2361

Crandall: Rolling View Farms Inc.	204-562-3632
Cromer: Bartel Seeds	204-851-1390
Crystal City: Buchanan Seeds	204-825-7151
Cypress River: DSAG	204-724-9922
Darlingford: MGM Seed & Service Ltd.	204-246-2119
Darlingford: Nutrien Ag Solutions (Canada) Inc.	204-246-2500
Dauphin: Cargill Ltd.	204-572 5485
Dauphin: Dauphin Consumers Co-op	204-572-0595
Dauphin: Dauphin Plains Seed Ltd.	204-638-7800
Dauphin: Fisher Seeds Ltd.	204-622-8800
Dauphin: Richardson Pioneer	204-622-6030
Decker: Murray Farms Inc.	204-764-0366
Deloraine: Bolduc & Bell Farms	204-747-2913
Deloraine: Nutrien Ag Solutions (Canada) Inc.	204-747-2877
Deloraine: Paterson Grain	204-747-2333
Domain: Manness Seed	204-612-8943
Domain: Pitura Seed Service	204-736-2849
Douglas: Heritage Co-op 1997 Ltd.	204-763-8998
Dufrost: Catellier Seed Service Inc.	204-347-5588
Dugald: Parrish & Heimbecker Ltd.	204-259-9600
Dugald: Shur-Gro Farm Services Ltd.	204-371-2898
Elie: NorthStar Genetics Manitoba Ltd	204-353-2885
Elm Creek: Cargill Ltd.	204-436-2010
Elm Creek: Grey Seed Farm Ltd.	204-436-2352
Elma: Autumnwood Farms	204-213-0802
Elphinstone: Gerrard Family Seeds	204-365-0321
Fannystelle: Nadeau Seeds Inc.	204-436-2469
Fisher Branch: Harvey Danelak	204-372-6236
Fisher Branch: Interlake Agri Ltd.	204-372-6720
Fisher Branch: Interlake Forage Seeds Ltd.	204-372-6920
Fork River: Nutrien Ag Solutions (Canada) Inc.	204-657-2366
Gilbert Plains: Gilbert Plains Consumers Co-op	204-548-2099
Gilbert Plains: Tokar Pedigreed Seed Corp	204-548-2805
Gladstone: Nu Era Seeds Ltd.	204-476-0631
Gladstone: Parrish & Heimbecker Ltd.	204-385-2139
Gladstone: Ridder Seeds Ltd.	204-856-3282
Glenboro: Jefferies Seeds	204-827-2102
Grandview: Triple "S" Seeds Ltd.	204-638-2004
Grosse Isle: Rutherford Farms Ltd.	204-467-5613
Hamiota: Cargill Ltd.	204-764-2012
Hamiota: Chappell Ag Solutions Inc.	204-764-2844
Hamiota: Knight Seeds	204-764-2450
Holland: Holland Seed Company Ltd.	204-526-2776
Holland: Nutrien Ag Solutions (Canada) Inc.	204-723-2423

REGISTERED SEED MERCHANTS

Holland: Patenaude Seeds Inc.	431-432-2024
Homewood: Agassiz Seed Farm Ltd.	204-745-6655
Inglis: Beischer Family Seeds Ltd.	204-564-2676
Kenton: Robert & Sidney Stevenson	204-838-2012
Kenville: Carmichael Seed Farm	204-734-8683
Killarney: Bar H Agri Seeds	204-523-7464
Killarney: Chatham Seeds Ltd.	204-523-8112
Killarney: Paterson Grain	204-523-8936
Killarney: Richardson Pioneer	204-523-7035
Killarney: Shur-Gro Farm Services Ltd.	204-523-5400
Landmark: Richardson Pioneer	204-355-4061
Laurier: LaurEx Seeds Ltd.	204-447-2916
Letellier: Richardson Pioneer	204-737-2096
Lowe Farm: MB Seeds Ltd.	204-746-2187
Lowe Farm: Nutrien Ag Solutions (Canada) Inc.	204-343-2136
Lowe Farm: Winkler Consumers Cooperative Ltd.	204-746-2234
MacGregor: Hulme Agra Products Inc.	204-685-2627
Manitou: Keen Seeds Ltd.	204-242-4074
Manitou: Sanders Seed Farm	204-242-4200
Marquette: Ag Advantage Ltd.	204-322-5351
Marquette: Prairie Roots Consumers Co-operative Ltd.	204-375-6570
Medora: Vandaele Seeds Ltd.	204-665-2384
Melita: Cargill Ltd.	204-522-3221
Melita: Paterson Grain	204-522-3472

Miami: SJ Agronomy Services Inc.	204-435-2722		
Miniota: Twin Valley Co-op - Miniota	204-567-3766		
Miniota: Walker's Seed Service	204-567-3647		
Minnedosa: Heritage Co-op 1997 Ltd.	204-867-2749		
Minto: Ag-Quest Inc.	204-776-2087		
Minto: Fraser Seeds Ltd.	204-776-2047		
Minto: Pembina Consumers Coop (2000) Ltd.	204-776-2353		
Minto: Southern Seed	204-776-2333		
Morden: Winkler Co-op, Morden Agro	204-325-1658		
Morris: Horizon Agro	204-746-2026		
Morris: Paterson Grain	204-712-5016		
Morris: Red River Seeds Ltd.	204-746-4779		
Navin: James Farms Ltd.	204-222-8785		
Neepawa: DSV Northstar Ltd.	204-476-5241		
Neepawa: Kulbacki Seeds Ltd.	204-476-6449		
Neepawa: Neepawa - Gladstone Co-operative Ltd.	204-476-3431		
Newdale: Warehamdale Seeds Ltd.	204-849-2029		
Niverville: Paterson Grain	204-388-6565		
Niverville: Prairie Sky Crop Solutions	204-388-4303		
Niverville: Shur-Gro Farm Services Ltd.	204-371-2898		
Notre Dame De Lourde: Durand Seeds Inc.	204-248-2268		
Notre Dame de Lourdes: Pembina Co-op	204-248-2331		
Oak Bluff: Derek Erb Seeds Inc.	204-792-6744		
Oak Bluff: Terraco	204-261-0731		

Is the grass greener on the other side of the fence?

Benchmark your farming practices with the Manitoba Management Plus Program

- Access unbiased and aggregated on-farm variety and yield information from Manitoba producers.
- Compare your varieties and yield performance with your neighbours to make smarter decisions and reduce your risk of losses.
- Determine the best crops to plant and find other useful agronomic information.

To learn more, go to **masc.mb.ca/mmpp**





Only Labour Combine Associated	204.055.2000		
Oak Lake: Gerlyn Acres Ltd.	204-855-2808		
Oak River: J.S. Henry & Son Ltd.	204-566-2422		
Oakbank: Ag Advantage	204-444-5052		
Oakbank: Willowdale Seeds	204-801-0659		
Oakville: Intel Seed Ltd.	204-267-7389		
Oakville: Miller Agritec Seed Inc.	204-267-2363		
Oakville: Shur-Gro Farm Services Ltd.	204-267-2701		
Pilot Mound: Double Diamond Farm Supply	204-825-2429		
Pilot Mound: Smith Family Seeds Ltd.	204-825-7810		
Pilot Mound: Wallace Seeds	204-825-4543		
Plum Coulee: Janzen Seeds Ltd.	204-829-7749		
Plum Coulee: Western Harvest Bean	204-515-7331		
Plumas: Court Seeds Ltd.	204-386-2354		
Plumas: Tonn Seeds	204-386-2206		
Portage la Prairie: Homestead Consumers Co-op Ltd.	204-637-3030		
Portage la Prairie: Jonair (1988) Ltd.	204-857-4151		
Portage La Prairie: New Gen Seed Service Ltd.	204-274-2417		
Portage la Prairie: Portage Agri Sales 2022 Ltd.	204-857-7838		
Portage La Prairie: Pugh Seeds Ltd.	204-274-2179		
Portage La Prairie: Sanderson, Garry	204-857-8406		
Portage La Prairie: Sissons Farms Ltd.	204-857-7341		
Rathwell: Payette Seeds Ltd.	204-749-2243		
Reinland: Ens Farms Ltd.	204-325-4658		
Reston: Avondale Seed Farm Ltd.	204-877-3813		
Reston: Nutrien Ag Solutions (Canada) Inc.	204-877-3128		
Rivers: Providence Farms	204-761-8702		
Rivers: Redsper Enterprises Ltd.	204-328-5346		
Roblin: GM Seed Cleaning	204-937-2739		
Roland: Roland Air Spray Ltd.	204-745-6111		
Rosenort: Friesen Seeds Ltd.	204-746-8325		
Rosser: Krym Farms Ltd.	204-955-5562		
Rosser: Mei-West Enterprises Inc.	204-467-5922		
Russell: Keating Seed Farms Inc.	204-773-3854		
Sanford: Bergen Seed Farm	204-736-2278		
Shoal Lake: Richardson Pioneer	204-759-2917		
Solsgirth: Nickel Bros.	204-842-3834		
Somerset: Ronceray Seeds Ltd.	204-744-2558		
Somerset: Sierens Seed Service	204-744-2883		
Souris: Kohut Seed Farms Ltd.	204-483-3063		
Souris: Nutrien Ag Solutions (Canada) Inc.	204-483-1538		
Souris: Perkin Seed and Soil Ltd.	204-741-0955		
Souris: Synergy Seeds - Souris	204-441-8050		
St. Andrews: Long Lake Farms Ltd.	204-485-3907		

St. Claude: R-Way Ag Ltd.	204-379-2582		
St. Joseph: AGT Foods Canada	204-737-2625		
St. Joseph: Loewen Seeds Ltd.	204-324-7863		
St. Joseph: Remillard Seed Farm	204-737-2376		
St. Leon: Ferme Labossière Farms Inc.	204-744-2208		
St. Léon: Pembina Co-op	204-744-2850		
Stanley: Valleyfield Enterprises Ltd.	204-822-3853		
Starbuck: Richardson Pioneer	204-735-2302		
Ste. Anne: Seine River Seed Farm	204-371-7700		
Ste. Rose Du Lac: Gagnon Seeds Ltd.	204-447-2118		
Steinbach: Clearview Consumers Coop Ltd.	204-346-2667		
Steinbach: Marc Hutlet Seeds Ltd.	204-422-5805		
Stonewall: Richardson Pioneer	204-694-0825		
Stonewall: Unger Seed Farm Ltd.	204-467-8630		
Strathclair: Parrish & Heimbecker Ltd.	204-365-5282		
Swan River: New Era Ag Technologies	204-734-6222		
Swan River: Oberlin Farms & Seed Service Ltd.	204-734-2292		
Swan River: Richardson Pioneer	204-238-4237		
Swan River: Swan Valley Co-op Agro	204-734-4208		
Swan River: Swan Valley Seeds	204-734-2526		
Teulon: Kaljent Ag Services	204-886-2180		
Teulon: Kletke Seed Farm Ltd.	204-886-2822		
Teulon: Paterson Grain	204-886-3401		
Teulon: Willis Agro Ltd.	204-461-0386		
Treherne: Stinson Seeds	204-526-5351		
Virden: Clearview Acres Ltd.	204-748-7666		
Virden: Hutch Ag	204-851-6157		
Virden: Nielsen Seeds Ltd.	204-851-0225		
Virden: Redfern Farm Services Ltd.	204-748-1122		
Virden: Valleyview Consumers Coop Ltd.	204-748-2843		
Warren: Jones Farm Seeds	204-322-5604		
Warren: Riddell Seed Co.	204-227-5679		
Waskada: Shur-Gro Farm Services Ltd.	204-673-2445		
Wawanesa: Ellis Farm Supplies Ltd.	204-824-2290		
Westbourne: Richardson Pioneer	204-274-2301		
Westbourne: Shur-Gro Farm Services Ltd.	204-274-3050		
Winnipeg: Bayer CropScience Inc.	431-275-2118		
Winnipeg: BrettYoung Seeds	204-478-2212		
Winnipeg: C.M. Agra Ltd.	204-633-6010		
Winnipeg: CANTERRA SEEDS	204-792-9201		
Winnipeg: DL Seeds Inc.	204-296 7718		
Winnipeg: Imperial Seed Ltd.	204-786-8457		
Source: Seeds Canada October 30, 2025			

"GUESSING IS FINE FOR DOG BREEDS AT THE PARK — NOT FOR SEED IN YOUR BINS."

Pedigreed seed is more than a bag tag. It is proven genetics that provide clean fields and confidence at harvest. Talk to your local seed grower or retailer today, and put the best new genetics to work on your farm.



	Scope of Accreditation			
Lab Name & Address	Contact	Purity & Germination	Disease	Other (not accredited by CFIA)
Manitoba				
20/20 Seed Labs (Winnipeg) 3487 Pembina Hwy. Winnipeg, MB R3V 1A4	loana Stroe Tel: 1-877-420-2099 loana@2020seedlabs.ca	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XVI to XX	None	
Integrity Seed Lab Ltd. 8040 Park Royale Way Centreport MB Winnipeg, MB R4B 0A5	Glen Green Tel: (204) 774-1882 g.green@integrityseedlab.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	None	Herbicide tolerance testing in RR Canola and LL Canola and RR Soybeans Cereals: Vomitoxin
Saskatchewan				
Ag Seed Lab Box 998 Carrot River, SK SOE OLO	Loretta Buhler Tel: (306) 768-3335 agseedlab@nutrien.com	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	Cereals: Fusarium. Pulses: Ascochyta, Anthracnose, Botrytus, Sclerotinia Canola: Blackleg, Alternaria, Sclerotinia
Discovery Seed and Soil Labs 450 Melville St. Saskatoon, SK S7J 4M2	Reylyn Balagosa Tel: (306) 249-4484 rbalagosa@seedtesting.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	Barley for True Loose Smut	Flax: Triffid detection Cereals: Vomitoxin, Ochratoxin, fusarium, root rots, Wheat Midge Refuge testing, variety identification (wheat & Barley) Pulses: Ascochyta, Anthracnose, Botrytis, Sclerotinia Canola: Blackleg, Alternaria, Sclerotinia Herbicide tolerance testing in RR Canola and LL Canola and RR Soybeans, clubroot (plant & soil) Clearfield confirm
Lendon Seed Lab 147 Hodsman Road Regina, SK S4N 5W5	Tej Prasad Tel: (306) 585-7333 lendon.seeds@gmail.com	Purity and germination of all crop kinds in Grade Tables I to VII and XVIII	None	
Parkland Seed Lab 619 - 9th Avenue West Melville, SK SOA 2PO	Desiree Price Tel: (306) 508-0151 desireeprice76@gmail.com	Germination of all crop kinds in Grade Tables I to VII and XVIII	None	
Prairie Diagnostic Seed Lab Inc. 140 1st Street Weyburn, SK S4H 0T2	Bonnie Ernst Tel: (306) 842-7375 admin@pdsl.net	Purity and germination of all crop kinds in Grade Tables I to VII	Barley for True Loose Smut	
Seed Solutions Seed Labs Inc. 910 North Railway St. W. Swift Current, SK S9H 0A3	Shanna Stolhandske-Dale Tel: (306) 741-9309 admin@seedsolutionsseedlabs.com	Purity: none Germination: Crop kinds in Grade Tables I to VI	Barley for True Loose Smut	
Alberta				
20/20 Seed Labs Inc. (AB) 507-11th Ave. Nisku, AB T9E 7N5	Carey Matthiessen Tel: (780) 955-3435 carey@2020seedlabs.ca	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	Flax: Triffid detection Pulses: Ascochyta spp.
SGS Canada Inc. (Sherwood Park) 280 Portage Close, Unit 310, Sherwood Park, AB T8H 2R6	Janek Bartel Tel: 1-800-952-5407 janek.bartel@sgs.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	Barley for True Loose Smut	Flax: Triffid detection Clearfield confirm in wheat & lentils Cereals: Fusarium spp., Root Rot, Fungal Scan. Pulses: Botrytis, Anthracnose, Ascochyta spp. Canola: Blackleg Varietal Identification in barley & wheat
SGS Canada Inc. (Grande Prairie) Suite C, 12803 - 100 St. Grande Praire, AB T8V 4H3	Michelle Krawetz Tel: 1-877-532-8889 michelle.krawetz@sgs.com	Purity and germination of all crop kinds in Grade Tables I to XX	None	
Precision Seed Testing Box 210 Beaverlodge, AB TOH OCO	Sherry Corvalan Tel: (780) 354-2259 precisionseed@xplornet.com	Purity: Crop kinds in Grade Tables I to VI, VIII to XI (except orchardgrass), XII to XV. Germination: Crop kinds in Grade Tables I to XI (except orchardgrass) XIII to XV	None	Cereals: Fusarium Pulses: Ascochyta spp. Canola: Blackleg
Seed Check Technologies Inc. 101, 5906 - 50th Street Leduc, AB T9E 0R6	Morgan Webb Tel: (780) 980-8324 morgan@seedcheck.net	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	Fusarium, Blackleg, Alternaria, Sclerotinia, Ascochyta, Anthrac- nose, Botrytis, Root rot, Dome test, Herbicide tolerance, 1000 Seed weight, Vigour, Tetrazolium, Moisture, Clearfield of Lentil.
Source: Canadian Food Inspection Ager	ncy, September 18, 2025			

Evolving Ag



ADVANCING THE UNSTOPPABLE SUPERPOWER OF PRE-SEED.™

WEEDS EVOLVE, SO DO WE.

Start clean with the advancing power of Nufarm's pre-seed burndown portfolio in canola, cereals and pulses. Our evolving portfolio keeps the farmer in mind to deliver performance, convenience and resistance management in a single package – it's pre-seed power without the complexity.









1.800.868.5444 | nufarm.ca







LAST ONE STANDING

Canada's **NEW** CWRS Wheat King **AAC Westking**

#1 Draft Pick for:

- straw strength
- yield
- sprouting resistance
- ✓ disease package

Canadian

Genes that fit *your* farm. 800-665-7333 secan.com

Developed by Agriculture & Agri-Food Canada, Swift Current. Genes that fit *your* farm® is a registered trademark of SeCan.





