



2025 Variety Selection & Growers Source Guide

Compliments of:

Manitoba Agriculture

**Manitoba Seed
Growers' Association**

**the Manitoba
Co-operator**

www.seedmb.ca



WE'RE GOING TO BE YOUR #1 CANOLA SEED

JUST WATCH US

We've developed the high yielding, straight cut hybrids you demand. Our 2025 canola seed lineup is our best performing ever. We're not holding back. We're ready to be your #1 canola seed.

DEKALB. CHALLENGE THE STATUS QUO.

DEKALBcanola.ca | 1 888-283-6847 | @DEKALB_Canada | @Bayer4CropsCA

Bayer, Bayer Cross, DEKALB and Design® and DEKALB® are registered trademarks of Bayer Group. Used under license. ©2024 Bayer Group. All rights reserved.

SEED MANITOBA 2025 EDITION

CEREAL CROPS

OILSEED CROPS

PULSE CROPS

SPECIAL CROPS

FORAGE CROPS

ADDITIONAL RESOURCES

Published by the Manitoba Co-operator,
1666 Dublin Ave., Winnipeg, MB, R3H 0H1
For advertising rates and information:
Phone: 204-944-5765 Fax: 204-944-5562

Seed Manitoba is an annual publication of
Manitoba Agriculture and the Manitoba Seed
Growers' Association.

Correspondence may be addressed to:
Seed Manitoba
c/o Box 1149, Carman, MB R0G 0J0,
Phone: 204-745-5663

The information contained in this document
is subject to copyright. Except for the limited
permission granted below this information may
not be reproduced in whole or part by any means
including electronic, mechanical, photocopying,
recording or otherwise without the prior written
permission of the publisher. The publisher hereby
gives a limited permission for the reproduction of
the information produced by the MCVET seed trials
and set out in this publication only if all information
contained in this publication is reproduced
without omission and further provided that such
reproduction is not done by way of a publication
in any form which also includes paid or other
commercial advertising. In addition the source
must be clearly acknowledged.

The data in this listing includes pedigreed seed
crops that have successfully received, or are in the
process of receiving, seed crop certification from
the Canadian Seed Growers' Association (CSGA)
in 2024. Fields that were declined pedigreed status
are not included in this listing. Data is provided for
information purposes only. CSGA is not liable for
omitted or incorrect seed listings, and you agree
to use the data at your own risk. You agree to fully
indemnify CSGA from all losses, damages, liability,
judgements, costs and expenses, which you or a
user of the CSGA data sustain by disseminating
or relying on such data. When purchasing seed,
CSGA strongly recommends asking for official
seed certification tags as your proof of CSGA
certification. A copy of the mechanical purity and
germination analysis test certificate should also be
made available to you.

Manitoba 

**Manitoba
Seed Growers'
Association** 

Cover photo by Thinkstock

Manitoba Co-OPERATOR

Supplement to the Manitoba Co-operator
December 5, 2024

Welcome to Seed Manitoba 2025 ...	6	PULSE CROPS	75
Manitoba Crop Alliance develops confection sunflower hybrids ...	8	Fababeans	76
Cut costs, not yield	10	Field Beans	77
Seed-borne diseases in cereals ...	12	Field Peas	80
2024 Trial Locations Map	14	Distributor Contacts	82
CEREAL CROPS	17	Growers List – Fababeans	83
Barley	19	Field Beans	83
Malting Barley	24	Field Peas	84
Oats	26	SPECIAL CROPS	85
Spring Wheat	28	Grain Corn	87
Winter Wheat	34	Distributor Contacts	94
Fall Rye	36	Growers List – Buckwheat	95
Distributor Contacts	37	Canary Seed	95
Growers List – Barley	41	Industrial Hemp	95
Oats	42	FORAGE CROPS	97
Fall Rye.....	43	Forage Adaptation Comparison Guide	98
Spring Rye	43	Annual Forages	100
Triticale	43	Forage Seed Contacts	102
Durum	43	Growers List – Alfalfa	102
Spring Wheat	43	Birdsfoot Trefoil	102
Winter Wheat	47	Smooth Bromegrass	102
OILSEED CROPS	49	Meadow Fescue	102
Canola	51	ADDITIONAL RESOURCES	103
Flax	56	ADVERTISER INDEX	114
Soybeans	58		
Sunflowers	67		
Distributor Contacts	71		
Growers List – Flax	74		
Hemp	74		
Soybean	74		

SeCan

Canada's Seed Partner

Get it together.

Wheat and Beans

SeCan

Find *your*
perfect pair.

SeCan

AAC Starbuck VB
WHEAT

SeCan

Young R2X
SOYBEANS

Genes that fit *your* farm.®
800-665-7333 secan.com



For local knowledge and experience, call a SeCan retailer and work together to strengthen your farm's bottom line with SeCan genetics.

Genes that fit your farm® is a registered trademark of SeCan.

Minister's Message



Manitoba Agriculture is proud to partner with the Manitoba Seed Grower's Association and the *Manitoba Co-operator* to produce *Seed Manitoba 2025*. This essential guide aids producers in making informed variety selection decisions for the upcoming crop year.

With crop varieties tested at more than 20 locations across Manitoba, *Seed Manitoba* offers valuable insights into performance under local conditions, including agronomic details, disease resistance and quality information for both new and existing varieties. The unbiased information makes this guide an invaluable resource for producers.

This guide is made possible through the dedicated and collaborative efforts of the Manitoba Crop Variety Evaluation Team, crop research contractors, producers, the seed industry, commodity associations, Agriculture and Agri-Food Canada and staff from Manitoba Agriculture.

Agriculture remains one of Manitoba's leading industries, significantly contributing to Manitoba's economy. Crop producers play a crucial role in ensuring that agricultural products are among the province's largest exports.

Each growing season presents its own challenges, and I would like to acknowledge the hard work of producers and express my gratitude for your unwavering dedication to the agriculture industry.

As you plan for the 2025 season, I wish everyone a successful growing season ahead.

Honourable Ron Kostyshyn
Minister of Agriculture

President's Message



The Manitoba Seed Growers' Association is proud to co-operate with numerous industry partners to present the 2025 edition of *Seed Manitoba*.

Seed Manitoba has been, and continues to be, one of the most widely used tools for variety selection by farmers in Manitoba.

I would like to recognize the combined efforts of Manitoba Agriculture, the *Manitoba Co-operator* and Industry partners who all play a part in delivering this valuable resource into Manitoba's agricultural producer's mailboxes every fall.

As you review the variety trial results within this guide to decide which varieties are right for your operation, remember that your local seed grower can often provide added, regional insight on how new varieties compare, having grown them alongside the established varieties in the years of seed increase leading up to commercial release.

I urge you to also take a moment to read the editorial content. Articles published in this guide reflect agronomic and policy issues facing Manitoba's Ag Industry and are selected specifically to focus on issues we are facing at the moment.

The board of the Manitoba Seed Growers' Association are proud to be part of this publication, and it is our wish that as farmers are making important decisions for the 2025 growing season, the resources in this guide will be a critical source of information.

AJ Armstrong
President,
Manitoba Seed Growers' Association

Thank you to MCVET Sponsors and Supporters in 2024

MCVET gratefully recognizes the support and financial contribution of the following organizations:

Agriculture and Agri-Food Canada	Nutrien Ag Solutions
Alliance Seed	Parkland Crop Diversification Foundation
Manitoba Crop Diversification Centre	Prairies East Sustainable Agriculture Initiative
CANTERRA SEEDS	Richardson International – Kelburn Farm
FP Genetics	SeCan
Manitoba Agriculture	Seed Depot
Manitoba Beef Producers	SeedNet
Manitoba Co-operator	University of Manitoba
Manitoba Crop Alliance	UPL AgroSolutions Canada
Manitoba Pulse & Soybean Growers	Westman Agricultural Diversification Organization
Manitoba Seed Growers' Association	

MCVET would also like to express its gratitude to:

South Interlake Crop Testing Committee (SICTC) and Crop Research Organization Portage (CROP) for locally organized variety trials.

University of Saskatchewan for seed preparation and randomization of flax trials.

WELCOME TO SEED MANITOBA 2025

By Anne Kirk

Seed Manitoba Editor, Manitoba Agriculture

Welcome to *Seed Manitoba 2025*, the Variety Selection and Growers Source Guide for Manitoba producers. This guide comes to you with the compliments of Manitoba Agriculture, Manitoba Seed Growers' Association and the *Manitoba Co-operator*. *Seed Manitoba* is a collaborative effort between industry, government and producers to provide third party variety performance information.

WHERE DOES THE DATA COME FROM?

Data is from replicated small plot trials grown in many locations throughout Manitoba and compiled over years. The main data collected is yield. Other agronomic information in the "Variety Description" tables is compiled from data submitted at the time the variety was registered. Some ratings in the table, such as disease resistance, can change as pathogens change and reaction to disease races are better understood.

TESTING LOCATIONS AND SITE YEARS

Testing locations are chosen by the Manitoba Crop Variety Evaluation Team to represent the production area of each crop type. Crops with wide adaptation, such as barley, fall rye, oat, spring and winter wheat, are planted at all sites. Crops like flax and field peas are only planted at locations where they are typically grown. Other crops like canola, corn, dry beans, soybeans, faba beans and sunflowers are

coordinated through their crop commodity associations and planted where they deem appropriate.

To get a better understanding of where the trials are located and the weather conditions at these sites, see 2024 Locations of Variety Evaluation Trials map and site location table on pages 14 and 15.

HOW CAN SEED MANITOBA HELP WITH VARIETY SELECTION?

Seed Manitoba provides unbiased replicated data, giving producers, seed growers and seed retailers more insight into variety performance throughout the province. Yield data is displayed by location to show local performance as well as summarized across locations and years.

The online variety selection tool at www.seedmb.ca allows comparisons over multiple years and locations, helping to compare a new variety to a tried and true variety.

Thank you to all contributors to *Seed Manitoba*. This publication would not be possible without the sponsors, supporters, site contractors, Manitoba Crop Variety Evaluation Team and the commodity groups that donate data. The team behind *Seed Manitoba* hopes you find the information beneficial as you make variety decisions for the 2025 growing season.

Any questions or concerns regarding *Seed Manitoba* can be directed to anne.kirk@gov.mb.ca. ■



PHOTO: ANNE KIRK, MANITOBA AGRICULTURE

FLEX YOUR HARVEST MUSCLE

See how our top-performing hybrids stack up at:

InvigorResults.ca

- REPLICATED TRIAL RESULTS FROM YOUR AREA
- COMPETITIVE COMPARISONS – SEE WHY MORE FARMERS CHOOSE INVIGOR

Be sure to check back often – our hybrid standings are updated as trials are harvested.

Visit your local retailer to book
your InVigor® hybrid canola today.

BASF
We create chemistry

InVigor®

Always read and follow label directions.

INVIGOR is a registered trademark of BASF, used under license by BASF Canada Inc. © 2024 BASF Canada Inc.

Results may vary on your farm due to environmental factors and preferred management practices.

MANITOBA CROP ALLIANCE DEVELOPS CONFECTION SUNFLOWER HYBRIDS

Two high-performing hybrids from the program were registered this year

By Katherine Stanley
Manitoba Crop Alliance

Confection sunflower is a unique crop that offers value to Manitoba farmers. The crop has a deep and complex rooting system that allows unique access to soil moisture, improves soil structure and contributes significant above- and below-ground biomass.

Manitoba was once home to more than 200,000 acres of confection sunflowers each year. However, with a lack of breeding improvements, sunflowers fell behind the genetic advancements of other crop choices that had more in-crop herbicide options and improved genetic packages.

Nonetheless, demand for sunflowers has remained high, with prices as high as 50 cents per pound, and Manitoba remains home to

over 90 per cent of sunflowers in Canada. To provide Manitoba farmers with an improved confection sunflower, Manitoba Crop Alliance (MCA) began a farmer-funded breeding program in 2011, the only sunflower breeding program in Canada.

MCA evaluates potential hybrids in its breeding program based on a variety of traits that contribute to improved agronomic characteristics, meet market requirements and exhibit adaptation to Canadian growing conditions.

Through this, MCA aims to make confection sunflowers a competitive crop choice for Manitoba farmers. Developed sunflower hybrids are herbicide tolerant (ExpressSun), and have improved resistance to rust and downy mildew.



Panther DMR



6946 DMR



MCA359239*



MCA359306**

* Previously called EX359239

** Previously called EX2000306/EX20306

Results from Manitoba Crop Alliance Sunflower Variety Performance Trials are available at mbcropalliance.ca

More **SUNFLOWERS** on page 9 »



PHOTO: MANITOBA CROP ALLIANCE

SUNFLOWERS *Continued from page 8*

Manitoba Crop Alliance contracts Michael Hagen of North Dakota as the lead breeder in the sunflower program. Breeding of parental lines and initial hybrid development are conducted in North Dakota, with a contra-season nursery in Chile.

Material is screened for disease and herbicide resistance and evaluated for desirable agronomic characteristics such as early maturity. Material that shows these positive traits

and have fixed genetics for disease resistance become parental lines. These parental lines are used to make experimental hybrids for testing in nurseries at two Manitoba locations.

Each year, MCA breeding program screens approximately 130 preliminary experimental hybrids and 20 advanced experimental hybrids.

MCA was proud to register two high performing hybrids from its program this year. MCA 359306 and MCA 359239 became available for tender on Oct. 15. Stay tuned to hear when these hybrids will become available.

The two hybrids also were tested in strip trials in 2023 at three locations: Wawanesa, Holland and Dundonald. For more information, see the table below or visit mbcropalliance.ca. Results from the 2024 strip trials will also be available on our website.

If you have questions about the hybrid confection sunflower breeding program, contact Katherine Stanley, Research Program Manager, Special Crops, with Manitoba Crop Alliance at 204-898-4122. Email: katherine@mbcropalliance.ca ■

2023 Strip Trials – Results – Manitoba Locations

	SOUTHWEST (WAWANESA)			CENTRAL (HOLLAND)			CENTRAL (DUNDONALD)		
	6946 DMR	MCA 359239*	MCA359306**	6946 DMR	MCA 359239*	MCA359306**	6946 DMR	MCA 359239*	MCA359306**
Yield (lb/ac)	1185.0	1578.0	1244.0	3638.5	4284.8	3812.0	3090.9	3345.5	3000.0
Yield (%of 6946)	100.0	133.0	105.0	100.0	109.4	89.0	100.0	108.2	97.0
Seed Size (>22/64)	8.9	43.2	41.9	46.9	92.4	84.8	57.2	96.5	90.9
% Nut Meat	55.3	48.6	53.8	53.4	52.7	51.4	52.0	54.8	52.8

NOTE: Additional data including moisture content and test weight are available upon request *MCA 359239, previously known as EX 359239

**MCA 359306, previously known as EX 20306/200306

It Starts with the Seed.

New High Yielding Varieties Available.

Soybeans • Peas • Corn • Canola • Wheat • Oats • Barley • Rye



Contact our sales team for details: (204) 736-2849



75 years of Quality Seed Service

www.pituraseeds.ca

CUT COSTS, NOT YIELD

Cutting costs without reducing productivity is key to managing through lean times

By **Darren Bond**
Manitoba Agriculture

What a difference a year makes. Producers now face falling grain prices and stubbornly high input costs, placing them into a difficult cost-price squeeze situation.

While this has happened in the past, and producers face this scenario quite frequently in their farming careers, this time is different due to the sheer scale of the cost to farm.

Costs associated with seed, fertilizer, equipment and land have never been higher. How does a farm cut costs to maintain profitability, but not cut too much or in the wrong places and make a lack of profitability problem worse? This truly is the million-dollar question on most farms.

GROW PROFITABLE CROPS

Focusing on profitable crops sounds like a solution too easy to take seriously. But there is a simple and important truth behind it. Staying away from crops that generate the least profit and growing crops that project to generate the most profit is a good way to increase profitability on the farm.

To do this effectively, costs of production must be known. This doesn't need to be overly difficult, and using Manitoba Agriculture's Crop Costs of Production Guide is an easy way to accomplish this task. Of course, beneficial crop rotation practices and a producer's experience with the challenges and benefits of growing different crops must be front of mind, but simply knowing which crops look profitable is a big step to ensuring profitability.

FERTILIZER EFFICIENCY

Fertilizer costs remain high compared to grain prices, so it's tempting to cut fertilizer rates to save money. However, this could come at the expense of crop yields. Cutting fertilizer rates by 20 per cent could save \$20 to \$30 per acre, but this only represents a few bushels per acre, depending on the crop.

Before cutting fertilizer rates, producers should look to a few other options. Utilizing 4R Nutrient Stewardship practices



PHOTO: DENNIS LANGE, MANITOBA AGRICULTURE

will allow producers to gain environmentally beneficial results and save money in the process.

Soil testing (right rate) eliminates much of the guesswork from crop nutrient plans that feed the crop to its full potential. Farms cannot afford to over-apply fertilizer that results in little to no yield gain. Under-applying fertilizer costs more in yield loss than it saves, making this unattractive as well.

Applying the right amount for a reasonable yield expectation is the best course of action in a high fertilizer cost environment. Taking advantage of banding (right place) while applying in spring (right time) can leverage fertilizer's characteristics to make it more available to the crop with less environmental loss, allowing producers to slightly cut fertilizer rates without sacrificing crop yields.

This is especially effective with phosphorus. Placing phosphorus at seed-safe rates in the seed row can reduce the amount applied by half as compared to broadcasting. With

respect to nitrogen, producers who can use urea, anhydrous or liquid (right source) can identify and utilize the cheapest source to reduce costs without reducing rates.

Use of Manitoba Agriculture's Fertilizer Efficiency Calculator and working with a trusted agronomic advisor can assist with meeting the crop's agronomic needs while maintaining profitability.

UNDERSTANDING LAND COSTS

Land costs have become significant line items for farms in the last several years. If a producer is not willing to be the top bidder for a land purchase or rental, they simply won't be farming that land.

Understanding how a potential land purchase affects the farm's overall profitability and cash flow requires thought and consideration. For example, to buy an extra 160 acres of land at \$5,000 per acre and finance 90 per cent of it at five per cent over 25 years

More **CUT COSTS** on page 11 »

would mean average interest payments over the life of the loan of nearly \$550,000, or \$137 per acre.

In addition, principal payments of roughly \$180 per acre over the life of the loan would also need to be paid. Together, principal and interest payments would total \$317 per acre for the next 25 years on the purchased land. In a situation where farms are barely profitable, a farm would need to take profit from land that is bought and paid for to subsidize the purchased land.

While small land purchases wouldn't have a large effect on farm profitability and cash flow, larger land purchases will have significant impact. And in the example above, this will be the case for the next 25 years.

Land rentals allow for lower capital and cash flow requirements, making rental a lower risk than purchase. Also, the risk of overpaying on land rents is limited to the length of the rental agreement, and such

Use of Manitoba Agriculture's Fertilizer Efficiency Calculator and working with a trusted agronomic advisor can assist with meeting the crop's agronomic needs while maintaining profitability.

agreements are considerably shorter than mortgages for land purchases.

However, the benefit of lower cash flow requirements is offset by the uncertainty of short-term rentals where a producer could lose that rented land. That could upend the balance of equipment to farmed land and

leave the producer with too much equipment investment for the size of the farm.

MANAGING EQUIPMENT COSTS

Equipment costs for purchases and repairs have exploded in recent years. Like land, equipment purchases commit the farm to a payment schedule or consume working capital. The key question is the grain price and corresponding profit level that justifies the size, age and expense of a potential equipment purchase.

Purchases that have a good cost-benefit analysis by providing greater efficiency, lower operating costs or increased crop yields are often easy to support. On the other hand, purchases that don't provide a clear benefit to the farm can act as an anchor on finances for years.

Producers who make wise equipment investment decisions in marginally profitable years will be much stronger and more competitive for equipment and land in the future. ■

Growing soybean?

We are 100% focused on soybean, and we have been for over 40 years!



Prograin® The Soy Expert.

Discover the benefits at
mysoyexpert.ca

SEED-BORNE DISEASES IN CEREALS

Moisture this fall shouldn't have a big impact on true seed-borne disease

By Don Norman

Glacier FarmMedia staff

Mid-September moisture has raised concerns about a potential increase in seed-borne cereal diseases.

At least in terms of “true” seed-borne diseases, Manitoba Agriculture field crop pathologist David Kaminski said those fears are unwarranted.

“In fact, there aren't that many seed-borne diseases in cereals. I consider a seed-borne disease to be where infection gets inside the plant and grows up through it and then manifests later on.”

He said some of the major diseases people associate with moisture, like fusarium, aren't infected that way.

“They get infected later from spores,” said Kaminski, adding that true seed-borne diseases in cereal crops are primarily smuts, which aren't greatly affected by moisture levels.

“Smuts are oblivious to the amount of moisture you have. We've seen it just as much in dry years as in wet years.”

Smuts are mainly an issue in wheat and barley but they're not as big a problem as they used to be. Improvements in seed treatments have all but eliminated the disease in certified seed.

However, farmers who plant bin-run seed should still watch for it.

“If the seed is healthy, there is no problem with planting that grain from last year's crop,” said Kaminski. “You will probably still get a good, vigorous crop.”

But he warned that if seeds are infected with smuts, they could be difficult to detect. Some are surface-borne, so there might be visible evidence of infection, but with true loose smuts, the infection is internal.

Infection is highly unlikely if the grower bought certified seed because it is inspected and often treated. If an infection does occur in a crop planted with certified seed, Kaminski said it's likely that spores blew in from an adjacent field.

If infected seed is planted, the first evidence will appear when scouting while the

“Smuts are oblivious to the amount of moisture you have. We've seen it just as much in dry years as in wet years.”

David Kaminski

crop is still green. Black heads on some plants are evidence of infection. Loose smuts will blow away by harvest time so if scouting later, a farmer might not be aware of a problem.

“But keep that seed again, and you'll have probably a tenfold increase in the amount of loose smut in that field, which will begin to affect yield, obviously.”

Farmers can treat their own seed to get ahead of seed-borne diseases, but not all products are directly available to producers, and they might not have equipment that offers an effective, even coating.

“If you're dribbling it through an auger or something like that, you might not have complete coverage of the seed,” Kaminski said.

Farmers can also take bin-run seed to a commercial seed treater so it is all properly coated. However, Kaminski reiterates that the safest thing to do is buy certified seed.

“Virtually all the products that we have in the Guide to Field Crop Protection are systemic products, and so they control these smuts.”

True seed-borne smuts might not be affected by moisture, but other pathogens can be problematic for farmers who use bin-run seed during wet years.

More **CEREALS** on page 13 »



Certified seed is a farmer's best defence against seed-borne smuts. PHOTO: ANNE KIRK, MANITOBA AGRICULTURE

“After a wet year, when you harvest the grain you could see things like black point and other seed contaminations,” said Kaminski.

Black point will manifest in crops that have been out for a while, are already mature and get hit by rain, or among crops sitting in swath.

“You’re going to see a black or greenish-black sooty mould developing as a growth outside the glumes,” said Kaminski. “When you harvest, you’ll probably see some staining of the seed as a result of those fungi being present.”

Bacterial leaf streak is another disease now on the radar. According to Kaminski, there are still a lot of unknowns about this seed-borne disease.

“There is a lot of work going on in the research community right now because we don’t know about things like varietal resistance,” he said. ■



David Kaminski flicks a barley seed head infected with true loose smut at the Crop Diagnostic School.
PHOTO: MARK HALSALL


BREVANT[®] SEEDS B3019 BEATS INVIGOR[®] L356PC IN YIELD ON AVERAGE

Learn more at Brevant.ca/Versus



B3019 yields 102% higher vs InVigor L356PC. Source: (2023) 1 year summary from field scale trials across Western Canada.
™ & Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva

2024 LOCATIONS OF VARIETY EVALUATION TRIALS



Site Location	Contractor(s)	Soil Texture	Internal Soil Drainage	Precipitation ¹		Growing Degree Days ¹		Weather Station Used
				Actual (mm)	% of Normal	Actual	% of Normal	
1 Arborg	PESAI	clay	imperfect	303	94%	1748	112%	Arborg
2 Beausejour	PESAI	clay loam	imperfect	299	86%	1747	108%	Beausejour
3 Boissevain	Ag-Quest Inc.	loamy	imperfect	261	81%	1822	113%	Minto
4 Brandon	Agriculture & Agri-Food Canada	clay loam	well	331	107%	1702	111%	Brandon
5 Brunkild	TapRoot Research Ltd.	heavy clay	imperfert	447	128%	1832	112%	Brunkild
6 Carberry	CMCDC	clay loam	well	385	125%	1720	113%	Carberry (EC)
7 Carman	University of Manitoba, Ag-Quest Inc.	loam	imperfect	437	129%	1830	111%	Carman
8 Dauphin	Ag-Quest Inc.	silty clay loam	imperfect	323	99%	1639	109%	Dauphin
9 Elm Creek	Ag-Quest Inc.	coarse loam	imperfect	374	114%	1861	112%	Elm Creek
10 Hamiota	Ag-Quest Inc.	clay loam	well	325	103%	1619	111%	Hamiota
11 Holland	Ag-Quest Inc.	loamy	imperfect	405	118%	1706	104%	Holland
12 MacGregor	Ag-Quest Inc.	coarse loam	imperfect	389	115%	1857	111%	Portage la Prairie
13 Melita	WADO	loamy	imperfect	303	89%	1699	104%	Melita
14 Morden	AAFC Morden	clay loam	well	528	158%	1790	101%	Morden
15 Morris	Ag-Quest Inc.	heavy clay	imperfect	449	133%	1872	114%	Morris
16 Portage la Prairie	CROP/ICMS	sandy loam	imperfect	389	115%	1857	111%	Portage la Prairie
17 Roblin	PCDF	loamy	well	347	115%	1492	107%	Roblin
18 Rosebank	Nutrien	loamy	imperfect	528	158%	1790	101%	Morden
19 Rossendale	Ag-Quest Inc.	sandy loam	imperfect	448	137%	1793	106%	Bagot
20 Rosser	Paterson Grain	clay	imperfect	356	108%	1813	111%	Stonewall
21 Souris	Ag-Quest Inc.	loamy	imperfect	350	114%	1530	100%	Souris
22 St. Adolphe ²	Richardson, Murphy et al	heavy clay	imperfect	393	121%	1736	108%	St. Adolphe
23 St. Pierre	Ag-Quest Inc.	heavy clay	imperfect	483	152%	1860	114%	St. Pierre
24 Ste. Rose	Red Fox Ag	sandy loam	imperfect	351	108%	1743	117%	Ste. Rose
25 Stonewall	Solum Valley Biosciences Inc.	clay loam	imperfect	356	108%	1813	111%	Stonewall
26 Swan River	New Era Ag Technologies	clay loam	imperfect	222	72%	1628	110%	Swan River
27 Thornhill	Ag-Quest Inc.	loamy	well	554	167%	1676	94%	Windy Gates
28 Winkler	Ag-Quest Inc., Maizex	loamy	well	644	194%	1963	111%	Winkler
29 Winnipeg	University of Manitoba	silty clay	imperfect	421	123%	1872	113%	Winnipeg

¹ Weather data is reported from May 1 to October 1 and reflects the percentage of the normal accumulations as calculated using the 30 year long-term average.

² St. Adolphe weather data is reported from May 1 to September 18. .

Seeding and harvest dates for individual trials can be found at the bottom of the Yield Comparisons Tables located in the respective Crop Sections.

As per MCVET, MCC and MSPG protocol's, all sites are fertilized at levels to achieve maximum crop performance. Weed control is applied as required to achieve a relatively weed free area. Insecticides are applied as required, while fungicides are not applied to any trials.

Any questions related to the sites found in Seed Manitoba 2025 can be directed to the individuals listed below:

For canola contact Amy Delaquis at (204) 384-1196 or e-mail amy@canolagrowers.com

For grain corn and sunflowers, contact Daryl Rex at (204) 745-6776 or e-mail daryl@mbcropalliance.ca

For soybean and dry bean, contact Dennis Lange at (204) 324-4383 or e-mail dennis.lange@gov.mb.ca

For all remaining crop types, contact Chami Amarasinghe at (204) 823-2584 or e-mail chami.amarasinghe@gov.mb.ca



Canada's
**Wheat
King**
for 9 years

AAC Brandon



Proud supporter of



Genes that fit *your* farm.®
800-665-7333 secan.com



Developed by Agriculture & Agri-Food Canada, Swift Current.
Genes that fit *your* farm® is a registered trademark of SeCan.

Cereal Crops

Variety Description Key

The grey box at the bottom of each table displays the Grand Mean for both Yield (bu/acre) and Protein (%) and the corresponding LSD (Least Significant difference) value ($p < 0.05$). Varieties must differ by the LSD value ($p < 0.05$) to be considered significantly different from one another.

Except for the long term average yield and protein data, variety description information was obtained from the variety registration trials. For Relative Maturity, please keep in mind the actual number of days to reach maturity will depend on local climactic conditions and to some extent on management practices.

Long term yield data is from MCVET plots harvested from 2010 to 2024, while protein is from 2006 to 2024. Actual protein will depend on seasonal growing conditions and fertility levels.

“Resistance Level” Disease ratings: R = Resistant; MR = Moderately Resistant; I = Intermediate; MS = Moderately Susceptible; S = Susceptible; “ - “ = not available; NT = Not Tested.

“Resistance Level” Lodging and Sprouting ratings: VG = Very Good; G = Good; F = Fair, P = Poor; VP = Very Poor; “ - “ = not available.

Site Years Tested is the cumulative number of locations over the years that a variety has been tested. The more site years the more dependable the data.

Ⓒ Indicates a variety that is protected by Plant Breeder’s Rights legislation that complies with UPOV 1978.

Ⓓ Indicates a variety that is protected by, or has been applied for and is pending, Plant Breeder’s Rights legislation that complies with UPOV 1991.

VUA Variety Use Agreement in effect.

Key to 2024 Yield and Protein Tables

Yields derived over 2 or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD (bu/acre) = Least Significant Difference. Varieties must differ by the LSD value ($p < 0.05$) to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.



Win the Start



With industry leading protection when cereals need it the most

Achieve exceptional seedling protection from early season seed- and soil-borne diseases with Straxan™ fungicide seed treatment.

Ready-to-use and easy-to-apply, Straxan™ pairs with Lumivia™ CPL insecticide seed treatment for the broadest insect control.

No one protects your cereal crop like Corteva Agriscience.

Book today and Win the Start with Straxan.

Straxan™

FUNGICIDE SEED TREATMENT



Visit straxan.corteva.ca

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2024 Corteva

Manitoba Agriculture Variety Guide

BARLEY

New for 2025

Variety	Type	Code	Breeder	Distributor	Seed Availability
AB Foothills (2)⓪	Malting	TR20661	Field Crop Development Centre	CANTERRA SEED	2026
Carleton (2)⓪	Food and Feed	TR20761	Nutrien Ag Solutions	Nutrien	—
SY Stanza (2)⓪	Malting	TR20933	Syngenta Canada Inc.	FP Genetics	2025

Comments:

Malting barley varieties are classified into two groups. The **“Malting: Acceptance - Recommended”** group are varieties with recommended market acceptance as listed in the Canadian Malt Barley Technical Centre (CMBTC) publication **“2024/25 Recommended Malting Barley Varieties”** on page 24. The category of **“Malting: Other”** includes varieties not currently recommended by the CMBTC but markets may exist.

SY Stanza⓪ is a non-GN (glycosidic nitrile) two-row malting variety.

The two-row malting variety CDC PlatinumStar⓪ is available through a closed loop identity preserved program.

It is strongly recommended for producers to use a combination of the Canadian Food Inspection Agency’s **List of Registered Varieties** (www.inspection.gc.ca) and the Canadian Grain Commission’s **Variety Designation Lists** (www.grainscanada.gc.ca) to determine the registration and grade eligibility status of varieties.

A number of new varieties are participating in a Variety Use Agreement (**VUA**). If producers purchase a **VUA** variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the Variety Use Agreement (**VUA**) when purchasing seed.

NEW
High Yielding

Richer Barley

- ◆ **121 bushels/acre (Seed MB 2022)**
108% of Austenson
- ◆ **VG for Lodging**

Avondale Seed Farm	Reston	204-522-5528	Southern Seeds	Minto	204-776-2333
Court Seeds	Plumas	204-386-2354	Timchishen Seeds	Arborg	204-641-1288
Hulme Agra Products	Macgregor	204-871-4666			

BARLEY (continued)

Variety Descriptions

Category / Variety ¹	Site Years Tested	Yield bu/acre	Protein %	Maturity +/- 88 days	Height +/- 89 cm	Test Wt +/- 48.7 lb/bu	Awns ²	Resistance Level:									
								Lodging	Surface			Netted Spotted			Fusarium ⁴		
									Loose Smut	-borne Smut	Root Rot	Net Blotch	Spotted Net Blotch	Spot Blotch	Stem Rust ³	Head Blight	
Malting: Acceptance - Recommended																	
AAC Connect (2)⓪	46	109	12.4	0	-3	-0.5	R	G	S	R	MS	I	MR	MR	MR	MR	
AAC Synergy (2)⓪	91	114	12.2	0	-2	-0.4	R	G	S	I	I	MR	R	R	MR	I	
CDC Churchill (2)⓪	46	113	12.3	1	-5	-0.2	R	G	MS	MR	—	MR	MR	I	MR	MS	
CDC Copeland (2)	41	102	12.3	0	5	-0.5	R	G	MS	I	I	I	I	S	MR	I	
CDC Fraser (2)⓪	43	109	12.1	1	0	-0.7	R	G	R	MR	MS	MR	MR	R	MR	I	
Malting: Other																	
AAC Goldman (2)	56	108	12.6	1	3	-0.4	R	F	MS	I	S	I	R	I	I	MR	
AAC Prairie (2)⓪	41	108	12.4	0	-2	-0.3	R	F	S	MR	—	MR	I	I	MR	I	
AB Brewnet (2)⓪	39	106	13.1	3	5	0	R	G	MS	MR	—	MS	I	I	MR	MR	
AB Dram (2)⓪	20	102	13.1	-1	0	0	R	G	MR	R	—	MS	MR	MS	S	I	
AB Foothills (2)⓪	20	111	12.2	0	-2	-0.8	—	G	R	MR	—	I	I	MS	MR	I	
AC Metcalfe (2)	201	99	13.0	0	0	0	R	F	R	I	I	S	I	I	MR	I	
Bentley (2)⓪	41	105	12.4	0	5	-0.8	R	G	MS	MR	I	MS	R	I	MR	I	
CDC Bow (2)⓪	55	107	12.1	1	3	0.5	R	G	S	I	MS	S	MR	I	MR	I	
CDC Copper (2)⓪	36	108	12.4	1	-5	-0.7	R	G	I	MR	MR	MR	MR	I	I	MS	
CDC Kindersley (2)⓪	34	105	12.7	-1	-3	0	R	G	S	R	I	MS	MR	I	MR	I	
CDC PlatinumStar (2)⓪	18	102	12.2	0	3	-0.5	R	F	S	R	S	I	MR	S	I	MR	
Celebration (6W)⓪	35	106	13.5	-1	5	0	S	G	R	R	MS	S	MR	MR	I	MS	
Lowe (2)	35	105	12.4	2	5	-0.4	R	G	R	R	—	I	MR	I	S	MR	
Newdale (2)	18	113	12.6	0	-3	-0.5	R	F	S	MR	MR	I	MR	I	MR	I	
Sirish (2)⓪	48	104	12.4	1	-13	-0.3	R	VG	S	R	—	MS	MS	MS	S	MS	
SY Stanza (2)⓪	5	109	11.8	1	-10	-1.6	R	VG	S	MR	—	I	MS	MS	S	MS	
Torbellino (2)	29	97	12.5	1	-11	-0.4	R	G	—	R	—	MS	MS	MS	MS	S	
Tradition (6W)	19	105	13.0	2	10	0.8	S	F	S	MR	MR	S	I	MR	MR	S	
Food and Feed																	
AAC Lariat (2)⓪	29	115	12.4	1	-3	-0.3	R	G	R	R	—	R	MR	I	R	MS	
AAC Stockton (2)⓪	17	117	12.4	1	-2	0	R	G	R	R	—	I	I	I	R	MR	
AB Advantage (6F)⓪	30	108	13.2	1	15	0	S	VG	MR	I	—	MS	I	I	I	S	
AB Cattlelac (6)⓪	31	111	12.8	1	11	1.3	SS	VG	I	R	—	MS	MR	R	I	S	
AB Hague (2)⓪	42	105	12.3	1	4	0	R	G	MR	R	—	I	I	I	MR	MR	
AB Maximizer (2)⓪	29	110	12.3	0	3	1.2	R	VG	I	R	—	I	I	I	MR	I	
AB Prime (2)⓪	42	115	12.6	0	4	-0.4	—	G	S	R	—	MR	I	I	R	I	
AB Standswell (6)⓪	31	113	12.4	2	-4	0.3	S	G	MS	R	—	MR	I	MR	MR	S	
AB Tofield (6)⓪	29	111	12.1	1	5	1	S	VG	MR	MR	—	MS	I	I	R	S	
AB Wrangler (2)⓪	29	109	12.4	0	1	-0.2	R	F	MS	MR	—	I	I	MR	R	MR	
Altorado⓪	32	113	12.3	0	-5	0.7	R	G	MR	MR	MR	S	I	S	MR	I	
AS Lafleur (2)⓪	17	102	13.1	-3	0	1.7	R	VG	R	NT	—	MS	I	MS	NT	MR	
Bighorn (2)⓪	29	113	12.2	0	4	0.4	—	F	I	R	—	I	I	I	I	I	
Canmore (2)⓪	33	111	12.5	1	0	0.7	R	G	R	R	I	MS	MR	I	MS	I	
Cantu (2)⓪	29	115	11.9	2	5	0.2	—	F	I	R	—	I	I	I	R	I	
Carleton (2)⓪	17	103	12.0	-1	-7	0.2	R	G	MS	R	—	MS	MS	MS	R	MR	
CDC Austenson (2)⓪	91	116	12.2	1	0	0.5	R	G	S	R	I	MS	R	MR	I	I	
CDC Cowboy (2F)⓪	38	98	13.2	1	15	1.3	R	F	MS	MR	I	I	MR	I	MR	MR	
CDC Durango (2)⓪	29	113	12.4	2	-3	0.1	R	G	S	R	—	MR	MS	I	I	I	
CDC Maverick (2F)⓪	29	98	13.5	1	-10	5.4	S	F	S	R	I	I	MR	I	MR	MR	
CDC Renegade (2F)⓪	29	107	12.6	1	7	-0.3	S	F	I	MR	—	MS	MR	MS	MR	MR	
Claymore (2)⓪	44	119	12.1	0	0	-0.2	R	G	S	R	I	S	I	MS	MR	MR	
CONLON (2)	36	100	12.8	-1	-3	0.8	S	G	I	I	I	I	MR	S	MR	MR	
Desperado (6F)	44	109	12.7	1	5	2.5	S	G	MS	R	MR	S	MR	MR	MR	S	
Esma (2)⓪VUA	30	114	12.1	1	-10	-0.4	—	G	R	NT	—	MS	MS	MS	NT	I	
Ferguson (2)⓪	29	112	12.0	1	-2	-0.2	R	G	S	R	—	MS	MS	S	I	I	
Ibex (2)⓪	29	114	12.2	1	2	0.2	—	F	S	R	—	I	I	I	R	I	
KWS Kellie (2)⓪VUA	29	106	12.0	1	-11	-1.5	—	P	R	NT	—	MS	MS	MS	NT	I	
Oreana (2)⓪	44	113	11.9	2	-13	0.2	R	G	S	R	I	S	MR	I	I	S	
RGT Planet (2)⓪VUA	29	100	12.1	1	-10	-0.5	R	F	R	NT	—	MS	MS	MS	NT	I	
Richer (6)⓪	29	114	12.6	—	14	-2.1	R	VG	R	NT	—	I	MS	I	NT	I	
Varieties being tested for adaptability in Western Canada																	
AS Manon (2)⓪	17	105	12.6	-2	4	0.4	R	VG	NT	NT	NT	NT	NT	NT	NT	NT	
Waterloo (6)	5	114	12.9	—	12	-2.1	R	G	NT	NT	NT	NT	NT	NT	NT	NT	
Varieties supported for registration by the PRCOB																	
Malting: Other																	
TR21665 (2)	5	113	12.0	1	-3	-0.4	R	G	S	R	—	I	I	I	R	MS	
Food and Feed																	
FB21106 (2)	17	115	12.4	1	0	1.3	R	G	MR	MR	—	I	I	I	MR	I	
FB22816 (6F)	5	109	12.8	1	4	-0.2	S	VG	R	R	—	MS	MR	MR	MR	S	
GRAND MEAN (bu/acre and %)	114	12.4															
LSD (0.05)	5	0.3															

1 Values in brackets indicate row and type: 2 = two-row; 6 = six-row; W = white aleurone (all others yellow); F = fodder.
 2 R = Rough, S = Smooth, SS = Semi-Smooth
 3 Reactions given for old races of stem rust. All cultivars are susceptible to new race QCCJ. However, to date this has not caused widespread damage. Early seeding will generally reduce the likelihood of severe infection.
 4 Fusarium head blight (FHB) infection is highly influenced by environment and heading date. Under high levels of the disease all varieties will sustain damage. NT = Not tested for disease, until a full rating is generated assume that the variety is susceptible to the disease.

CONQUER THE FIELD WITH **CONVEY-ALL**[®]

THE INDUSTRY LEADING **CST-1550**

COMMERCIAL SEED TENDER

Six Compartments | 1550 cu.ft.



Self-contained hydraulic drive
25' paddle belt unload conveyor



2 Tons/minute unload speed.
Empty entire tender in <20 minutes



Available scale package for
unsurpassed accuracy



THE

CSC-1545

COMMERCIAL SEED CART

Six Compartments | 1525 cu.ft.



Simple gravity-flow drop-chutes



Exceptional value



Few moving parts for minimal
maintenance

Save time, eliminate contamination and safely haul your seed and fertilizer this spring with a Commercial Seed Tender or Cart from Convey-All.

CONVEY-ALL[®]
DURABLE. FUNCTIONAL. **RELIABLE.**

FIND YOUR LOCAL DEALER (800) 665-7259 | www.convey-all.com

BARLEY (continued)
Yield Comparisons

Variety	2024 Yield (bu/acre)										
	Arborg	Brandon	Carberry	Dauphin	Hamiota	Melita	Roblin	Rosebank	Souris	Stonewall	Thornhill
Malting											
AAC Synergy (2)☼	93	94	73	124	156	113	109	151	156	104	90
AB Dram (2)☼	95	93	63	102	134	102	91	123	136	99	82
AB Foothills (2)☼	88	90	87	107	156	118	99	145	155	88	99
AC Metcalfe (2)	—	—	69	—	124	93	—	131	129	—	—
CDC Churchill (2)☼	—	—	62	—	159	117	—	146	149	—	—
CDC Copeland (2)	—	—	68	—	142	106	—	141	126	—	—
SY Stanza (2)☼	84	—	—	107	166	—	—	—	147	—	82
Food and Feed											
AAC Lariat (2)☼	99	105	81	108	162	113	110	152	163	98	89
AAC Stockton (2)☼	98	103	82	126	160	122	102	144	170	102	98
AB Maximizer (2)☼	90	97	77	111	159	120	113	132	146	92	87
AS Lafleur (2)☼	80	87	94	110	125	88	92	138	129	104	120
Carleton (2)☼	80	59	59	113	146	110	77	123	132	80	81
CDC Austenson (2)☼	88	90	83	131	154	115	106	144	150	100	110
Ferguson (2)☼	90	83	92	114	163	118	84	137	160	84	88
Varieties being tested for adaptability in Western Canada											
AS Manon (2)☼	96	88	88	117	133	103	98	139	146	110	103
Varieties supported for registration by the PRCOB											
Malting: Other											
TR21665 (2)	99	—	—	118	153	—	—	—	148	—	93
Food and Feed											
FB21106 (2)	84	90	74	119	158	108	103	143	165	92	92
FB22816 (6F)	82	—	—	104	152	—	—	—	156	—	102
SITE GRAND MEAN (bu/acre)											
	90	90	76	115	151	110	98	139	148	95	95
CV %	7.2	5.7	7.5	4.7	3.0	5.2	5.6	4.6	4.4	5.2	8.5
LSD (bu/acre)	11	9	9	9	8	10	9	11	11	8	13
Sign Diff	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Seeding Date	09-May	23-May	14-May	06-May	05-May	30-Apr	08-May	09-May	10-May	09-May	10-May
Harvest Date	14-Aug	23-Aug	26-Aug	24-Aug	27-Aug	12-Aug	28-Aug	20-Aug	28-Aug	26-Aug	03-Sep

Protein Comparisons

Variety	2024 Protein (%)									
	Arborg	Beausejour	Carberry	Dauphin	Hamiota	Melita	Roblin	Rosebank	Souris	Stonewall
Malting										
AAC Synergy (2)☼	10.8	11.5	10.6	12.2	11.2	9.5	11.9	11.9	12.4	12.8
AB Dram (2)☼	10.8	12.3	11.4	13.7	12.0	9.8	12.5	13.9	12.3	13.5
AB Foothills (2)☼	10.0	13.0	10.4	12.2	11.0	9.3	12.1	12.0	12.4	13.4
AC Metcalfe (2)	—	—	12.0	—	11.9	10.2	—	12.5	12.2	—
CDC Churchill (2)☼	—	—	10.5	—	10.6	9.3	—	13.3	12.7	—
CDC Copeland (2)	—	—	11.1	—	12.0	9.8	—	11.7	11.6	—
SY Stanza (2)☼	9.5	—	—	11.5	10.6	—	—	—	10.8	—
Food and Feed										
AAC Lariat (2)☼	10.6	11.9	11.4	12.5	11.0	9.5	12.0	12.2	11.6	13.5
AAC Stockton (2)☼	10.3	12.2	10.8	11.9	11.5	9.9	12.1	12.1	11.7	12.5
AB Maximizer (2)☼	10.1	12.4	10.3	12.4	11.0	9.5	11.2	13.0	12.4	13.3
AS Lafleur (2)☼	9.8	12.3	10.9	13.0	12.0	10.5	12.5	12.8	12.7	14.2
Carleton (2)☼	9.4	12.0	10.4	12.0	11.2	9.6	12.2	11.8	12.5	12.6
CDC Austenson (2)☼	10.3	12.5	10.4	12.0	11.4	9.9	11.6	11.6	11.4	12.8
Ferguson (2)☼	9.6	12.3	10.3	11.7	11.4	9.2	11.5	12.7	10.6	12.9
Varieties being tested for adaptability in Western Canada										
AS Manon (2)☼	10.3	12.2	10.4	12.2	11.9	9.9	11.7	12.5	11.6	12.7
Varieties supported for registration by the PRCOB										
Malting: Other										
TR21665 (2)	9.7	—	—	11.6	11.1	—	—	—	11.5	—
Food and Feed										
FB21106 (2)	10.6	12.1	10.6	12.4	11.5	9.7	12.0	12.3	11.6	13.2
FB22816 (6F)	11.5	—	—	12.8	11.5	—	—	—	12.0	—
SITE GRAND MEAN (%)	10.2	12.2	10.8	12.2	11.4	9.7	11.9	12.4	11.9	13.1



2025-2026




MALTING BARLEY RECOMMENDED VARIETIES

THE CANADIAN MALTING BARLEY TECHNICAL CENTRE (CMBTC) RECOMMENDED LIST provides producers with an indication of which malting barley varieties have the greatest potential for selection and marketing. Each variety on the recommended list has been tested at the CMBTC and all exhibit good malting characteristics. All varieties on the list are registered with the Canadian Food Inspection Agency (CFIA).

RECOMMENDED VARIETIES¹

VARIETY	AAC CONNECT	CDC FRASER	CDC CHURCHILL	AAC SYNERGY	CDC COPELAND
EXPORT DEMAND	Growing ↑	Growing ↑	Growing ↑	Peaked ▲	Peaked ▲
DOMESTIC DEMAND	Growing ↑	Growing ↑	Growing ↑	Declining ↓	Declining ↓
SEED DISTRIBUTOR	CANTERRA SEEDS	SeCan	SeCan	FP Genetics	SeCan

2024 SEEDED AREA BY MAJOR MALTING VARIETY PERCENTAGE (%) - WESTERN CANADA



Distribution of malting barley varieties as a percentage (%) of area seeded with malting barley in western Canada in 2024. Source: CGC (based on data from provincial crop insurance agencies).

THE CMBTC AND ITS MEMBERS RECOMMEND:

Consult: Connect with local malting, grain, or seed company representatives to discuss options for growing malting barley.

Contract: Explore opportunities to contract production of malting barley.

Use certified seed: Certified seed helps ensure high-quality barley with varietal purity, meeting buyer standards of >95%.

VARIETIES IN DEVELOPMENT

These newly registered varieties are undergoing seed propagation and commercial market development. Contact the seed distributor for opportunities to trial these promising new varieties.

VARIETY	AAC PRAIRIE	AB FOOTHILLS
SEED DISTRIBUTOR	CANTERRA SEEDS	CANTERRA SEEDS
FEATURES	Short, strong straw; medium protein; high enzyme	High yield; lower protein; high enzyme
TARGET MARKET	Adjunct Brewing	Adjunct Brewing

¹ "Peaked" indicates future demand for this variety is expected to decline as end-users transition to newer varieties.
² Contact Boortmalt for CDC GoldStar contracting opportunities.
³ Non-Glycosidic Nitrile.



ADDITIONAL MALTING VARIETIES

For additional contracting options, contact your malting barley buyer about:

- **Legacy** (FP Genetics)
- **Bill Coors 100** (Stamp Seeds)
- **CDC GoldStar** (CANTERRA SEEDS)²

Canada also has two registered non-GN³ barley varieties – **AB Dram** (SeedNet) and **SY Stanza** (FP Genetics) suitable for distilling as well as brewing.

This recommended list focuses on varieties best suited to western Canada, which may differ from high-potential varieties in eastern regions.

See the list of all **designated malting varieties** by region on the Canadian Grain Commission website under "Variety Designation Lists."

CMBTC VOTING MEMBERS



cmbtc.com

For inquiries please contact the CMBTC. email: cmbtc@cmbtc.com | phone: 204-984-4399





ALLIANCESEED

Every seed starts a story.

Farming grows stories. When the rain comes or doesn't, with the belly laughs over coffee and the late nights lit by flashlights over an old tractor... every year becomes a tale to be retold.

We help good stories grow with the highest quality seed backed by committed retailers and years of research in yield, disease resistance, maturity and grain quality.

Start writing the next chapter for your operation. Make it a great one.

Find a retailer near you.



allianceseed.com • 1-877-270-2890



@ALLIANCESEED



ALLIANCE SEED



ALLIANCE SEED

OATS

New for 2025

Variety	Code	Breeder	Distributor	Seed Availability
AAC Anthony ^⓪	OT7104	AAFC Ottawa	SeCan	—
AAC Basil ^⓪	OA 1644-13	AAFC Ottawa	SeCan	2027
AAC Fedak ^⓪	OT7109	AAFC Ottawa	SeCan	2027

Comments:

There have been changes within the oat crown rust pathogen populations that has seen virulence developed on a number of oat varieties. Resistance to oat crown rust is likely poorer than shown in the table below with most varieties expected to be moderately susceptible or worse under severe epidemic conditions.

Producers are encouraged to check the “Preferred” or “Approved” lists available at most mills if they are selecting varieties for the milling market. These lists are updated as new genetics become available.

CDC Morrison^⓪ is exceptionally high in beta-glucan fibre and is available for contract identity preserved production.

The variety **AAC Kongsore** was selected for performance under organic growing conditions.

Variety Descriptions

Variety ¹	Site Years Tested	Yield bu/acre	Maturity +/- 96 days	Height +/- 84 cm	Test Wt +/- 39.3 lb/bu	Hull %	Hull Colour	Resistance to:				
								Lodging	Smut	Crown Rust	Stem ² Rust	BYD ³
AAC Anthony ^⓪	27	166	2	15	-2.3	25.8	White	G	R	S	MS	R
AAC Douglas ^⓪	37	159	-2	3	-1.0	25.9	White	G	R	MR	I	I
AAC Fedak ^⓪	16	159	3	-2	-1.5	22.5	White	G	R	R	MS	MS
AAC Kongsore	4	146	1	20	1.0	24.5	White/Yellow	G	R	MS	I	R
AAC Neville ^⓪	27	158	2	-2	-0.7	25.5	White/Yellow	VG	R	S	I	R
AAC Wesley ^⓪	28	155	-4	-3	-1.2	20.8	White	G	R	MS	I	R
AC Morgan	36	142	1	15	-1.0	25.2	White	G	I	S	S	MS
Alka ^⓪	33	159	1	1	1.0	28.0	White	G	—	MR	—	MR
CDC Anson ^⓪	27	169	0	-5	-1.5	19.5	White	VG	R	MR	S	MS
CDC Arborg ^⓪	35	156	-2	19	0.2	20.5	White	VG	R	I	S	S
CDC Byer	16	173	0	-1	-1.2	22.3	White	VG	R	MR	S	—
CDC Dancer	40	137	-3	13	0.5	19.6	White	G	R	I	I	MS
CDC Endure ^⓪	33	161	-1	13	-1.1	20.9	White	VG	R	MR	S	I
CDC Haymaker (F) ^⓪	37	127	2	25	-1.0	22.0	White	G	MR	S	S	—
CDC Morrison ^⓪	13	133	-2	-3	-1.0	24.4	White	VG	R	MS	I	I
CDC Westgate (F) ^⓪	5	139	6	26	-1.1	—	Tan	G	NT	NT	NT	NT
CS Camden ^⓪	59	157	2	0	-1.5	21.1	White	VG	I	MS	S	S
Furlong	72	135	-1	20	0.5	20.3	Tan	G	R	S	I	MR
Leggett ^⓪	144	143	0	0	0	23.0	White	G	R	R	I	MS
ORe3541M ^⓪	35	140	-2	-2	0.6	23.3	White	VG	R	R	S	MS
ORe3542M ^⓪	35	142	-1	-2	-1.1	24.4	White	VG	R	R	S	S
ORe BOOST (F) ^⓪	16	138	7	7	-2.3	24.6	Light Yellow	VG	R	S	S	S
ORe Level48 ^⓪	28	140	-1	0	-0.5	21.6	White	G	R	MR	I	—
ORe Level50 ^⓪	28	139	0	1	-0.8	22.0	White	VG	R	R	S	MS
Pinnacle	50	152	3	10	-1.2	23.7	White	G	R	S	I	MS
Souris ^⓪	60	141	-4	0	0.5	20.9	White	G	R	MS	MR	MS
Stride	39	144	-2	13	0.6	23.7	White	VG	R	R	I	I
Summit ^⓪	115	148	0	-3	0.5	20.8	White	G	R	I	I	I
Triactor ^⓪	43	161	-1	8	-1.5	22.1	White	VG	I	MR	S	MS
Varieties being tested for adaptability in Western Canada												
AAC Basil ^⓪	5	166	2	-3	-1.3	20.1	White	VG	NT	NT	NT	NT
Kalio ^⓪	28	156	-2	1	-0.8	21.5	—	VG	NT	NT	NT	NT
Kyron ^⓪	27	157	-3	3	0.9	26.6	White	G	NT	NT	NT	NT
Varieties supported for registration by the PRCOB												
OT3121	5	162	-1	12	-2.2	21.0	White	VG	R	S	S	—
OT5015	5	156	1	10	-0.3	20.8	White	VG	R	I	S	—
GRAND MEAN (bu/acre)		151										
LSD (bu/acre) (0.05)		9										

1 The letter 'F' indicates a forage type.

2 All varieties are susceptible to new stem rust races NA67 and NA76 and these races caused moderate damage to crops in the Red River Valley in 2001 and 2002. Early seeding will generally reduce the likelihood of severe infection.

3 BYD = Barley Yellow Dwarf - a viral disease carried and spread by aphids - early seeding will generally reduce the likelihood of severe infection.

NT = Not tested for disease, until a full rating is generated assume that the variety is susceptible to the disease.

Yield Comparisons

Variety	2024 Yield (bu/acre)									
	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Souris	Stonewall	Thornhill
AAC Anthony [®]	173	133	210	138	205	223	194	268	128	93
AAC Fedak [®]	144	100	213	123	166	191	174	258	126	66
AAC Neville [®]	154	124	210	107	142	191	162	241	126	102
CDC Anson [®]	165	124	247	116	204	198	184	266	151	154
CDC Byer [®]	171	107	231	150	171	208	177	270	150	118
CDC Westgate (F) [®]	137	—	—	—	147	194	—	199	—	85
CS Camden [®]	160	108	175	112	196	190	164	221	81	162
Ore BOOST (F) [®]	111	93	184	117	121	177	137	152	94	71
Summit [®]	169	110	173	119	189	194	169	223	107	74
Varieties being tested for adaptability in Western Canada										
AAC Basil [®]	178	—	—	—	186	209	—	266	—	98
Kyron [®]	158	120	170	128	178	201	163	177	91	122
Varieties supported for registration by the PRCOB										
OT3121	169	—	—	—	177	211	—	240	—	119
OT5015	149	—	—	—	166	213	—	215	—	135
SITE GRAND MEAN (bu/acre)	157	113	202	123	173	200	170	230	117	108
CV %	5.5	12.6	6.1	6.9	6.0	4.3	5.9	5.8	5.4	6.7
LSD (bu/acre)	15	—	21	15	18	15	17	23	11	12
Sign Diff	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Seeding Date	12-May	09-Jun	21-May	14-May	06-May	05-May	10-May	10-May	10-May	10-May
Harvest Date	20-Aug	12-Sep	09-Sep	03-Sep	10-Sep	27-Aug	27-Aug	04-Sep	03-Sep	04-Sep



Bolles CWRS Wheat

- High Protein
- Semi Dwarf
- Some Salinity Tolerance*

*based on visual observations only

Nickel Bros.—204-773-6734
Pugh Seeds Ltd—204-274-2179
Warehamdale Seeds—204-849-2029
Seed Depot—204-825-2000

SPRING WHEAT

New for 2025

Variety	Class	Code	Breeder	Distributor	Seed Availability
CS Recoil ^⓪	CPSR	LAR17-7773	Limagrain Cereals Research Canada	CANTERRA SEEDS	2026
AAC Camrose VB ^⓪	CPSR	HY2129	AAFC - Lethbridge	Nutrien Ag Solutions Proven Seed	—
AAC Craven VB ^⓪	CWRS	BW1127	AAFC - Brandon	Nutrien Ag Solutions Proven Seed	—
AAC Galore ^⓪	CWSWS	SWS496	AAFC - Lethbridge	Seednet	—
AAC Oakman VB ^⓪	CWRS	BW5104	AAFC - Swift Current	SeCan	2026
AAC Stoughton VB ^⓪	CWRS	BW5095	AAFC - Swift Current	SeCan	2026
AAC Walsh ^⓪	CWRS	BW5089	AAFC - Swift Current	FP Genetics	2026
Palisade ^⓪	CWRS	LAR19-22198	Limagrain Cereals Research Canada	CANTERRA SEEDS	2026
Baker ^⓪	CWRS	LAR19-23455	Limagrain Cereals Research Canada	CANTERRA SEEDS	2026
Breadwinner ^⓪	CWRS	LAR19-23465	Limagrain Cereals Research Canada	CANTERRA SEEDS	2026
Flame ^⓪	CWRS	LAR20-25463	Limagrain Cereals Research Canada	Alliance Seed	2028
Fierce ^⓪	CPSR	LAR20-25760	Limagrain Cereals Research Canada	Alliance Seed	2028

Comments:

Midge tolerant varieties are designated by the letters 'VB', which stands for Varietal Blend. The varieties contain the Sm1 gene for tolerance. To manage against the build-up of midge resistance to the gene, an interspersed refuge is used commercially. More information on midge tolerant wheat varieties and interspersed refuge can be found at www.midgetolerantwheat.ca.

The varieties **CDC Hughes VB^⓪**, **CDC Landmark VB^⓪** and **CDC Adamant VB^⓪** have partial solid stems, which can provide protection against the wheat stem sawfly.

Most varieties have been rated for their relative resistance to pre-harvest sprouting. Under wet post-maturity conditions varieties rated poor (P) would have reduced ability to retain Hagberg Falling Number values relative to those rated good (G) or very good (VG).

Producers are strongly encouraged to use the Canadian Grain Commission's **Variety Designation Lists** (www.grainscanada.gc.ca) that indicate the varieties belonging to each class of wheat in Canada.

It is also recommended for producers to use the Canadian Food Inspection Agency's **List of Registered Varieties** (www.inspection.gc.ca) to determine registration status of varieties.

A number of new varieties are participating in a Variety Use Agreement (VUA). If producers purchase a VUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the Variety Use Agreement (VUA) when purchasing seed.

Faller & Prosper CNHR



Seed Depot
HIGH CALIBRE SEED VARIETIES

Ellis Seeds	204-824-2290	MB Seeds	204-746-4652	RJP Seeds	204-745-3304
Ens Quality Seed	204-325-4658	MGM Seeds	204-362-8986	Rutherford Farms	204-467-5613
Friesen Seeds	204-746-8325	Miller Agritec	204-267-2363	Seine River Seed	204-355-4495
Hulme Agra Products	204-685-2627	Nickel Bros	204-773-6735	Smith Family Seeds	204-825-7810
J.S. Henry and Son Ltd.	204-566-2422	Pitura Seed Service	204-736-2849	Triple S Seeds	204-546-2590
Janzen Seeds	204-829-7749	R-Way Ag	1-866-398-9643	Unger Seed Farm	204-467-8630
LD Seeds	204-324-5798	Red River Seeds	204-746-4779	Willowdale Seeds	204-801-0659

- **Highest yielding milling wheat Seed MB 2024**
- **Proven performance**

Seed Depot—204-825-2000

FP Genetics
 Growers thrive.
 Breeders innovate.
 Communities prosper.

FARMING WINS.

Gain a genetic advantage.
WHEAT: DORIS, HOCKLEY, GAGE, CLAY, PULSIS, HYBRID-FALL FIVE
 Experience the **NEXT WAVE!**

AAC HOCKLEY
 Excellent yield potential
 Threshes very well
 Unsurpassed disease package

Superior Performance Across Western Canada

WHEAT

CDC ANSON
 Very short plant height
 Rated 'VG' for standability
 Very high beta-glucan and early end-use demand

The Shortest Straw Available

NEW 2025 OATS

SYMANNNESS
 Very high yield potential
 Improved protein
 Early maturity

Elevating Yields in Fields

WHEAT

FP Genetics **FARMING WINS.**



Secure Your Seed!

Visit fpgenetics.ca for our **2025 Seed Guide [QR Code]**, call **877 791 1045** to speak with a **Territory Manager.**

©2024 FP Genetics. All rights reserved. CDC Anson developed at the Crop Development Centre, University of Saskatchewan.

SPRING WHEAT (continued)

Variety Descriptions

Class/Variety	Site Years Tested	Yield bu/acre	Protein %	Maturity +/- 99 days	Height +/- 81 cm	Spike Awned	Resistance Level:									
							Lodging	Sprouting	Loose Smut	Common Bunt	Leaf ¹ Spots	Stem Rust	Leaf Rust	Stripe Rust	Fusarium ² Head Blight	
Canada Western Red Spring																
AAC Alida VB⓪	33	73	14.7	2	6	Y	VG	VG	R	I	MS	R	R	MR	MR	
AAC Brandon⓪	122	74	14.4	2	0	Y	VG	P	MR	S	I	R	R	MR	MR	
AAC Broadacres VB⓪	31	77	14.3	3	6	Y	VG	F	—	MR	—	R	R	MR	I	
AAC Cameron VB⓪	34	78	14.0	1	13	Y	G	F	S	R	I	MR	MR	S	I	
AAC Craven VB⓪	7	79	13.7	3	0	Y	VG	F	—	MS	—	MR	I	R	MR	
AAC Darby VB⓪	42	72	14.6	-2	13	Y	G	VG	—	MS	—	MR	R	R	I	
AAC Dutton⓪	30	77	13.7	1	2	Y	VG	F	I	R	—	R	R	MR	MR	
AAC Elie⓪	45	72	14.4	2	-3	Y	VG	F	I	I	I	R	R	MR	I	
AAC Hassler⓪	17	72	15.0	-1	8	Y	G	P	I	MS	—	MR	R	R	I	
AAC Hockley⓪	28	73	14.4	2	-1	Y	VG	F	—	R	—	MR	R	R	MR	
AAC Hodge VB⓪	29	77	14.1	2	8	Y	VG	P	MS	R	R	R	R	R	MR	
AAC LeRoy VB⓪	34	76	14.4	0	7	Y	G	G	—	I	MS	MR	MR	MR	MR	
AAC Magnet⓪	33	72	14.5	0	8	Y	G	P	—	S	MS	R	R	I	MR	
AAC Oakman VB⓪	7	71	14.0	3	4	Y	VG	—	—	R	—	R	R	R	I	
AAC Redberry⓪	45	73	14.5	0	8	Y	G	G	R	I	MS	R	R	R	I	
AAC Redstar⓪	31	72	14.4	0	6	Y	VG	G	—	MR	—	R	MR	MR	MR	
AAC Russell VB⓪	31	76	14.5	2	4	Y	VG	F	—	MR	—	MR	R	R	MR	
AAC Spike⓪	18	71	13.8	0	-6	Y	VG	G	—	MR	—	R	R	R	MR	
AAC Starbuck VB⓪	37	77	14.7	1	1	Y	G	F	MR	S	S	I	MR	MR	MR	
AAC Stoughton VB⓪	18	76	13.2	3	2	Y	G	—	—	MR	—	R	R	I	MR	
AAC Tisdale⓪	32	72	15.3	1	8	Y	G	P	MR	MR	MS	R	R	S	MR	
AAC Viewfield⓪	52	75	14.5	3	-5	Y	VG	G	S	MR	I	R	MR	R	I	
AAC Walker VB⓪	18	78	14.2	2	1	Y	VG	VG	—	MR	—	R	R	R	MR	
AAC Walsh⓪	18	75	13.8	2	-2	Y	VG	—	MR	MR	—	MR	R	I	MR	
AAC Warman VB⓪	33	72	14.6	0	12	Y	G	F	MR	S	I	R	R	MS	MR	
AAC Westking⓪	18	76	14.3	2	-3	Y	VG	F	—	R	—	MR	R	I	MR	
AAC Wheatland VB⓪	33	77	14.4	1	0	Y	VG	G	R	MR	S	R	R	I	I	
Baker⓪	7	77	13.6	3	-5	Y	VG	—	—	MS	—	MR	I	MS	I	
Bolles⓪	31	72	15.7	—	-1	Y	VG	F	—	S	—	MR	R	MR	I	
Breadwinner⓪	7	76	14.1	3	-1	Y	VG	—	—	I	—	R	I	MS	MR	
Carberry⓪	133	70	14.7	2	0	Y	VG	F	MR	R	MS	MR	R	MR	MR	
Cardale⓪	30	72	14.6	2	3	Y	VG	G	I	MR	MS	R	R	S	MR	
CDC Adamant VB⓪	32	72	14.5	0	8	Y	F	F	S	S	MS	R	I	MS	I	
CDC Envy⓪	29	73	14.3	-1	2	Y	G	F	—	R	—	I	R	MR	I	
CDC Hughes VB⓪	33	72	14.7	1	3	Y	VG	G	MR	MS	I	R	MR	I	I	
CDC Landmark VB⓪	40	72	14.6	0	3	Y	VG	G	MR	MS	I	R	MS	MR	I	
CDC Ortona⓪	31	70	14.5	-1	5	Y	VG	VG	—	S	—	R	R	R	I	
CDC Pilar CLPlus⓪	31	71	14.3	1	-4	Y	VG	VG	—	MR	—	MR	R	MS	I	
CDC Plentiful⓪	42	69	14.7	-3	8	N	VG	P	R	I	I	R	R	MR	MR	
CDC Silas⓪	28	75	14.2	2	2	Y	VG	F	—	MS	—	MR	R	I	I	
CDC SKRush⓪	31	75	14.6	2	4	Y	VG	P	—	I	—	MR	R	MR	MR	
CDC Succession CLPLUS VB⓪	31	72	14.5	2	2	Y	VG	VG	—	S	—	MR	MR	I	MS	
CDC Titanium VB⓪	32	69	15.1	2	13	Y	G	P	MS	I	MS	I	R	R	MR	
Daybreak⓪VUA	31	77	14.3	2	4	Y	VG	P	—	S	—	R	MR	MR	I	
Ellerslie⓪	31	67	14.6	0	5	Y	VG	F	—	S	—	R	MR	R	I	
Flame⓪	7	72	14.2	3	3	Y	VG	—	—	I	—	R	MR	I	MR	
Glenn⓪	146	71	14.5	2	8	Y	VG	F	I	I	I	R	R	MR	I	
Palisade⓪	7	71	14.4	2	-1	Y	VG	—	—	I	—	R	MR	I	MR	
Parata⓪	33	71	14.8	-2	13	Y	G	F	MR	S	I	R	MR	MR	I	
Rednet⓪	31	73	14.6	3	16	Y	G	F	—	S	—	R	R	R	MR	
SY Brawn VB⓪	31	74	14.8	1	9	—	VG	F	—	MR	—	MR	R	I	I	
SY Cast⓪	36	73	14.7	3	-1	—	VG	G	—	R	—	R	R	R	I	
SY Chert VB⓪	26	73	14.2	-1	7	Y	G	F	R	R	MS	R	R	R	I	
SY Crossite⓪	18	76	14.1	3	8	—	VG	G	—	MS	—	R	R	R	MR	
SY Donald VB⓪	28	77	14.2	0	8	Y	VG	G	—	MS	—	I	I	I	MR	
SY Gabbro⓪	36	74	14.9	2	7	Y	VG	F	R	I	MS	MR	R	I	MR	
SY Manness⓪	29	79	14.2	1	-5	Y	VG	G	—	S	—	R	R	I	I	
SY Natron⓪	20	70	14.7	2	11	—	G	—	—	R	—	MR	R	S	I	
SY Slate⓪	32	74	15.0	1	10	Y	G	P	MS	S	MS	MR	R	MR	I	
SY Torach⓪	33	72	14.9	2	3	Y	VG	P	R	MS	MS	MR	R	MS	MR	
Tracker⓪	13	70	14.8	-2	4	Y	G	F	—	S	—	R	R	R	I	

Class/Variety	Site Years Tested	Yield bu/acre	Protein %	Maturity +/- 99 days	Height +/- 81 cm	Spike Awned	Resistance Level:								Fusarium ² Head Blight
							Lodging	Sprouting	Loose Smut	Common Bunt	Leaf ¹ Spots	Stem Rust	Leaf Rust	Stripe Rust	
Canada Prairie Spring Red															
AAC Camrose VB ^⓪	18	81	13.2	3	-4	Y	VG	—	—	R	—	R	R	R	I
AAC Entice ^⓪	35	77	13.7	2	1	Y	G	P	MS	S	MS	R	R	R	I
AAC Penhold ^⓪	44	78	14.0	1	-10	Y	VG	VG	I	R	I	MR	R	MR	MR
AAC Perform ^⓪	30	79	12.9	3	1	Y	VG	VP	—	I	—	R	R	MR	MS
AAC Rimbey VB ^⓪	29	81	12.4	1	0	Y	G	VG	—	I	—	R	R	R	I
AAC Westlock ^⓪	18	75	13.5	1	-1	Y	VG	G	—	R	—	R	R	R	MR
Accelerate ^⓪ VUA	31	81	13.3	2	-2	Y	VG	P	—	S	—	R	R	R	I
CDC Reign ^⓪	28	78	14.0	3	2	Y	VG	VG	—	S	—	MR	R	I	I
CS Recoil ^⓪	31	82	13.6	2	-4	Y	VG	—	—	MS	—	MR	R	R	I
Fierce ^⓪	7	77	13.3	2	-3	Y	VG	—	—	MR	—	R	MS	MS	I
SY Rorke ^⓪	30	78	12.9	3	2	—	VG	F	—	MS	—	R	R	S	I
SY Rowyn ^⓪	34	78	13.6	1	-5	Y	VG	F	I	S	I	R	R	MR	MR
Canada Northern Hard Red															
AAC Redwater ^⓪	43	69	14.6	-2	8	Y	G	VG	MS	I	MS	R	R	MR	I
Faller	52	88	13.0	1	3	Y	G	F	—	I	MS	I	MR	MS	I
Prosper ^⓪	46	87	13.0	1	3	Y	G	F	—	I	I	MR	MR	S	I
Shelly ^⓪	29	77	13.5	2	-5	Y	VG	—	—	MS	—	MR	R	MR	I
Canada Western Special Purpose															
AAC Awesome VB ^⓪	33	92	11.6	4	10	Y	G	P	I	I	I	R	MR	R	I
Alotta ^⓪	18	94	11.6	4	-1	Y	VG	—	—	I	—	R	R	R	MS
CDC Throttle	19	85	12.6	2	5	Y	VG	P	MR	I	S	MR	MR	I	I
Pasteur	39	81	13.1	7	5	N	VG	G	MS	S	I	MR	R	MR	I
WPB Whistler ^⓪	31	83	11.8	7	1	N	VG	F	—	I	—	R	R	R	MS
Canada Western Hard White Spring															
AAC Cirrus ^⓪	37	71	14.8	1	3	Y	VG	F	R	I	I	MR	R	R	I
AAC Tomkins ^⓪	29	67	14.8	0	2	Y	G	G	—	MR	—	MR	R	MS	I
AAC Whitehead VB ^⓪	29	78	14.2	1	1	Y	VG	G	—	R	—	R	R	MR	I
Canada Western Soft White Spring															
AAC Galore ^⓪	7	91	11.0	4	5	Y	VG	—	—	MS	—	R	I	MR	MS
Canada Western Extra Strong															
CDN Bison	14	71	13.8	1	8	Y	G	F	R	I	I	R	MR	—	I
Varieties supported for registration by the PRCWRT															
HY2152	7	81	12.9	3	2	—	VG	—	—	R	—	R	MR	R	I
LAR18-03928 ^⓪	5	86	13.3	2	-2	Y	G	—	—	S	—	R	R	I	I
LAR18-04850 ^⓪	18	71	14.1	2	-8	Y	VG	—	—	I	—	R	R	R	I
PT661	5	68	14.1	1	8	Y	VG	—	—	I	—	R	I	I	MR
GRAND MEAN (bu/acre and %)		79	14.2												
LSD (bu/acre and %) (0.05)		3	0.4												

1 Leaf Spots rating is a combination of resistance to tan spot, spot blotch and septoria leaf disease complex.

2 Fusarium head blight (FHB) infection is highly influenced by genetics, environment and heading date.

Under high levels of disease pressure, all varieties will experience yield and/or quality loss.

SPRING WHEAT (continued)

Yield Comparisons

Class/Variety	2024 Yield (bu/acre)											
	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Souris	Ste. Adolphe	Stonewall	Swan River	Thornhill
Canada Western Red Spring												
AAC Brandon☼	58	41	63	35	87	89	77	86	73	71	90	92
AAC Craven VB☼	66	—	78	—	89	94	—	90	72	—	—	94
AAC Darby VB☼	59	46	74	43	81	82	82	91	73	75	84	92
AAC Dutton☼	66	45	75	37	82	91	83	96	75	72	90	94
AAC Oakman VB☼	53	—	78	—	88	76	—	78	52	—	—	94
AAC Spike☼	48	38	63	42	91	85	77	81	63	66	94	91
AAC Stoughton VB☼	64	44	76	47	93	86	82	93	59	73	87	87
AAC Walker VB☼	63	50	78	43	91	96	83	96	74	80	93	102
AAC Walsh☼	59	42	66	48	96	87	78	85	67	72	91	89
AAC Westking☼	60	43	65	45	98	86	76	90	66	78	90	95
Baker☼	57	—	75	—	92	85	—	91	71	—	—	97
Breadwinner☼	62	—	72	—	93	87	—	91	69	—	—	92
Flame☼	51	—	64	—	94	82	—	80	65	—	—	89
Palisade☼	58	—	59	—	80	83	—	80	68	—	—	91
Canada Prairie Spring Red												
AAC Camrose VB☼	64	46	88	43	99	90	90	88	68	72	101	100
AAC Perform☼	65	53	86	36	90	77	94	94	78	82	94	93
AAC Westlock☼	64	43	70	44	87	86	82	84	54	68	91	95
CS Recoil☼	68	53	87	49	107	86	87	97	65	86	100	104
Fierce☼	65	—	91	—	97	88	—	90	61	—	—	90
Canada Western Special Purpose												
Alotta☼	70	42	89	63	112	108	103	109	81	84	110	105
Canada Western Soft White Spring												
AAC Galore☼	74	—	102	—	106	100	—	117	77	—	—	110
Varieties supported for registration by the PRCWRT												
HY2152	70	—	81	—	103	92	—	93	74	—	—	95
LAR18-04850☼	59	42	63	42	91	85	78	80	55	68	84	87
SITE GRAND MEAN (bu/acre)												
CV%	62	45	76	44	93	88	84	90	68	75	93	95
LSD (bu/acre)	7.7	9.1	4.0	6.4	2.8	4.3	3.0	3.5	6.9	4.8	2.5	6.2
Sign Diff	8	7	5	5	4	6	4	5	8	6	4	10
Sign Diff	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Seeding Date	12-May	09-Jun	21-May	05-May	06-May	05-May	30-Apr	10-May	13-Jun	10-May	10-May	10-May
Harvest Date	20-Aug	12-Sep	06-Sep	26-Aug	10-Sep	03-Sep	18-Aug	04-Sep	25-Sep	03-Sep	01-Sep	03-Sep

Protein Comparisons

Class/Variety	2024 Protein (%)										
	Arborg	Beausejour	Brandon	Carberry	Dauphin	Hamiota	Melita	Souris	Ste. Adolphe	Stonewall	Swan River
Canada Western Red Spring											
AAC Brandon [Ⓢ]	13.1	13.9	17.1	12.1	14.6	12.1	14.0	15.1	15.6	15.2	15.3
AAC Craven VB [Ⓢ]	12.6	—	15.7	—	14.2	11.4	—	14.3	14.7	—	—
AAC Darby VB [Ⓢ]	13.2	14.1	17.0	12.9	15.0	12.5	14.2	14.7	14.7	15.3	15.7
AAC Dutton [Ⓢ]	13.7	13.9	16.5	11.7	14.4	11.6	13.5	14.3	15.1	14.5	15.0
AAC Oakman VB [Ⓢ]	13.3	—	15.7	—	14.5	12.3	—	14.1	15.1	—	—
AAC Spike [Ⓢ]	13.0	13.9	16.9	12.2	14.4	12.3	13.9	14.8	15.2	15.3	14.9
AAC Stoughton VB [Ⓢ]	12.5	13.4	16.4	12.1	14.2	11.2	12.9	14.3	14.7	14.5	14.2
AAC Walker VB [Ⓢ]	12.2	14.2	16.5	11.6	15.0	11.3	13.0	14.2	15.4	14.5	15.4
AAC Walsh [Ⓢ]	13.0	14.0	17.6	12.5	14.7	12.5	13.8	15.4	15.0	14.2	14.5
AAC Westking [Ⓢ]	12.5	13.9	17.1	13.0	14.6	12.0	13.6	14.7	14.8	14.7	14.3
Baker [Ⓢ]	12.4	—	16.4	—	13.8	11.4	—	14.4	14.2	—	—
Breadwinner [Ⓢ]	13.3	—	16.9	—	14.3	11.8	—	14.7	14.7	—	—
Flame [Ⓢ]	12.8	—	16.8	—	14.2	12.4	—	15.2	14.8	—	—
Palisade [Ⓢ]	13.0	—	16.9	—	15.0	12.6	—	14.8	15.6	—	—
Canada Prairie Spring Red											
AAC Camrose VB [Ⓢ]	12.1	12.7	14.6	10.9	12.5	10.9	12.0	13.6	15.3	13.6	13.2
AAC Perform [Ⓢ]	11.1	13.3	14.9	9.8	12.7	11.7	11.6	13.4	13.1	13.4	14.0
AAC Westlock [Ⓢ]	11.9	13.4	16.0	11.5	14.1	11.3	12.4	13.5	13.9	14.0	14.1
CS Recoil [Ⓢ]	11.7	13.8	16.3	11.5	14.0	12.0	12.5	14.2	14.9	14.3	14.7
Fierce [Ⓢ]	12.0	—	15.0	—	13.5	10.9	—	14.1	14.8	—	—
Canada Western Special Purpose											
Alotta [Ⓢ]	11.4	11.3	13.5	10.3	11.5	10.3	11.4	12.3	11.7	12.3	12.4
Canada Western Soft White Spring											
AAC Galore [Ⓢ]	9.7	—	11.7	—	11.0	9.3	—	11.1	12.7	—	—
Varieties supported for registration by the PRCWRT											
HY2152	11.5	—	15.0	—	13.2	10.5	—	13.6	14.2	—	—
LAR18-04850 [Ⓢ]	12.5	13.4	16.6	13.1	14.0	12.1	13.1	14.3	15.4	14.6	14.6
SITE GRAND MEAN (%)	12.4	13.5	16.0	11.8	13.9	11.6	13.0	14.1	14.6	14.3	14.5

WINTER WHEAT

Comments:

Broadview and **CDC Falcon** are hard red kernel types.

AAC Elevate has resistance to wheat curl mite, the vector that transmits wheat streak mosaic virus. To preserve the effectiveness of the tolerance gene, agronomic practices eliminating the 'green bridge' of plant material that serves as a reservoir for mites should be followed whenever possible.

Variety Descriptions

Class/Variety	Site Years Tested	Yield bu/acre	Protein %	Height +/- 75 cm	Spike Awned	Relative ¹ Maturity	Relative ² Winter Hardiness	Resistance Level:					
								Lodging	Common Bunt	Stem Rust	Leaf Rust	Stripe Rust	Fusarium ³ Head Blight
Canada Western Red Winter													
AAC Coldfront	25	93	11.7	7	Y	M	VG	VG	S	R	R	R	I
AAC Elevate	39	82	11.7	8	Y	M	G	VG	MR	MR	I	MS	I
AAC Gateway	35	83	12.4	2	Y	M	F	VG	S	MR	I	MR	I
AAC Goldrush	50	82	12.0	10	Y	M	VG	G	S	MR	R	I	I
AAC Network	38	79	12.0	4	Y	L	G	VG	MR	R	MR	R	I
AAC Overdrive	16	82	11.9	4	Y	E	VG	VG	R	R	MR	R	MR
AAC Vortex	31	89	12.4	8	Y	M	VG	VG	S	R	R	R	MR
AAC Wildfire	44	89	11.7	10	Y	L	VG	G	MR	S	I	R	MR
CDC Buteo	86	80	11.7	16	Y	M	VG	F	S	I	I	S	MR
Emerson	80	83	12.7	11	Y	M	G	VG	S	R	I	MR	R
Moats	35	83	12.0	16	Y	E	G	F	MS	R	R	MR	S
Canada Western Special Purpose													
AAC Icefield	34	84	11.4	5	Y	M	F	VG	S	R	MR	MR	I
Broadview	38	83	11.5	6	Y	E	G	G	S	R	R	S	S
CDC Falcon	103	80	11.8	0	Y	E	F	VG	S	MR	MR	S	S
GRAND MEAN (bu/acre and %)		82	12.1										
LSD (bu/acre) (0.05)		3	0.2										

1 Maturity ratings: E = Early, M = Medium and L = Late. Varieties plus 2 to 4 days compared to CDC Falcon would be Medium (M) maturing. Varieties greater than 4 days compared to CDC Falcon would be rated as Late (L) maturing.

2 All registered varieties have adequate winter hardiness if seeded at the optimum date into standing stubble where good snow cover can be assured.

3 FHB infection is highly influenced by genetics, environment and heading date. Under high levels of disease pressure, all varieties will experience yield and/or quality loss.

Yield Comparisons

Class/Variety	2024 Yield (bu/acre)							
	Arborg	Beausejour	Boissevain	Carberry	Carman	Dauphin	Melita	Roblin
Canada Western Red Winter								
AAC Coldfront [Ⓢ]	116	107	112	61	106	134	108	104
AAC Network [Ⓢ]	80	95	112	55	90	90	102	65
AAC Overdrive [Ⓢ]	75	100	93	66	105	117	100	90
AAC Wildfire [Ⓢ]	100	96	118	60	103	129	101	92
AAC Vortex [Ⓢ]	103	103	115	66	111	123	98	90
Emerson [Ⓢ]	106	99	112	64	107	114	95	82
SITE GRAND MEAN (bu/acre)	97	100	110	62	104	118	101	87
CV%	4.3	5.2	4.1	5.0	11.3	5.1	5.2	5.0
LSD (bu/acre)	8	—	12	5	—	11	—	8
Sig Diff	Yes	No	Yes	Yes	No	Yes	No	Yes
Seeding Date	19-Sep	20-Sep	13-Sep	14-Sep	16-Sep	12-Sep	12-Sep	26-Sep
Harvest Date	12-Aug	13-Aug	19-Aug	18-Aug	06-Aug	23-Aug	06-Aug	21-Aug

Protein Comparisons

Class/Variety	2024 Protein (%)								
	Arborg	Beausejour	Boissevain	Carberry	Carman	Hamiota	Melita	Roblin	Winnipeg
Canada Western Red Winter									
AAC Coldfront [Ⓢ]	11.6	10.6	13.0	11.0	12.3	11.7	11.0	10.2	11.9
AAC Network [Ⓢ]	12.9	11.0	13.2	10.9	13.4	13.2	11.3	11.1	12.7
AAC Overdrive [Ⓢ]	13.7	10.7	13.3	11.9	12.5	12.1	11.7	11.3	12.9
AAC Wildfire [Ⓢ]	12.6	10.7	13.2	10.6	12.3	12.1	11.4	10.2	12.0
AAC Vortex [Ⓢ]	12.6	11.5	13.4	11.4	14.2	12.1	12.6	10.6	13.1
Emerson [Ⓢ]	12.5	12.0	13.7	10.7	14.1	13.3	12.3	10.7	12.6
SITE GRAND MEAN (%)	12.7	11.1	13.3	11.1	13.1	12.4	11.7	10.7	12.5

FALL RYE

Comments:

Hybrid fall rye varieties have improved falling number. Typically, a falling number of 180 seconds or greater is preferred by the rye milling market. Falling number can be heavily influenced by moisture around harvest time.

Variety Descriptions

Variety	Site Years Tested	Yield (bu/ac)	Height +/- 104 cm	Relative ¹ Maturity	Falling Number (Seconds)	Resistance Level:		Relative Winter Hardiness
						Lodging	Ergot ²	
Danko	29	89	—	—	—	—	—	F
Hazlet	84	94	3	0	172	G	MS	VG
Prima	10	90	13	-3	204	F	MS	VG
Hybrid Fall Rye								
Brasetto	36	109	-7	0	248	VG	MS	VG
KWS Bono	43	108	-8	0	265	VG	MS	VG
KWS Daniello	35	108	-7	-1	272	G	MS	VG
KWS Gatano	20	111	-7	0	268	G	MS	VG
KWS Receptor ^⓪	19	118	-7	-1	270	G	MS	VG
KWS Sandor ^⓪	19	117	-6	-1	274	G	MS	VG
KWS Serafino ^⓪	34	116	-5	-1	281	G	MS	VG
KWS Trebiano ^⓪	32	112	-3	0	284	VG	MS	VG
SU Cossani	19	113	—	—	NT	—	NT	—
SU Performer	19	111	—	—	NT	—	NT	—
GRAND MEAN (bu/acre)		103						
LSD (bu/acre) (0.05)		5						

1 Maturity ratings: Hazlet reaches maturity in approximately 219 days.

2 All varieties are susceptible to ergot. Current testing does not suitably differentiate varietal differences from other factors such as weather, crop development stage, inoculum load, and management.

NT = Not tested

Yield Comparisons

Type/Variety	2024 Yield (bu/acre)							
	Arborg	Beausejour	Boissevain	Carberry	Carman	Dauphin	Melita	Roblin
Hazlet	75	87	89	60	124	139	111	100
Hybrid Fall Rye								
KWS Receptor ^⓪	116	116	124	63	167	171	147	108
KWS Sandor ^⓪	99	125	132	85	159	180	137	113
KWS Serafino ^⓪	83	119	132	71	157	176	137	109
SU Cossani	100	127	120	77	140	149	141	117
SU Performer	95	103	128	59	146	164	133	125
Varieties being tested for adaptability in Western Canada								
21SSH02	—	—	—	—	131	145	120	—
SITE GRAND MEAN (bu/acre)								
CV%	12.3	12.6	4.8	5.5	6.5	6.6	4.0	5.5
LSD (bu/acre)	22	26	11	6	14	19	10	11
Sign Diff	yes	yes	yes	yes	yes	yes	yes	yes
Seeding Date	19-Sep	20-Sep	13-Sep	14-Sep	16-Sep	12-Sep	14-Sep	26-Sep
Harvest Date	12-Aug	13-Aug	12-Aug	18-Aug	06-Aug	23-Aug	6-Aug	21-Aug

Distributor Contacts for Listed Varieties in Seed Manitoba 2025

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

BARLEY

Malting	
AAC Connect (2)👤	CANTERRA SEEDS
AAC Goldman (2)👤	La Coop Federee
AAC Prairie (2)👤	CANTERRA SEEDS
AAC Synergy (2)👤	FP Genetics
AB Brewnet (2)👤	SeCan
AB Dram (2)👤	SeedNet
AB Foothills (2)👤	CANTERRA SEEDS
AC Metcalfe (2)	SeCan
Bentley (2)👤	CANTERRA SEEDS
CDC Bow (2)👤	SeCan
CDC Churchill (2)👤	SeCan
CDC Copeland (2)	SeCan
CDC Copper (2)👤	FP Genetics
CDC Fraser (2)👤	SeCan
CDC Kindersley (2)👤	SeCan
CDC PlatinumStar (2)👤	CANTERRA SEEDS
Celebration (6W)👤	CANTERRA SEEDS
Lacey (6W)	Alliance Seed
Lowe (2)👤	SeCan
Newdale (2)	FP Genetics
Sirish (2)👤	FP Genetics
SY Stanza (2)👤	FP Genetics
Torbellino (2)	FP Genetics
Tradition (6W)	Nutrien Ag Solutions Proven Seed / FP Genetics
Food and Feed	
AAC Lariat (2)👤	CANTERRA SEEDS
AAC Stockton (2)👤	SeCan
AB Advantage (6F)👤	SeCan
AB Cattilelac (6)👤	Alliance Seed
AB Hague (2)👤	FP Genetics
AB Maximizer (2)👤	CANTERRA SEEDS
AB Prime (2)👤	SeedNet
AB Standswell (6)👤	Mastin Seeds
AB Tofield (6)👤	SeCan
AB Wrangler (2)👤	CANTERRA SEEDS
Altorado👤	Nutrien Ag Solutions Proven Seed
AS Lafleur (2)👤	Alliance Seed
Bighorn (2)👤	Nutrien Ag Solutions Proven Seed
Canmore (2)👤	CANTERRA SEEDS
Cantu (2)👤	Nutrien Ag Solutions Proven Seed
Carleton (2)👤	Nutrien Ag Solutions Proven Seed
CDC Austenson (2)👤	SeCan
CDC Cowboy (2F)👤	SeCan
CDC Durango (2)👤	SeCan
CDC Maverick (2F)👤	SeCan
CDC Renegade (2F)👤	SeCan
Claymore (2)👤	Nutrien Ag Solutions Proven Seed
CONLON (2)👤	Seed Depot
Desperado (6F)	Alliance Seed
Esma (2)👤VUA	SeCan
Ibex (2)👤	Nutrien Ag Solutions Proven Seed
KWS Kellie (2)👤VUA	SeCan
Oreana (2)👤	Nutrien Ag Solutions Proven Seed
RGT Planet (2)👤VUA	SeCan
Richer (6)👤	Seed Depot
Varieties being tested for adaptability in Western Canada	
AS Manon (2)👤	Alliance Seed
Waterloo (6)	Seed Depot

OATS

AAC Anthony👤	SeCan
AAC Douglas👤	SeCan
AAC Fedak👤	SeCan
AAC Kongsore	Grain Millers
AAC Neville👤	SeCan
AAC Wesley👤	FP Genetics
AC Morgan	SeCan
Alka👤	Elite Seeds

OATS

CDC Anson👤	FP Genetics
CDC Arborg👤	FP Genetics
CDC Byer👤	FP Genetics
CDC Dancer	FP Genetics
CDC Endure👤	Alliance Seed
CDC Haymaker (F)👤	SeCan
CDC Morrison👤	CANTERRA SEEDS
CDC Westgate (F)👤	FP Genetics
CS Camden👤	CANTERRA SEEDS
Furlong	CANTERRA SEEDS
Leggett👤	FP Genetics
ORe3541M👤	SeCan
ORe3542M👤	SeCan
ORe BOOST (F)👤	SeCan
ORe Level48👤	Seed Depot
ORe Level50👤	Seed Depot
ORe Ruminator (F)👤	Alliance Seed
Pinnacle	FP Genetics
Souris👤	Seed Depot
Stride	SeCan
Summit👤	FP Genetics
Triactor👤	CANTERRA SEEDS
Varieties being tested for adaptability in Western Canada	
AAC Basil👤	SeCan
Kalio👤	CANTERRA SEEDS
Kyron👤	CANTERRA SEEDS

SPRING WHEAT

Canada Western Red Spring

AAC Alida VB👤	SeCan
AAC Brandon👤	SeCan
AAC Broadacres VB👤	Nutrien Ag Solutions Proven Seed
AAC Cameron VB👤	CANTERRA SEEDS
AAC Craven VB👤	Nutrien Ag Solutions Proven Seed
AAC Darby👤	FP Genetics
AAC Dutton👤	SeCan
AAC Elie👤	Alliance Seed
AAC Hassler👤	FP Genetics
AAC Hockley👤	FP Genetics
AAC Hodge VB👤	FP Genetics
AAC LeRoy VB👤	Alliance Seed
AAC Magnet👤	FP Genetics
AAC Oakman VB👤	SeCan
AAC Redberry👤	Alliance Seed
AAC Redstar👤	SeCan
AAC Russell VB👤	FP Genetics / Nutrien Ag Solutions Proven Seed
AAC Spike👤	SeCan
AAC Starbuck VB👤	SeCan

FRASER SEEDS LTD. Plant: 204-776-2047
 Minto, Manitoba 1/2 mile South of Minto on #10 Hwy, 3 miles West, and 1/2 mile North
 Rick: 204-534-7458
 Jay: 204-534-7722

RED SPRING WHEAT

AAC Brandon	A trusted standard wheat for the prairies. Very high yield, AAC, good protein, very good disease package, and an (MR) rating for FHB.	AAC Wheatland / AAC Brandon	Midge Tolerant, with shorter, very strong straw, more protein, (1) Rating for FHB. Highest yield last 3 years.
OATS			
AAC Leroy VB / AAC Redberry	AAC LeRoy VB is a NEW Midge Tolerant CWRS, with a high yield potential in CWRS. MR for FHB and improved lodging resistance, yields of 13% more than Carberry and 10% over Unity in registration trials, Sm1 Resistance.	CDC Endure	A top yielding line, outyielding AC Morgan & CS Camden in 2019 MOVET, SKVPG, ABRV trials. Strong Standability, Earlier Maturity than CS Camden, High test weights, Consistently high Beta-glucan content, Parentage: OTS90/ CDC Dancer.

*Available in Foundation, Registered and Certified.

SPRING WHEAT

AAC Stoughton VB	SeCan
AAC Tisdale	SeCan
AAC Viewfield	FP Genetics
AAC Walker VB	FP Genetics
AAC Walsh	FP Genetics
AAC Warman VB	SeCan
AAC Westking	SeCan
AAC Wheatland VB	SeCan
Baker	CANTERRA SEEDS
Bolles	Seed Depot
Breadwinner	CANTERRA SEEDS
Carberry	SeCan
Cardale	Seed Depot
CDC Adamant VB	FP Genetics
CDC Envy	Alliance Seed
CDC Hughes VB	Nutrien Ag Solutions Proven Seed
CDC Landmark VB	FP Genetics
CDC Ortona	Nutrien Ag Solutions Proven Seed
CDC Pilar CLPlus	Nutrien Ag Solutions Proven Seed
CDC Plentiful	FP Genetics
CDC Silas	FP Genetics
CDC SKRush	SeCan
CDC Succession CLPlus	Nutrien Ag Solutions Proven Seed
CDC Titanium VB	Nutrien Ag Solutions Proven Seed
Daybreak	CANTERRA SEEDS
Ellerslie	SeCan
Flame	Alliance Seed
Glenn	CANTERRA SEEDS
Palisade	CANTERRA SEEDS
Parata	SeCan
RedNet	SeedNet Inc.
SY Brawn VB	Nutrien Ag Solutions Proven Seed
SY Cast	Nutrien Ag Solutions Proven Seed
SY Chert VB	Syngenta Canada Inc.
SY Crossite	FP Genetics
SY Donald VB	FP Genetics
SY Gabbro	Richardson Pioneer
SY Manness	FP Genetics
SY Natron	
SY Slate	Syngenta Canada Inc.
SY Torach	Alliance Seed
Tracker	CANTERRA SEEDS
Canada Prairie Spring Red	
AAC Camrose VB	Nutrien Ag Solutions Proven Seed
AAC Entice	Nutrien Ag Solutions Proven Seed
AAC Penhold	SeCan
AAC Perform	Alliance Seed
AAC Rimbey VB	SeCan
AAC Westlock	SeCan
Accelerate	CANTERRA SEEDS
CDC Reign	FP Genetics
CS Recoil	CANTERRA SEEDS
Fierce	Alliance Seed
SY Rorke	Nutrien Ag Solutions Proven Seed
SY Rowyn	Alliance Seed

SPRING WHEAT

Canada Northern Hard Red	
AAC Redwater	SeCan
Faller	Seed Depot
Prosper	Seed Depot
Shelly	Seed Depot
Canada Western Special Purpose	
AAC Awesome VB	SeCan
Alotta	SeCan
CDC Throttle	Crop Development Centre
Pasteur	SeCan
WPB Whistler	SeCan
Canadian Western Hard White Spring	
AAC Cirrus	FP Genetics
AAC Tomkins	FP Genetics
AAC Whitehead VB	FP Genetics
Canada Western Soft White Spring	
AAC Galore	SeedNet
Canada Western Extra Strong	
CDN Bison	Faurschou Farms Ltd. III

WINTER WHEAT

Canada Western Red Winter	
AAC Coldfront	SeCan
AAC Elevate	SeCan
AAC Gateway	Seed Depot
AAC Goldrush	FP Genetics
AAC Network	SeedNet
AAC Overdrive	SeCan
AAC Vortex	Alliance Seed
AAC Wildfire	SeCan
CDC Buteo	SeCan
Emerson	CANTERRA SEEDS
Moats	SeCan
Canada Western Special Purpose	
AAC Icefield	FP Genetics
Broadview	CANTERRA SEEDS
CDC Falcon	SeCan

FALL RYE

Danko	FP Genetics
Hazlet	SeCan
Prima	SeCan
Hybrid Fall Rye	
Brasetto	KWS Seeds Canada Ltd.
KWS Bono	KWS Seeds Canada Ltd.
KWS Daniello	SeedNet
KWS Gatano	KWS Seeds Canada Ltd.
KWS Receptor	KWS Seeds Canada Ltd.
KWS Sandor	KWS Seeds Canada Ltd.
KWS Serafino	SeedNet
KWS Trebiano	KWS Seeds Canada Ltd.
SU Cossani	FP Genetics
SU Performer	FP Genetics



Contact us at: 102 2nd Ave Rivers, MB R0K 1X0



Branden Craik (Manager)
@ 204.328.5346 or bcraik@redsper.ca

Morris Mylrea (Ops. Manager)
@ 204.328.5346 or mmylrea@redsper.ca

Redsper is a certified seed retailer that has the ability to treat, store, and clean grain.
Visit our website for more information: www.redsper.ca

DISTRIBUTOR	PHONE NUMBER
Alliance Seed	1-877-270-2890
CANTERRA SEEDS	1-877-439-7333
Crop Development Centre	1-306-966-5855
Elite Seeds	
FP Genetics	1-877-791-1045
Grain Millers	1-306-783-2931
KWS Seeds Canada Ltd.	1-403-926-8861
La Coop Federee	1-514-384-6450
Mastin Seeds	1-403-556-2609
Nutrien Ag Solutions Proven Seed	1-855-569-9444
Richardson Pioneer	1-204-934-5166
SeCan	1-800-665-7333
Seed Depot	1-204-825-2000
SeedNet Inc.	1-403-715-9771
Syngenta Canada Inc.	1-877-964-3682

Congratulations

**CSGA on reaching an incredible milestone of 120 years!
We look forward to working together and building on this
legacy for another 120 years!**



120
YEARS
ANS



CSGA
Canadian Seed
Growers' Association

ACPS
Association canadienne
des producteurs de semences

Manitoba
Seed Growers'
Association

Strong Foundation.
Bright Future.

• • • • •
Celebrating 120 years together!

Fondations solides.
Avenir prometteur.

• • • • •
Célébrons ensemble 120 ans!



Inoculants & Ag-Biologicals

It's All We Do

N-Fixing Liquid Inoculants

Soybeans, Peas, Lentils & Faba Beans

P-Solubilizing Liquid Ag-Biologicals

Oilseeds, Cereals, Legumes, Tubers & Vegetables

XiteBio Technologies Inc.

xitebio.ca



1-855-XITEBIO

XiteBio[®]

Growers List



BARLEY

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☉ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

AAC CONNECT ☉		
Boissevain; Armstrong Seeds Ltd.....	204-534-2566	C
Brandon; Wheat City Seeds Ltd.	204-727-3337	C
Decker; Murray Farms Inc.....	204-764-2733	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
Reinland; Ens Farms Ltd.....	204-325-4658	R
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Virden; Clearview Acres Ltd.....	204-748-7666	C
AAC LARIAT ☉		
Virden; Clearview Acres Ltd.....	204-748-7666	R
AAC PRAIRIE ☉		
Reston; Avondale Seed Farm Ltd.....	204-877-3813	S F
AAC STOCKTON ☉		
Plumas; Court Seeds Ltd.....	204-386-2354	F
AAC SYNERGY ☉		
Domain; Manness Seed.....	204-736-2622	S F R
Glenboro; Jefferies Seeds.....	204-827-2102	R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Rosenort; Friesen, Lloyd.....	204-746-5751	R
Russell; Keating Seed Farms Inc.....	204-773-3854	R
AB ADVANTAGE ☉		
Cromer; Bartel Seeds.....	204-851-1755	C
Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	C
Reinland; Ens Farms Ltd.....	204-325-4658	C
Ste. Rose Du Lac; Gamache, Ryan.....	204-447-2118	C
Warren; Riddell Seed Co.....	204-227-5679	S C
AB CATTLELAC ☉		
Plumas; Tonn, Todd & Darren & Nolan.....	204-386-2206	S F
Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
ALTORADO ☉		
Reston; Avondale Seed Farm Ltd.....	204-877-3813	C
AS LAFLEUR ☉		
Swan River; Oberlin Farms & Seed Services.....	204-734-2292	F
CANMORE ☉		
Darlingford; Morrow, Graham.....	204-362-8986	C
CDC AUSTENSON ☉		
Arborg; Harreg Farms.....	204-642-2570	S F
Deloraine; Bolduc & Bell Farms.....	204-747-2913	C
Hamiota; Knight Seeds.....	204-764-2450	C
Holland; Kubinec, Anastasia.....	204-526-2776	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	C
Miniota; Walker, Alan Glen.....	204-748-7264	C
Newdale; Warehamdale Seeds Ltd.....	204-867-0268	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C
Plumas; Court Seeds Ltd.....	204-386-2354	C
Plumas; Tonn, Todd & Darren & Nolan.....	204-386-2206	R C
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Ste. Rose Du Lac; Gamache, Ryan.....	204-447-2118	C
Swan River; Oberlin Farms & Seed Services.....	204-734-2292	C
CDC CHURCHILL ☉		
Boissevain; Boissevain Select Seeds.....	204-534-0752	C
Carberry; Calvert Ag Inc.....	204-573-1278	R
Hamiota; Knight Seeds.....	204-764-2450	R C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C

BARLEY

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☉ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

CDC COPELAND		
Hamiota; Knight Seeds.....	204-764-2450	C
CDC DURANGO ☉		
Cromer; Bartel Seeds.....	204-851-1390	R
Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	S F
Inglis; Beischer Family Farm Seeds Ltd.....	204-564-2676	R
Killarney; Bar H Agri Seeds.....	204-523-7464	R
Plumas; Tonn, Todd & Darren & Nolan.....	204-386-2206	R
Reinland; Ens Farms Ltd.....	204-325-4658	F
Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	F R
Warren; Riddell Seed Co.....	204-227-5679	F
CDC FRASER ☉		
Boissevain; Boissevain Select Seeds.....	204-534-0752	C
Mather; Mc Lennan Farms Ltd.....	204-529-2372	C
CDC RENEGADE ☉		
Inglis; Beischer Family Farm Seeds Ltd.....	204-564-2676	R
CONLON		
Somerset; Sierens Seed Service.....	204-744-2883	C
ESMA ☉ VUA		
Carberry; Calvert Ag Inc.....	204-573-1278	C
Oak Bank; Willowdale Seeds.....	204-801-0659	C
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C

MFi seed

Reputable Seed Service Since 1969

Wheat	Peas
AAC Wheatland VB	CDC Hickie
AAC Westking	Barley
SY Manness	AAC Connect
Oats	
CDC Anson	

For more info contact:
 Ryan 204.764.0366 • Dale 204.764.0361
mfiseed@gmail.com
 Decker, Manitoba

MFi seed A division of Murray Farms inc.

BARLEY

S=Select; F=Foundation; R=Registered; C=Certified; ☪ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☩ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Plumas; Court Seeds Ltd.....	204-386-2354	R
Reinland; Ens Farms Ltd.....	204-325-4658	R
Virden; Clearview Acres Ltd.....	204-748-7666	C
Warren; Riddell Seed Co.....	204-227-5679	F

RICHER☩

Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	R
--	--------------	---

TRADITION

Navin; James Farms Ltd.....	204-222-8785	C
-----------------------------	--------------	---

OATS

AAC DOUGLAS☩

Altona; DI Seeds.....	204-324-7999	R C
Arborg; Timchishen Seeds Farms.....	204-641-1288	R
Boissevain; Boissevain Select Seeds.....	204-534-0752	S F C
Boissevain; Latimer, Kevin & Duane.....	204-534-8318	C
Brandon; Wheat City Seeds Ltd.....	204-727-3337	C
Carman; RJP Seed Ltd.....	204-745-3304	C
Dufrost; R & R Catellier Farms.....	204-746-4175	R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	C
Holland; Patenaude Farms Inc.....	204-526-7212	C
Homewood; Agassiz Seed Farm.....	204-745-6655	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	C
Notre Dame De Lourdes; Durand Seeds Inc.....	204-248-2268	C
Oak Bank; Willowdale Seeds.....	204-801-0659	C
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Rosenort; Friesen Seeds Ltd.....	204-746-8325	R
Sanford; Bergen Seed Farm.....	204-736-2278	S F R
St. Leon; Labossiere, Luc & Rejean.....	204-825-7249	C
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Ste. Rose Du Lac; Gamache, Ryan.....	204-447-2118	C
Swan River; Badowski, Dennis.....	204-734-6222	C
Warren; Riddell Seed Co.....	204-227-5679	F
Wawanesa; Ellis Seeds.....	204-824-2290	C

CDC ANSON☩

Altona; DI Seeds.....	204-324-7999	R
Arborg; Timchishen Seeds Farms.....	204-641-1288	F R
Boissevain; Armstrong Seeds Ltd.....	204-534-2566	R
Boissevain; Boissevain Select Seeds.....	204-534-0752	S F
Carman; RJP Seed Ltd.....	204-745-3304	S R
Cromer; Bartel Seeds.....	204-851-1755	R
Decker; Murray Farms Inc.....	204-764-2733	S F R
Domain; Manness Seed.....	204-736-2622	S F R
Domain; Pitura Seed Farms Ltd.....	204-736-2849	S F R
Elphinstone; Gerrard Family Seeds.....	204-365-0321	R
Glenboro; Jefferies Seeds.....	204-827-2102	R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	S F R
Hamiota; Knight Seeds.....	204-764-2450	S C
Inglis; Beischer Family Farm Seeds Ltd.....	204-564-2676	R
Killarney; Bar H Agri Seeds.....	204-523-7464	R
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	S F
Manitou; Sanders Seed Farm.....	204-242-4200	R
Minto; Southern Seed.....	204-776-2333	R
Morris; Red River Seeds Ltd.....	204-746-3059	R
Navin; James Farms Ltd.....	204-222-8785	C
Newdale; Warehamdale Seeds Ltd.....	204-867-0268	R
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	F
Pilot Mound; Smith Family Seeds.....	204-825-7810	R
Plumas; Court Seeds Ltd.....	204-386-2354	R
Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
Rosenort; Friesen, Lloyd.....	204-746-5751	R
Rosser; Krym Farms Ltd.....	204-955-5562	S F
Russell; Keating Seed Farms Inc.....	204-773-3854	R
Sanford; Bergen Seed Farm.....	204-736-2278	S F R
Somerset; Sierens Seed Service.....	204-744-2883	R
Souris; Kohut, David Anton & Richard & Gregory & Katherine.....	204-483-3063	S F

OATS

S=Select; F=Foundation; R=Registered; C=Certified; ☪ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☩ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

CDC ARBORG☩

Carman; RJP Seed Ltd.....	204-745-3304	C
Hamiota; Knight Seeds.....	204-764-2450	R C
Plumas; Court Seeds Ltd.....	204-386-2354	C

CDC ENDURE☩

Boissevain; Armstrong Seeds Ltd.....	204-534-2566	C
Boissevain; Boissevain Select Seeds.....	204-534-0752	S F C
Delorraine; Bolduc & Bell Farms.....	204-747-2913	C
Holland; Kubinec, Anastasia.....	204-526-2776	C
Homewood; Agassiz Seed Farm.....	204-745-6655	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	C
Minto; Fraser Seeds Ltd.....	204-534-7458	C
Morris; Red River Seeds Ltd.....	204-746-3059	R
Reinland; Ens Farms Ltd.....	204-325-4658	C
Sanford; Bergen Seed Farm.....	204-736-2278	R
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Swan River; Oberlin Farms & Seed Services.....	204-734-2292	C

CDC HAYMAKER☩

Binscarth; Inland Seed Corp.....	204-683-2316	C
Carman; Menold, Ulrich, Tyler & Lucas.....	204-750-2675	S F R
Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	C
Navin; James Farms Ltd.....	204-222-8785	C
Oak Bank; Willowdale Seeds.....	204-801-0659	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	R
Ste. Rose Du Lac; Gamache, Ryan.....	204-447-2118	C
Warren; Riddell Seed Co.....	204-227-5679	S C

CDC SO-I☪

Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	C
--	--------------	---

CS CAMDEN☩

Boissevain; Boissevain Select Seeds.....	204-534-0752	R
Dauphin; Dauphin Plains Seeds Ltd.....	204-638-7800	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	R
Miniota; Walker, Alan Glen.....	204-748-7264	C
Morris; Hamblin, Donald & Bradley.....	204-209-0506	C
Morris; Horizon Agro Inc.....	204-746-2026	R
Sanford; Bergen Seed Farm.....	204-736-2278	F C
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	R
Virden; Clearview Acres Ltd.....	204-748-7666	C

KALIO☩

Morris; Horizon Agro Inc.....	204-746-2026	S F C
Virden; Clearview Acres Ltd.....	204-748-7666	R

ORE BOOST☩

Carman; Menold, Ulrich, Tyler & Lucas.....	204-750-2675	F
Cromer; Bartel Seeds.....	204-851-1390	R
Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	S F
Dufrost; R & R Catellier Farms.....	204-746-4175	F
Reinland; Ens Farms Ltd.....	204-325-4658	F
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Warren; Riddell Seed Co.....	204-227-5679	F

ORE LEVEL48☩

Morris; Red River Seeds Ltd.....	204-746-3059	C
----------------------------------	--------------	---

ORE RUMINATOR☩

Reinland; Ens Farms Ltd.....	204-325-4658	F
------------------------------	--------------	---

ORE3541M☩

Portage La Prairie; Sanderson, Garry.....	204-857-8406	C
---	--------------	---

PINNACLE

Rosser; Krym Farms Ltd.....	204-955-5562	R
-----------------------------	--------------	---

SUMMIT☪

Brunkild; SKT Farms Inc.....	204-795-6507	C
Carman; RJP Seed Ltd.....	204-745-3304	R C
Domain; Manness Seed.....	204-736-2622	C
Killarney; Bar H Agri Seeds.....	204-523-7464	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	R C
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C
Pilot Mound; Smith Family Seeds.....	204-825-7810	R C

OATS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Plumas; Court Seeds Ltd.....	204-386-2354	C
Rosenort; Friesen, Lloyd.....	204-746-5751	R
Sanford; Bergen Seed Farm.....	204-736-2278	C
Somerset; Sierens Seed Service.....	204-744-2883	C
Souris; Kohut, David Anton & Richard & Gregory & Katherine.....	204-483-3063	R
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C

FALL RYE

DANKO

Hamiota; Knight Seeds.....	204-764-2450	S F R C
----------------------------	--------------	---------

HAZLET

Brandon; Wheat City Seeds Ltd.....	204-727-3337	C
Brunkild; Kletke Enterprises Ltd.....	204-736-3334	R
Carman; RJP Seed Ltd.....	204-745-3304	C
Glenboro; Jefferies Seeds.....	204-827-2102	C
Holland; Patenaude Farms Inc.....	204-526-7212	C
Morris; Red River Seeds Ltd.....	204-746-3059	C
Notre Dame De Lourdes; Durand, Leo.....	204-248-2372	R
Reinland; Ens Farms Ltd.....	204-325-4658	F R
Rivers; Redsper Enterprises.....	204-328-5346	C
Rosenort; Morris River Farms Ltd.....	204-746-0207	R

SU PERFORMER

Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
-------------------------------------	--------------	---

SPRING RYE

GAZELLE

Morris; Red River Seeds Ltd.....	204-746-3059	R
----------------------------------	--------------	---

TRITICALE

641512175☺

Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
-------------------------------------	--------------	---

DURUM

AAC SCHRADER☺

Cromer; Bartel Seeds.....	204-851-1755	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	R

SPRING WHEAT

AAC BRANDON☼


Altona; Fuchsmeier, Joni.....	204-324-3859	C
Arborg; Harreg Farms.....	204-642-2570	R
Baldur; Jeff Parsonage.....	204-535-2598	R
Binscarth; Inland Seed Corp.....	204-683-2316	C
Boissevain; Boissevain Select Seeds.....	204-534-0752	C
Boissevain; Latimer, Kevin & Duane.....	204-534-8318	C
Brunkild; SKT Farms Inc.....	204-795-6507	C
Carberry; Calvert Ag Inc.....	204-573-1278	R C
Carman; Menold, Ulrich, Tyler & Lucas.....	204-750-2675	R
Cromer; Bartel Seeds.....	204-851-1390	C
Crystal City; Fallis, Allan & Mark.....	204-825-4525	R
Darlingford; Morrow, Graham.....	204-362-8986	C
Dauphin; Dauphin Plains Seeds Ltd.....	204-638-7800	C
Dauphin; Fisher Seeds Ltd.....	204-622-8800	C
Deloraine; Bolduc & Bell Farms.....	204-747-2913	C

SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Domain; Manness, Clayton.....	204-736-2922	F
Domain; Pitura Seed Farms Ltd.....	204-736-2849	R
Elm Creek; Grey Seed Farm Ltd.....	204-436-3321	C
Gilbert Plains; Tokar Pedigreed Seed Corp.....	204-648-7070	R
Glenboro; Jefferies Seeds.....	204-827-2102	C
Grandview; Triple S Seeds Ltd.....	204-638-2004	C
Hamiota; Knight Seeds.....	204-764-2450	C
Holland; Patenaude Farms Inc.....	204-526-7212	C
Homewood; Agassiz Seed Farm.....	204-745-6655	C
Kenton; Stevenson, Richard & Douglas.....	204-573-3054	C
Kenton; Stevenson, Robert & Sidney.....	204-838-2012	C
Killarney; Bar H Agri Seeds.....	204-523-7464	R
Lowe Farm; Mb Seeds Ltd.....	204-746-4652	R C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	R C
Manitou; Sanders Seed Farm.....	204-242-4200	R
Miniota; Walker, Alan Glen.....	204-748-7264	R
Minto; Fraser Seeds Ltd.....	204-534-7458	R
Minto; Southern Seed.....	204-776-2333	C
Morris; Horizon Agro Inc.....	204-746-2026	C
Morris; Red River Seeds Ltd.....	204-746-3059	C
Newdale; Warehamdale Seeds Ltd.....	204-867-0268	C
Notre Dame De Lourdes; Durand Seeds Inc.....	204-248-2268	C
Oak Bank; Willowdale Seeds.....	204-801-0659	C
Oak Bluff; Gousseau Seed Farms Ltd.....	204-981-6953	R
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	R
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C
Pilot Mound; Smith Family Seeds.....	204-825-7810	R C
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Plumas; Court Seeds Ltd.....	204-386-2354	C
Plumas; Tonn, Todd & Darren & Nolan.....	204-386-2206	R C
Portage La Prairie; Askin, Raymond & Jeffrey.....	204-856-3483	C
Portage La Prairie; Sanderson, Garry.....	204-857-8406	R C

Trust Our Experience!


agassiz
seed farm ltd

Murray Froebe **Bailey Hill**
204-745-6655 **204-750-8366**




WHEAT
AAC Brandon, AAC Starbuck, AAC Leroy, SY Rowyn




OATS
CDC Endure, AAC Douglas, ORe3542M

**SOYBEANS, EDIBLE BEANS, CANOLA,
GRAIN & SILAGE CORN**

www.agassizseedfarm.com - Homewood, MB

PROUD GROWER & DEALER OF

Canada's Seed Partner

SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Portage La Prairie; Sissons Farms Ltd.	204-857-7341	S F R
Rivers; Krahn, Ronald & Robert	204-761-8702	R
Rosenort; Friesen Seeds Ltd.	204-746-8325	C
Rosser; Mulligan Farms Ltd.	204-799-7417	R
Sanford; Bergen Seed Farm	204-736-2278	R
Somerset; Sierens Seed Service	204-744-2883	S F R
St. Joseph; Remillard Seed Farm	204-737-2376	C
St. Leon; Labossiere, Luc & Rejean	204-825-7249	C
Ste. Anne; Seine River Seed Farm	204-371-7700	C
Stonewall; Unger Seed Farm Ltd.	204-467-8630	R
Virden; Clearview Acres Ltd.	204-748-7666	C
Warren; Riddell Seed Co.	204-227-5679	F
Wawanesa; Ellis Seeds	204-824-2290	C

AAC ELIE ☼

Deloraine; Bolduc & Bell Farms	204-747-2913	C
Holland; Kubinec, Anastasia	204-526-2776	C

AAC HOCKLEY ☺

Arborg; Timchishen Seeds Farms	204-641-1288	S F R C
Binscarth; Inland Seed Corp.	204-683-2316	R
Boissevain; Armstrong Seeds Ltd.	204-534-2566	C
Boissevain; Boissevain Select Seeds	204-534-0752	R C
Carman; RJP Seed Ltd.	204-745-3304	S F C
Cromer; Bartel Seeds	204-851-1755	C
Dauphin; Fisher Seeds Ltd.	204-622-8800	C
Domain; Manness Seed	204-736-2622	S F R
Domain; Pitura Seed Farms Ltd.	204-736-2849	S F R
Gilbert Plains; Tokar Pedigreed Seed Corp.	204-648-7070	C
Grandview; Triple S Seeds Ltd.	204-638-2004	C
Grosse Isle; Rutherford Farms Ltd.	204-467-5613	C



Rutherford farms Ltd.
seed service

**SUPPLIERS OF QUALITY SEED
SINCE 1950**

Rick Rutherford
204-771-6353
rick@rutherfordfarms.ca

Corey Park **Emily Laudin**
204-461-1631 204-467-5613
corey@rutherfordfarms.ca emily@rutherfordfarms.ca

rutherfordfarms.ca



WHEAT | BARLEY | OATS | CORN | SOYBEANS

SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Hamiota; Knight Seeds	204-764-2450	C
Inglis; Beischer Family Farm Seeds Ltd.	204-564-2676	C
Manitou; Sanders Seed Farm	204-242-4200	R
Minto; Southern Seed	204-776-2333	C
Newdale; Warehamdale Seeds Ltd.	204-867-0268	C
Oakville; Miller Agritec Farm Inc.	204-267-2363	C
Plumas; Court Seeds Ltd.	204-386-2354	C
Plumas; Tonn, Todd & Darren & Nolan	204-386-2206	C
Portage La Prairie; Sissons Farms Ltd.	204-857-7341	S F C
Reston; Avondale Seed Farm Ltd.	204-877-3813	C
Rivers; Redsper Enterprises	204-328-5346	C
Rosenort; Friesen, Lloyd	204-746-5751	C
Souris; Kohut, David Anton & Richard & Gregory & Katherine	204-483-3063	F C
Ste. Anne; Seine River Seed Farm	204-371-7700	C
Ste. Rose Du Lac; Gamache, Ryan	204-447-2118	C
Swan River; Swan Valley Seeds Ltd.	204-734-8196	C

AAC REDBERRY ☺

Hamiota; Rolling View Farms Inc.	204-562-3632	C
---------------------------------------	--------------	---

AAC SPIKE ☺

Arborg; Timchishen Seeds Farms	204-641-1288	S F
Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	S F
Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	S F
Oak Bank; Willowdale Seeds	204-801-0659	F

AAC VIEWFIELD ☺

Grandview; Triple S Seeds Ltd.	204-638-2004	R
Rosenort; Friesen, Lloyd	204-746-5751	C
Swan River; Swan Valley Seeds Ltd.	204-734-8196	R C

AAC WALSH ☺

Arborg; Timchishen Seeds Farms	204-641-1288	S
Boissevain; Boissevain Select Seeds	204-534-0752	S
Domain; Manness Seed	204-736-2622	S
Mac Gregor; Hulme Agra Products Inc.	204-871-4666	S
Manitou; Sanders Seed Farm	204-242-4200	S
Swan River; Swan Valley Seeds Ltd.	204-734-8196	S F

AAC WESTKING ☺

Altona; DL Seeds	204-324-7999	R
Arborg; Timchishen Seeds Farms	204-641-1288	S R
Binscarth; Inland Seed Corp.	204-683-2316	S R
Boissevain; Armstrong Seeds Ltd.	204-534-2566	S R
Brandon; Wheat City Seeds Ltd.	204-727-3337	S R
Carman; Menold, Ulrich, Tyler & Lucas	204-750-2675	S R
Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	S R
Crystal City; Buchanan, Kenneth, Jayden, & Dean	204-825-7151	R
Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	R
Decker; Murray Farms Inc.	204-764-2733	S R
Deloraine; Bolduc & Bell Farms	204-747-2913	R
Dufrost; Catellier, Patrick Raymond	204-746-4175	R
Elphinstone; Gerrard Family Seeds	204-365-0321	R
Glenboro; Jefferies Seeds	204-827-2102	R
Grandview; Triple S Seeds Ltd.	204-638-2004	R
Grosse Isle; Rutherford Farms Ltd.	204-467-5613	R
Hamiota; Rolling View Farms Inc.	204-562-3632	R
Homewood; Agassiz Seed Farm	204-745-6655	S R
Killarney; Bar H Agri Seeds	204-523-7464	R
Killarney; Chatham Seeds Ltd	204-523-2050	R
Mac Gregor; Hulme Agra Products Inc.	204-871-4666	F
Minto; Fraser Seeds Ltd.	204-534-7458	R
Morden; Wilson, James	204-362-2449	R
Morris; Horizon Agro Inc	204-746-2026	R
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268	R
Oak Bank; Willowdale Seeds	204-801-0659	R
Oak River; J.S. Henry & Son Ltd.	204-566-2422	S R
Pilot Mound; Wallace Farms Ltd.	204-825-4543	R
Portage La Prairie; Sanderson, Garry	204-857-8406	R
Reinland; Ens Farms Ltd.	204-325-4658	R
Reston; Avondale Seed Farm Ltd.	204-877-3813	R
Rivers; Krahn, Ronald & Robert	204-761-8702	R
Sanford; Bergen Seed Farm	204-736-2278	S R
Solsgrith; Nickel, James & John & Kevin & Gordon	204-773-6734	R

SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☽ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

Somerset; Sierens Seed Service.....	204-744-2883	R
St. Leon; Labossiere, Luc & Rejean.....	204-825-7249	R
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	S R
Swan River; Oberlin Farms & Seed Services.....	204-734-2292	R
Virden; Clearview Acres Ltd.....	204-748-7666	R
Warren; Riddell Seed Co.....	204-227-5679	S R
Wawanesa; Ellis Seeds	204-824-2290	F R

ACCELERATE☼VUA

Killarney; Chatham Seeds Ltd	204-523-2050	C
Morris; Horizon Agro Inc	204-746-2026	S F C
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Virden; Clearview Acres Ltd.....	204-748-7666	C

ALOTTA☼

Ste. Anne; Seine River Seed Farm.....	204-371-7700	F
Warren; Riddell Seed Co.....	204-227-5679	F

BAKER☼

Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	S
Morris; Horizon Agro Inc	204-746-2026	S
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	S
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	S R

BOLLES☼

Portage La Prairie; Pugh Seeds Ltd.	204-871-1467	C
Solsgrith; Nickel, James & John & Kevin & Gordon	204-773-6734	C

BREADWINNER☼

Morden; Wilson, James.....	204-362-2449	S F
----------------------------	--------------	-----

SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☽ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

CDC ENVY☼

Deloraine; Bolduc & Bell Farms	204-747-2913	C
Elphinstone; Gerrard Family Seeds.....	204-365-0321	R
Hamiota; Rolling View Farms Inc.....	204-562-3632	R
Holland; Kubinec, Anastasia	204-526-2776	C
Minto; Fraser Seeds Ltd.....	204-534-7458	F C
Swan River; Oberlin Farms & Seed Services.....	204-734-2292	R
Virden; Clearview Acres Ltd.....	204-748-7666	R

CDC SKRUSH☼

Portage La Prairie; Pugh Seeds Ltd.	204-871-1467	C
--	--------------	---

DAYBREAK☼VUA


Morris; Horizon Agro Inc.....	204-746-2026	R
-------------------------------	--------------	---

FALLER

Altona; DL Seeds	204-324-7999	C
Darlingford; Morrow, Graham.....	204-362-8986	C
Domain; Pitura Seed Farms Ltd.....	204-736-2849	C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	C
Morris; Red River Seeds Ltd.....	204-746-3059	C
Oak Bank; Willowdale Seeds.....	204-801-0659	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
Oakville; Miller Agritec Farm Inc.	204-267-2363	C
Pilot Mound; Smith Family Seeds.....	204-825-7810	C
Rosenort; Friesen Seeds Ltd.	204-746-8325	C
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C

LAR18-04850☼

Virden; Clearview Acres Ltd.....	204-748-7666	S F
----------------------------------	--------------	-----



▶▶▶ **Optimum® GLY is the highest yielding glyphosate-tolerant trait on the market**

Pioneer® brand canola hybrids with the Optimum GLY trait allow you to make the herbicide applications you need without impacting the yield potential of the hybrids you love.

The Optimum GLY Advantage:

- Yield consistency
- Herbicide application flexibility
- Improved crop safety

Unlock the genetic potential of your Pioneer brand canola with Optimum GLY.

Learn more at Pioneer.com/Canada



SPRING WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **vua** Variety Use Agreement in effect.

PROSPER ☼	
Altona; DL Seeds	204-324-7999 C
Morris; Red River Seeds Ltd.	204-746-3059 C
Pilot Mound; Smith Family Seeds	204-825-7810 C
Solsgrith; Nickel, James & John & Kevin & Gordon	204-773-6734 C

SY MANNESS ☼	
Altona; DL Seeds	204-324-7999 R C
Arborg; Timchishen Seeds Farms	204-641-1288 R C
Binscarth; Inland Seed Corp.	204-683-2316 C
Brunkild; SKT Farms Inc	204-795-6507 C
Carman; RJP Seed Ltd.	204-745-3304 C
Cromer; Bartel Seeds	204-851-1755 C
Dauphin; Fisher Seeds Ltd.	204-622-8800 C
Decker; Murray Farms Inc.	204-764-2733 F C
Domain; Manness Seed	204-736-2622 R C
Domain; Pitura Seed Farms Ltd.	204-736-2849 R C
Elphinstone; Gerrard Family Seeds	204-365-0321 R
Grandview; Triple S Seeds Ltd.	204-638-2004 C
Hamiota; Knight Seeds	204-764-2450 C
Inglis; Beischer Family Farm Seeds Ltd.	204-564-2676 R C
Killarney; Bar H Agri Seeds	204-523-7464 C
Manitou; Sanders Seed Farm	204-242-4200 C
Morris; Red River Seeds Ltd.	204-746-3059 R C
Navin; James Farms Ltd.	204-222-8785 C
Oak River; J.S.Henry & Son Ltd.	204-566-2422 S R
Pilot Mound; Smith Family Seeds	204-825-7810 C
Plumas; Court Seeds Ltd.	204-386-2354 C
Reston; Avondale Seed Farm Ltd.	204-877-3813 C
Rosenort; Friesen Seeds Ltd.	204-746-8325 R
Rosenort; Friesen, Lloyd	204-746-5751 R
Russell; Keating Seed Farms Inc.	204-773-3854 C
Sanford; Bergen Seed Farm	204-736-2278 S F C
Souris; Kohut, David Anton & Richard & Gregory & Katherine	204-483-3063 C
Swan River; Swan Valley Seeds Ltd.	204-734-8196 F

SY ROWYN ☼	
Homewood; Agassiz Seed Farm	204-745-6655 R

SY TORACH ☼	
Elphinstone; Gerrard Family Seeds	204-365-0321 R

SPRING WHEAT - MIDGE TOLERANT

AAC BROADACRES ☼ - AAC BRANDON ☼	
Reston; Avondale Seed Farm Ltd.	204-877-3813 C

AAC CAMERON ☼ - CARBERRY ☼	
Reston; Avondale Seed Farm Ltd.	204-877-3813 C

AAC DARBY ☼ - AAC HASSLER ☼	
Russell; Keating Seed Farms Inc.	204-773-3854 R

AAC HODGE ☼ - AAC HOCKLEY ☼	
Binscarth; Inland Seed Corp.	204-683-2316 C
Boissevain; Armstrong Seeds Ltd.	204-534-2566 C
Boissevain; Boissevain Select Seeds	204-534-0752 R
Cromer; Bartel Seeds	204-851-1390 C
Domain; Manness Seed	204-736-2622 S F R
Elphinstone; Gerrard Family Seeds	204-365-0321 C
Hamiota; Knight Seeds	204-764-2450 C
Killarney; Bar H Agri Seeds	204-523-7464 C
Mac Gregor; Hulme Agra Products Inc.	204-871-4666 C
Minto; Southern Seed	204-776-2333 C
Reston; Avondale Seed Farm Ltd.	204-877-3813 C
Rivers; Redsper Enterprises	204-328-5346 C
Russell; Keating Seed Farms Inc.	204-773-3854 C
Somerset; Sierens Seed Service	204-744-2883 C

SPRING WHEAT - MIDGE TOLERANT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991; **vua** Variety Use Agreement in effect.

AAC LEROY ☼ - AAC REDBERRY ☼		
Altona; Sawatzky, John	204-324-4018 C	
Boissevain; Boissevain Select Seeds	204-534-0752 C	
Grosse Isle; Lefley, Glenn	204-791-0313 C	
Holland; Kubinec, Anastasia	204-526-2776 C	
Homewood; Agassiz Seed Farm	204-745-6655 C	

AAC STARBUCK ☼ - AAC BRANDON ☼		
Altona; DL Seeds	204-324-7999 R	
Altona; Fuchsmeier, Joni	204-324-3859 C	
Baldur; Jeff Parsonage	204-535-2598 R	
Binscarth; Inland Seed Corp.	204-683-2316 F C	
Boissevain; Boissevain Select Seeds	204-534-0752 C	
Boissevain; Latimer, Kevin & Duane	204-534-8318 C	
Brandon; Wheat City Seeds Ltd.	204-727-3337 R C	
Brunkild; SKT Farms Inc	204-795-6507 R	
Carman; Menold, Thomas	204-750-2682 C	
Carman; Menold, Ulrich, Tyler & Lucas	204-750-2675 S F R	
Cooks Creek; Saramaga, Robert & Andrew	204-771-0951 C	
Crystal City; Fallis, Allan & Mark	204-825-4525 C	
Darlingford; Morrow, Graham	204-362-8986 C	
Dauphin; Fisher Seeds Ltd.	204-622-8800 R	
Domain; Pitura Seed Farms Ltd.	204-736-2849 S F R	
Dufrost; R & R Catellier Farms	204-746-4175 R	
Gilbert Plains; Tokar Pedigreed Seed Corp.	204-648-7070 R C	
Glenboro; Jefferies Seeds	204-827-2102 R	
Grosse Isle; Rutherford Farms Ltd.	204-467-5613 C	
Hamiota; Knight Seeds	204-764-2450 C	
Holland; Patenaude Farms Inc.	204-526-7212 C	
Holland; Vigar, Murray & Gary	204-526-2108 C	
Homewood; Agassiz Seed Farm	204-745-6655 R	
Inglis; Beischer Family Farm Seeds Ltd.	204-564-2676 C	
Kenton; Stevenson, Robert & Sidney	204-838-2012 C	
Killarney; Bar H Agri Seeds	204-523-7464 C	
Mac Gregor; Hulme Agra Products Inc.	204-871-4666 S F C	
Manitou; Sanders Seed Farm	204-242-4200 C	
Miniota; Walker, Alan Glen	204-748-7264 R C	
Navin; James Farms Ltd.	204-222-8785 C	
Newdale; Warehamdale Seeds Ltd.	204-867-0268 C	
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268 R	
Notre Dame De Lourdes; Durand, Leo	204-248-2372 C	
Oak Bluff; Gousseau Seed Farms Ltd.	204-981-6953 R	
Oak River; J.S.Henry & Son Ltd.	204-566-2422 S F R	
Oakville; Miller Agritec Farm Inc.	204-267-2363 C	
Pilot Mound; Smith Family Seeds	204-825-7810 C	
Plumas; Court Seeds Ltd.	204-386-2354 R	
Plumas; Tonn, Todd & Darren & Nolan	204-386-2206 S F R	
Portage La Prairie; Askin, Raymond & Jeffrey	204-856-3483 C	
Portage La Prairie; Sanderson, Garry	204-857-8406 R	
Portage La Prairie; Sissons Farms Ltd.	204-857-7341 F	
Reinland; Ens Farms Ltd.	204-325-4658 C	
Reston; Avondale Seed Farm Ltd.	204-877-3813 S F C	
Rivers; Redsper Enterprises	204-328-5346 R C	
Sanford; Bergen Seed Farm	204-736-2278 R	
Solsgrith; Nickel, James & John & Kevin & Gordon	204-773-6734 C	
Somerset; Sierens Seed Service	204-744-2883 R C	
St. Leon; Labossiere, Luc & Rejean	204-825-7249 C	
Ste. Rose Du Lac; Gamache, Ryan	204-447-2118 R	
Stonewall; Unger Seed Farm Ltd.	204-467-8630 R C	
Virden; Clearview Acres Ltd.	204-748-7666 C	
Virden; Hutchison, Barry	204-851-6157 C	
Warren; Jones, Gavin R.	204-322-5604 C	
Warren; Riddell Seed Co.	204-227-5679 S F C	
Wawanesa; Ellis Seeds	204-824-2290 C	

AAC STOUGHTON ☼ - AAC WESTKING ☼		
Binscarth; Inland Seed Corp.	204-683-2316 S F	
Carman; Menold, Ulrich, Tyler & Lucas	204-750-2675 S F	
Grandview; Triple S Seeds Ltd.	204-638-2004 F	
Grosse Isle; Rutherford Farms Ltd.	204-467-5613 S F	
Inglis; Beischer Family Farm Seeds Ltd.	204-564-2676 F	
Kenton; Stevenson, Robert & Sidney	204-838-2012 S F	
Morden; Wilson, James	204-362-2449 F	
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268 F	
St. Leon; Labossiere, Luc & Rejean	204-825-7249 F	
Swan River; Badowski, Dennis	204-734-6222 F	
Warren; Riddell Seed Co.	204-227-5679 F	

SPRING WHEAT – MIDGE TOLERANT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☽ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

AAC WHEATLAND☼ - AAC BRANDON☼

Altona; DL Seeds	204-324-7999	C
Binscarth; Inland Seed Corp.....	204-683-2316	R C
Boissevain; Armstrong Seeds Ltd.....	204-534-2566	R
Boissevain; Boissevain Select Seeds	204-534-0752	S F C
Brandon; Wheat City Seeds Ltd.	204-727-3337	S F R
Darlingford; Morrow, Graham.....	204-362-8986	C
Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	C
Decker; Murray Farms Inc.....	204-764-2733	R
Gilbert Plains; Tokar Pedigreed Seed Corp.	204-648-7070	R C
Grandview; Triple S Seeds Ltd.....	204-638-2004	C
Inglis; Beischer Family Farm Seeds Ltd.	204-564-2676	C
Kenton; Stevenson, Richard & Douglas.....	204-573-3054	C
Kenton; Stevenson, Robert & Sidney	204-838-2012	R
*Kenville; Carmichael, John.....	204-734-8683	C
*Killarney; Chatham Seeds Ltd	204-523-2050	C
Manitou; Sanders Seed Farm	204-242-4200	R
Mather; Mc Lennan Farms Ltd.....	204-529-2372	C
Miniota; Walker, Alan Glen	204-748-7264	C
Minto; Fraser Seeds Ltd.....	204-534-7458	R
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	S F R
Pilot Mound; Smith Family Seeds.....	204-825-7810	R C
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Russell; Keating Seed Farms Inc.....	204-773-3854	R C
Solsgrith; Nickel, James & John & Kevin & Gordon	204-773-6734	C
St. Leon; Labossiere, Luc & Rejean.....	204-825-7249	C
Swan River; Badowski, Dennis	204-734-6222	C
Treherne; Stinson Seeds	204-526-5351	C
Virden; Hutchison, Barry	204-851-6157	C
Wawanesa; Ellis Seeds	204-824-2290	R

WINTER WHEAT

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☽ protected or pending under UPOV 1991; **VUA** Variety Use Agreement in effect.

AAC COLDFRONT☼

Minto; Southern Seed	204-776-2333	R
----------------------------	--------------	---

AAC OVERDRIVE☼

Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	S F
Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	S F
Domain; Manness Seed	204-736-2622	S F
Reston; Avondale Seed Farm Ltd	204-877-3813	F

AAC VORTEX☼

Domain; Pitura Seed Farms Ltd.....	204-736-2849	C
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R

AAC WILDFIRE☼

Domain; Manness Seed	204-736-2622	C
Minto; Southern Seed	204-776-2333	R C
Plumas; Court Seeds Ltd.....	204-386-2354	C
Reinland; Ens Farms Ltd.....	204-325-4658	C
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C

EMERSON☼

Dauphin; Dauphin Plains Seeds Ltd	204-638-7800	C
---	--------------	---



Quality Seed Service You've Come to Trust

Certified Seed

Synergy barley

Great yield potential. Unique quality profile that lends to both the adjunct and craft brewing markets.

Carver peas

A field pea suited to every area and situation. Very good yields. Early maturity. Large seed size

Allison fava beans

Low Vicine and Convicine. High yielding. Small seed size. Feed and food markets suitable. Closed loop contracting w/Prairie Fava.

Manness wheat

Very high yield potential. Strong standing. Short semi-dwarf. Early maturity. Improved protein.

Starbuck wheat

Great combination of short, strong straw and disease resistance in a MTW. MR to FHB.

Chrome Peas

A proven yield leader in Manitoba. AAC Chrome shines with superior yields and agronomics that allow for a fast, efficient harvest. Rated 'G' for seed coat breakage and seed coat dimpling.

Anson Oats

A new white milling oat with very high yield potential. CDC Anson's very short plant height is shorter than CS Camden and AC® Summit.

It has outstanding milling and agronomic characteristics and has seen early end-use demand. It is sure to be a favorite on your farm!



Please contact us for all your certified seed needs, as well as our on-site seed cleaning facility using optical sorting technology.

Located in Glenboro, MB

204-827-2102

Fax: 204-827-2326

jefferies.seeds@gmail.com

jefferiesseeds.com

[@JefferiesSeeds](https://www.instagram.com/JefferiesSeeds)



THERE'S MORE THAN ONE ANSWER TO POD SHATTER

DEKALB Straight Cut Plus canola hybrids

DEKALB® Straight Cut Plus hybrids deliver improved pod shatter genetics for outstanding pod integrity. Plus, DEKALB canola features early maturation and quick natural plant drydown, so you can harvest sooner, smoother, without sacrificing that all important yield.

DEKALB. CHALLENGE THE STATUS QUO.

DEKALBcanola.ca | 1 888-283-6847 | @DEKALB_Canada | @Bayer4CropsCA

Bayer, Bayer Cross, DEKALB and Design® and DEKALB® are registered trademarks of Bayer Group. Used under license. ©2024 Bayer Group. All rights reserved.

Oilseed Crops

Variety Description Key

A “CHECK CHARACTERISTICS” is at the bottom of each table for soybean and sunflower to display the long term yield, # of site years, maturity and any other check attributes.

The grey box has been placed at the bottom of each table for canola and flax displaying the “GRAND MEAN” for Yield (bu/acre) and the corresponding LSD value ($p < 0.05$).

Except for the long-term average yield, variety description information was obtained from the Co-operative Registration Trials. For Relative Maturity, actual number of days will depend on local climactic conditions and to some extent on management practices.

“Resistance Level” ratings: HS = highly susceptible; S = susceptible; MS = moderately susceptible; MR = moderately resistant; R = resistant; ‘-’ = not available.

Site Years Tested is the cumulative number of locations over the years that a variety has been tested against the check variety.

☉ Indicates a variety that is protected by Plant Breeder’s Rights legislation that complies with UPOV 1978.

☺ Indicates a variety that is protected by, or has been applied for and is pending, Plant Breeder’s Rights legislation that complies with UPOV 1991.

Key to 2024 Yield Tables

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.


LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Canola & Soybean Comments

For specific notes regarding the canola tables, refer to the CANOLA PERFORMANCE TRIALS DATA and CANOLA COMMENTS at the top of those respective pages.

For specific notes regarding the soybean tables, refer to the SOYBEAN COMMENTS at the top of page 58.



BrettYoung™
DISTINCT BY DESIGN

CHANGE THE GAME

with BY 7204LL.

BrettYoung's newest
canola hybrid with
LibertyLink technology.

- Pod DefendR shatter tolerance
- DefendR-rated clubroot protection
- Strong early season vigour and excellent standability



TALK TO YOUR RETAILER TODAY.

LIBERTYLINK®, LIBERTY®, the LibertyLink logo and the Water Droplet Design are trademarks of BASF, used under license by BASF Canada Inc.

BY 7204LL

LIBERTY LINK
CANOLA HYBRID



Manitoba Agriculture Variety Guide

CANOLA

All variety yields compared as a percentage of the check specific to that trial. Check variety was chosen based on % of acres grown in MASC 2023 Variety Marketshare Report.

Liberty Link trial was run as separate from Roundup-Ready. All canola yield trials are straight-cut.

Yields derived over two or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

Comments:

Variety descriptions summarize the performance of varieties tested in the 2024 Canola Variety Evaluation Trials. Data donated by the Manitoba Canola Growers Association. For more information visit www.canolagrowers.com.

Lodging is rated on a 1 to 5 scale, where 5 is a completely lodged plant at harvest.

Blackleg Resistance

Varieties in the table below have a resistant (R) rating for Blackleg (<30% infection of Westar check) based on WCC/RRC rating. Lesions and yield loss can still occur, based on the level of inoculum and blackleg pathotype in the field, in combination with environmental conditions conducive for disease development. Some seed distributors have chosen to provide blackleg resistance grouping based on major-gene (qualitative) resistance within that variety in addition to the traditional rating. Labels identifying major resistance genes present will use the letters: A, B, C, D, E1, E2, F, G, H, and X. Adult-plant (quantitative) resistance remains an important factor. Visit www.blackleg.ca for details on how resistance groups work.

Clubroot Resistance

Clubroot is a long-lived soil-borne disease that can impact canola performance. Using clubroot resistant varieties in Rural Municipalities where clubroot has been found is highly recommended as a risk mitigation tool. To know for sure if your own fields have clubroot, soil testing is the only way to find out prior to finding galls in the field. See page 59 for the map indicating clubroot distribution in Manitoba.

Clubroot resistance is generally termed 1st or 2nd Generation based on genetic source. First-generation clubroot resistance confers resistance to clubroot pathotypes 2F 3H, 5I, 6M, and 8N, on the Canadian Clubroot Differential Set (Strelkov et al., 2018). Second-generation sources contain resistance to a varying set of pathotypes outside the original five first-generation pathotypes, but may also have resistance to the original five.

For further information on clubroot resistance labels, please visit www.clubroot.ca, refer to the company website, or speak with your seed representative.

Pod Shatter Resistance

The pod shatter rating scale was developed by the Canola Council of Canada in 2021.

Numeric pod shatter ratings are provided by their respective companies, or may not yet be identified on the new rating system.

LIBERTY LINK CANOLA

Variety Description

Name	Herbicide Tolerance ³	# of Sites	Manitoba CVET Data ¹				WCC/RRC Data ²		
			Yield % of Check	Yield (bu/ac)	Maturity (Days)	Lodging (1-5)	Blackleg Resistance ^{4a} (Group)	Clubroot Resistance ^{4b} (Generation)	Pod Shatter Rating ⁵ (1-9)
Liberty Link - Straight Cut									
B3012	LL	4	88%	50	95.1	1.3	R	R (1)	Y (7.0)
BY 7204LL	LL	4	90%	52	92.9	1.3	R (E2)	R (1+2)	Y (7.5)
CP21L3C	LL	4	84%	48	92.9	1.5	R	R (1)	N (5.4)
CP24L3C	LL	4	89%	51	93.4	1.3	R	R (1+2)	Y (7.0)
CS4000 LL	LL	4	84%	48	91.9	2.3	R	R (1)	Y (6.0)
InVigor L340PC	LL	4	100%	57	90.6	1.7	R	R (1)	Y
InVigor L343PC	LL	4	94%	54	90.7	1.9	R	R (1+2)	Y
InVigor L350PC	LL	4	93%	53	95.1	1.3	R	R (1)	Y
InVigor L356PC	LL	4	96%	55	91.9	1.5	R	R (1)	Y
LSD			6	3.6					

1 Data from independent canola hybrid testing in the Manitoba Canola Variety Evaluation Trials.

2 Data from canola hybrid registration testing at Western Canadian Canola/Rapeseed Recommending Committee Trials.

3 Herbicide tolerance is indicated as LL - LibertyLink, TF - TruFlex, RR - Roundup Ready, CL - Clearfield

4 Genetic disease resistance is indicated with an "R" resistant rating to Blackleg, Clubroot, based on variety descriptions submitted to CFIA.

4a,4b Additional details of blackleg group and clubroot generation labels provided by respective companies.

5 The Canola Council of Canada rating system indicates that 1 = poor,

ROUNDUP READY CANOLA

Variety Description

Name	Herbicide Tolerance ³	# of Sites	Manitoba CVET Data ¹				WCC/RRC Data ²		
			Yield % of Check	Yield (bu/ac)	Maturity (Days)	Lodging (1-5)	Blackleg Resistance ^{4a} (Group)	Clubroot Resistance ^{4b} (Generation)	Pod Shatter Rating ⁵ (1-9)
Roundup Ready - Straight Cut									
CP21T3P	TF	4	100%	51	93.0	1.7	R (A, G)	—	Y (7.8)
CP22T1C	TF	4	97%	50	90.8	2.3	R	R (1+2)	Y (7.4)
CS3200 TF	TF	4	107%	55	95.3	1.3	R (C)	R (1+2)	Y (7.0)
CS3300 TF	TF	4	110%	57	89.7	1.9	R (A, G)	R (1)	Y (7.0)
Experimental lines that are being tested / proposed for registration in Canada									
C8M24520 RR	RR	4	109%	56	91.9	1.3	NT	NT	Y (7.5)
C8M24523 RR	RR	4	98%	50	95.1	1.0	NT	NT	Y (7.0)
C8M24524 RR	RR	4	99%	51	90.3	1.5	NT	NT	Y (7.0)
LSD			9	4.8					

1 Data from independent canola hybrid testing in the Manitoba Canola Variety Evaluation Trials.

2 Data from canola hybrid registration testing at Western Canadian Canola/Rapeseed Recommending Committee Trials.

3 Herbicide tolerance is indicated as LL - LibertyLink, TF - TruFlex, RR - Roundup Ready, CL - Clearfield

4 Genetic disease resistance is indicated with an "R" resistant rating to Blackleg, Clubroot, based on variety descriptions submitted to CFIA.

NT - not tested through WCC/RRC to date.

4a,4b Additional details of blackleg group and clubroot generation labels provided by respective companies.

5 The Canola Council of Canada rating system indicates that 1 = poor, 9 = excellent pod shatter resistance.

Averages

Name	LONG SEASON ZONE			MID SEASON ZONE
	Carman	Holland	Melita	Hamiota
Liberty Link - Straight Cut (bu/ac)				
B3012	46	41	55	60
BY 7204LL	43	44	59	61
CP21L3C	41	43	54	54
CP24L3C	45	46	55	58
CS4000 LL	42	40	57	53
InVigor L340PC	47	57	61	65
InVigor L343PC	46	49	58	61
InVigor L350PC	41	48	59	64
InVigor L356PC	47	49	62	63
Mean	44	46	58	60
LSD (bu/ac)	1	2	2	2
CV %	7	12	8	8
Seeding Date	21-Jun	03-Jun	15-May	21-May
Harvest Date	26-Sep	25-Sep	03-Sep	03-Sep

Name	LONG SEASON ZONE			MID SEASON ZONE
	Carman	Holland	Melita	Hamiota
Roundup Ready - Straight Cut (bu/ac)				
CP21T3P	42	44	57	63
CP22T1C	41	40	46	59
CS3200 TF	45	51	59	66
CS3300 TF	46	52	63	66
Experimental lines that are being tested / proposed for registration in Canada				
C8M24520 RR	47	53	59	67
C8M24523 RR	44	48	56	64
C8M24524 RR	45	47	51	61
Mean	44	48	56	63
LSD (bu/ac)	2	4	2	2
CV %	10	14	11	6
Seeding Date	21-Jun	03-Jun	15-May	21-May
Harvest Date	26-Sep	24-Sep	04-Sep	03-Sep

Connect Your Field to Market Demand

Premium certified seed, Prairie-proven to deliver the performance you expect and the quality domestic and export markets demand.

CANTERRA SEEDS, Planted by Pros.

AAC Carver

YELLOW PEA

- ✓ Our most popular pea
- ✓ Large seed size
- ✓ Easy handling at harvest
- ✓ Early maturity

AAC Connect

2-ROW MALTING BARLEY

- ✓ CMBTC recommended
- ✓ Increasing market demand
- ✓ Best FHB resistance in class
- ✓ Short, strong straw

CS Accelerate VUA™

CANADA PRAIRIE SPRING RED WHEAT

- ✓ Part of the Warburtons program
- ✓ Excellent rust package
- ✓ Early maturity
- ✓ Short, strong straw

CS Camden

WHITE MILLING OAT

- ✓ Miller approved
- ✓ #1 milling oat in Canada
- ✓ High beta-glucan
- ✓ Excellent lodging resistance



Connect with us to find a Seed Grower near you.


Rick Love, Pedigreed Seed Business Manager
204.232.1378 | r.love@canterra.com



This is Canadian Certified Seed | [ChooseCertifiedSeed.ca](https://seeds-canada.ca/en/seed-resources/plant-breeders-rights)
It's your responsibility to know <https://seeds-canada.ca/en/seed-resources/plant-breeders-rights>

Prairie-Harmonized Clubroot Distribution Map
(September 2024)

The map shows symptomatic clubroot findings by Rural Municipality (RM), discovered through visual field symptoms and presence of clubroot spores in soil through laboratory testing for DNA. The Ministry of Agriculture in Saskatchewan also shares out this style of map, so it has been prairie-harmonized to also be useful for producers on either side of the Manitoba-Saskatchewan border.





Author: Manitoba Agriculture
Source: MB Ag Analysis
Date: September 23, 2024



1:2,300,000
0 25 50 100 Kilometres

OIL SEED CROPS



A DIFFERENCE YOU CAN SEE



LAL FIX PROYIELD LIQUID SOYBEAN

INCREASED NODULATION, PLANT MATTER & CHLOROPHYLL PRODUCTION RESULTS IN:

- Greener Plants
- Amplified Nitrogen Fixation
- Enhanced ROI



For more information, follow the QR code or call, Toll-Free: 1-888-236-7378



FLAX

Comments:

All variety descriptions other than yield are based on data from the Linseed Cooperative Trials in the Prairie Provinces.

MCVET flax testing was done in partnership with the University of Saskatchewan Crop Development Centre across all three Prairie Provinces in 2024.

All varieties are immune to rust.

All varieties are susceptible to pasmo.

Variety Descriptions

Variety	Site	Yield bu/acre	Maturity	Height	Seed Color	Seed Size TSW	Oil Content	Oil Quality ¹ :		Resistance Level:	
	Years Tested		+/- 102 days	+/- 68 cm				Iodine Number	ALA Content	Lodging ²	Fusarium Wilt
AAC Bravo	30	34	1	0	brown	6.4	44.6	194.0	60.2	G	MR
AAC Bright	19	36	2	0	yellow	5.6	48.8	192.1	56.2	G	MR
AAC Marvelous	19	37	2	0	brown	5.8	47.1	192.1	55.8	G	MR
CDC Bethune	84	35	0	0	brown	5.8	45.6	188.6	54.7	G	MR
CDC Dorado	19	33	-1	-5	yellow	5.9	46.6	206.6	65.8	FG	MR
CDC Esme	14	37	2	-2	brown	6.3	44.5	192.0	57.1	G	MR
CDC Glas	46	37	1	3	brown	5.2	45.8	192.0	56.6	G	MR
CDC Kernen	22	37	1	0	brown	6.5	45.4	191.6	57.3	VG	MR
CDC Neela	24	35	1	3	brown	5.7	45.5	194.4	59.1	G	MR
CDC Plava	21	35	-2	-3	brown	5.7	46.5	195.5	57.2	G	MR
CDC Rowland	28	39	4	0	brown	6.8	45.2	195.1	59.2	G	MR
CDC Sorrel	56	35	1	3	brown	6.4	45.1	192.7	57.8	F	MR
Hanley	30	32	-2	-5	brown	5.7	44.7	197.7	58.6	VG	R
Topaz	12	34	0	0	brown	5.8	45.9	188.2	54.4	G	MR
NuLin50	28	34	4	-5	yellow	5.1	47.1	209.4	67.6	VG	MR
WestLin 70	12	34	2	5	brown	6.4	45.8	194.5	61.9	G	MR
WestLin 71	15	35	2	-5	brown	5.6	47.5	198.1	61.2	G	MR
WestLin 72	29	34	3	-3	brown	5.4	47.0	192.8	57.0	VG	MR
GRAND MEAN (bu/ac)		36									
LSD (p<0.05)		2.3									

1 Oil quality of flax is based on the amount of linolenic acid measured in the seed or as measured by iodine value which is calculated from the fatty acid composition of the seed. A higher iodine value and/or higher ALA content indicates a higher overall oil quality in the seed.

2 E = Excellent; VG = Very Good; G = Good; FG = Fair to Good; F = Fair; PF = Poor to Fair; P = Poor.

Yield Comparisons

VARIETY	2024 Yield (bu/acre)			
	Arborg	Carberry	Melita	Roblin
AAC Bright	39	38	54	42
CDC Esme	44	39	57	45
CDC Glas	43	34	57	46
CDC Kernen	46	37	59	44
SITE GRAND MEAN (bu/ac)	42	36	57	46
CV %	4.1	9.3	3.1	4.7
LSD (bu/ac)	3	6	3	4
Sign Diff	Yes	Yes	Yes	Yes
Seeding Date	21-May	17-May	30-Apr	15-May
Harvest Date	03-Sep	06-Sep	10-Sep	13-Sep



Meet the Game Changer, **NSC HOLLAND.**

High yielding 00.4 maturity that performs in
ALL environments.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. Roundup Ready 2 Xtend® soybeans contains genes that confer tolerance to glyphosate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Contact your local crop protection dealer or call the technical support line at 1-800-667-4944 for recommended Roundup Ready® Xtend Crop System weed control programs. Roundup Ready 2 Xtend® is a registered trademark of Bayer Group. Used under license

ROUNDUP READY 2
XTEND
SOYBEANS

SOYBEANS

NOTES FOR ALL SOYBEAN TABLES

Maturity Notes:


- 1 Soybean varieties have been organized into 4 maturity zones - very early, early, mid and long season areas.
- 2 Maturity grouping is a ranking of maturity provided by seed suppliers. Rankings are assigned to assist growers in selecting varieties suited for their area.
- 3 Relative days to maturity is the number of days from seeding to plant maturity (95% of the pods on plant are mature with seeds rattling in the pods when plant is shaken). Expressed as + or - days from the check. Caution needed when using only one year data to evaluate maturity and yield. Using multiple years will provide a better indication on how a variety will mature with different growing seasons. Actual days to maturity for the check is found in the grey characteristics check box at the bottom of the table.

General Notes:

- 1 Roundup Ready and Conventional soybean varieties are evaluated separately, meaning direct comparison of varieties between different tables is not possible. All trials are solid seeded at 210,000 seeds/acre.
- 2 Hilum colour can range from Yellow (Y), Imperfect Yellow (IY), Grey (G), Brown (BR), Buff (BF), Tan(TN), Clear (CL), Imperfect Black (IB) or Black (BL) and is solely a marketing issue. The hilum is the point on the soybean seed where it attaches to the pod.
- 3 Iron Deficiency Chlorosis (IDC) rating scores 1=green leaves, 2=yellowish leaves, 3=green veins with yellow leaves, 4=brown dead tissue between green veins, 5=severe chlorosis and a stunted growing point. Ratings were taken from a site prone to iron chlorosis over the last 3 years. IDC tolerant varieties are varieties with lower IDC Scores and perform better on soils prone to iron deficiency.
- 4 Iron Deficiency Chlorosis (IDC) grouping is used because varieties will have different visual rating scores from year to year. Numerical ratings which are close but are in different groupings will show similar symptoms. Both numerical ratings and groupings should be considered together when judging IDC. Tolerant=leaves stayed green, Semi Tolerant=leaves turn yellow then turn green, Susceptible= leaves went chlorotic and had dead patches on their leaves and were often stunted.

MANITOBA SOYBEAN MATURITY MAP

The Soybean Maturity Map outlines the longest maturity suggested for each production area but earlier varieties can also perform well. Use in conjunction with Soybean Variety Description table which outlines varieties according to maturity zones.



WESTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

Comments:

The Western Manitoba soybean variety trial was sponsored by the Manitoba Pulse & Soybean Growers

Variety Descriptions

Maturity Zone	Variety	Yield %	Site Years	Maturity days	IDC ²		Resistance		2024 Yield % of S003-R5X					
		Check	Tested	+/- Check ¹	Rating/Group	SCN ³	PRR ⁴	Dauphin	Hamiota	Holland	Melita	Souris	Swan River	
Very Early	S0007-S1X	85	16	-5	2.4 / S	—	1c,3a	91	88	73	83	83	83	
	BY Nebo XT	93	6	-4	2.0 / ST	—	1c	92	99	96	91	90	92	
Season Sone	Experimental lines that are being tested / proposed for registration in Canada													
	PR181000-04	87	5	-3	2.0 / ST	—	—	93	88	88	90	80	—	
	PR180907-05	94	5	-3	2.0 / ST	—	1c	94	98	102	92	88	—	
Early Season Zone	Wolf R2X ⁰	88	16	-2	1.9 / ST	Yes	3a	91	89	83	81	80	85	
	PV S0007X74	100	10	-2	2.0 / ST	—	1c,3a	103	100	102	89	98	93	
	BY Arvon XT	90	6	-2	2.2 / ST	—	1c,1k	83	93	99	91	89	90	
	NSC EXP0008CX	99	10	-2	1.7 / T	—	1c	96	101	94	97	94	96	
	S0009-J5X	96	10	-2	2.0 / ST	—	1c,3a	106	94	93	92	99	85	
	Major R2X	91	16	-1	2.0 / ST	—	1c	96	89	81	89	89	90	
	S001-D8X	91	22	-1	2.0 / ST	—	1c	90	89	95	96	87	84	
	BY Meru E3 ⁰	96	6	-1	2.1 / ST	—	1c	101	93	106	98	90	93	
	B0024EE	97	6	-1	1.9 / ST	—	1k,6	99	96	107	96	90	98	
	Alouette R2X	92	6	-1	1.8 / ST	—	1c	95	94	98	80	91	92	
	NS EXP004ME3	105	5	-1	1.9 / ST	—	1k	102	104	120	103	104	—	
	Briggs R2X	94	16	-1	2.0 / ST	Yes	1c	89	97	106	96	88	90	
	P002A42E	95	10	0	1.9 / ST	—	1c	97	90	105	99	91	89	
	S003-R5X	100	22	0	2.1 / ST	—	1c	100	100	100	100	100	100	
	PV S0009X84	101	10	0	1.8 / ST	Yes	—	101	101	106	93	93	96	
	Gecko R2X	97	10	0	2.0 / ST	—	1c	87	102	95	92	94	90	
	B0044EE	100	6	1	2.0 / ST	Yes	1c	103	98	111	94	102	96	
	TH85003XF	99	6	1	2.0 / ST	Yes	1c,3a	102	97	106	93	97	98	
	Young R2X	99	22	1	1.7 / T	Yes	1c	98	106	103	99	100	93	
	P003Z08E	95	6	1	2.2 / ST	—	1c	93	98	96	96	95	96	
	NSC Arden RR2X	97	15	1	1.8 / ST	—	1c	106	98	104	105	101	—	
	BY Hector XT	92	10	2	1.9 / ST	—	1c	88	88	94	73	82	85	
	Hart R2X	98	19	2	1.9 / ST	—	1c	104	95	114	96	97	—	
NSC Holland RR2X	95	13	2	1.9 / ST	—	1c	101	100	104	87	94	—		
DKB001-07	102	9	3	1.7 / T	Yes	1k	100	103	100	97	96	—		
TH84002X	102	10	3	1.8 / ST	Yes	1c	101	96	99	82	100	95		
	Experimental lines that are being tested / proposed for registration in Canada													
	PR180640-05	98	5	-2	2.0 / ST	—	—	97	103	102	93	98	—	
	C4M24518 XT	91	6	-2	2.0 / ST	—	1k	94	95	99	91	86	87	
	PR180517X-01-06	85	4	-1	2.3 / S	—	1c	86	87	88	—	82	—	
	EXP006-24E3	99	5	2	1.7 / T	Yes	1k,3a	99	98	114	92	99	—	
	CP00123WPX	102	9	2	2.1 / ST	Yes	1c	100	112	103	97	102	100	
	EXP006-24XF	95	5	3	1.8 / ST	Yes	1c,3a	97	96	101	92	92	—	
Mid Season Zone	BY Deno XT	97	10	4	2.0 / ST	Yes	1c	99	86	96	81	90	89	
	Merino R2X	98	13	4	1.7 / T	Yes	1k	100	102	104	86	96	—	
	P004Z87E	97	6	4	2.1 / ST	—	1c	97	98	106	86	96	100	
	Oslo XF	100	5	4	1.9 / ST	—	—	95	101	105	102	99	—	
	SI 00323XT	105	10	4	2.0 / ST	—	1c	104	105	106	96	98	102	
	DKB002-32	103	15	4	1.8 / ST	Yes	1k	107	110	115	98	107	—	
	Bourke R2X	97	18	4	1.8 / ST	—	1k	98	105	107	96	97	—	
	PV 22s002 R2X	97	22	4	2.0 / ST	Yes	1k	102	106	86	86	88	91	
	B0074EE	103	6	4	1.9 / ST	—	1c	106	106	104	107	100	99	
	Badger R2X	105	9	5	1.7 / T	—	1k	105	115	103	101	98	98	
	DKB004-04	99	5	5	1.7 / T	Yes	1c	107	106	105	79	97	—	
	PV 16s004 R2X	97	18	6	1.8 / ST	Yes	1k	98	101	94	97	92	—	
	Mao R2X	104	5	6	1.7 / T	Yes	1c	109	108	105	91	104	—	
	TH84005XF	96	8	6	2.0 / ST	Yes	1c	91	92	96	82	87	—	
	P007A68E	102	9	6	1.9 / ST	—	1c	100	92	106	89	101	97	
TH82005 R2X	102	18	7	1.9 / ST	—	1k	112	107	111	102	95	—		
	Experimental lines that are being tested / proposed for registration in Canada													
	PR23X2350	101	6	4	2.0 / ST	—	—	108	100	110	98	101	95	
	PR24XF2450	100	5	6	1.8 / ST	—	—	100	102	112	91	99	—	
CHECK CHARACTERISTICS					S003-R5X (bu/ac)				79	70	41	59	88	73
S003-R5X					CV%				4.0	3.2	5.9	5.7	4.6	5.3
					LSD%				6	5	10	10	7	8
					Sign Diff.				yes	yes	yes	yes	yes	yes
					Seeding Date				29-May	21-May	22-May	16-May	17-May	29-May
					Harvest Date				07-Oct	02-Oct	07-Oct	25-Sep	03-Oct	01-Oct

1 Relative days to maturity based on multiple year average.

2 Iron Deficiency Chlorosis (IDC) Groupings - These ratings are determined at a separate trial near Winnipeg that is prone to IDC.

T=Tolerant, ST=Semi-Tolerant, S=Susceptible

3 SCN - Soybean Cyst Nematode Resistance

4 PRR - Phytophthora Race Specific Resistant Genes

EASTERN MANITOBA CONVENTIONAL SOYBEANS

Comments:

The Eastern Manitoba conventional soybean variety trial was sponsored by Manitoba Pulse & Soybean Growers

Variety Descriptions

Maturity Zone	Variety	Yield % Check	Site Years Tested	Maturity (days) ¹ +/- of Check	Hilum Colour	IDC ² Rating/Group
Very Early	AAC Halli [®]	91	27	-8	Y	1.9 / ST
Season Zone	Siberia	93	27	-6	IY	1.9 / ST
	Rosser	97	24	-4	IY	1.9 / ST
	Reynolds	93	26	-1	IY	2.1 / ST
	Liska [®]	100	27	0	IY	2.3 / S
	Arietta	106	8	0	IY	2.1 / ST
Early	Abaca [®]	114	22	0	IY	1.9 / ST
Season Zone	Experimental lines that are being tested / proposed for registration in Canada					
	OT22-04	102	12	-3	Y	2.3 / S
	OT24-03	91	7	-2	IY	2.3 / S
	PR193498C-11	97	4	-2	IY	2.3 / S
	OT24-04	98	7	-1	IY	2.4 / S
	PR193409C-10	96	4	-1	IY	2.0 / ST
	PR193839C-08	106	4	0	IY	2.3 / S
	Koa [®]	101	7	2	IY	1.9 / ST
	Aurelina [®]	104	21	3	IY	2.0 / ST
	Dufferin	101	11	3	IY	2.1 / ST
	Maya [®]	89	12	4	Y	1.9 / ST
Mid	Jago	103	20	4	Y	2.3 / S
Season	Nala [®]	97	5	4	Y	2.0 / ST
Zone	Experimental lines that are being tested / proposed for registration in Canada					
	OT20-06	107	9	2	Y	2.3 / S
	OT24-05	104	7	2	IY	1.9 / ST
	PR182740-19	107	4	2	Y	2.0 / ST
	Hana	99	9	6	Y	2.1 / ST
Long	Stanley	102	15	6	IY	2.1 / ST
Season	Experimental lines that are being tested / proposed for registration in Canada					
Zone	PR182804-02	122	3	8	IY	2.0 / ST
CHECK CHARACTERISTICS						
Liska		52 bu/acre	27 site years	119 days		

1 Maturity Ratings are averaged across the Carman, Morris, Portage, St. Adolphe sites

2 Iron Deficiency Chlorosis (IDC) Groupings - These ratings are determined at a separate trial near Winnipeg that is prone to IDC.

T=Tolerant, ST=Semi-Tolerant, S=Susceptible

Yield Comparisons

Maturity Zone	Variety	2024 Yield: % of Liska						
		Early Sites			Core Sites			
		Arborg	Beausejour	Stonewall	Carman	Morris	Portage	St. Adolphe
Very Early Season Zone	AAC Halli ^⓪	94	93	99	103	90	93	97
	Siberia	97	96	103	105	95	89	100
	Rosser	100	97	107	101	100	95	101
	Reynolds	100	96	94	87	88	91	91
	Liska ^⓪	100	100	100	100	100	100	100
	Arietta	109	101	112	128	113	101	102
Early Season Zone	Abaca ^⓪	106	109	125	139	123	111	113
	Experimental lines that are being tested / proposed for registration in Canada							
	OT22-04	92	105	102	110	96	105	102
	OT24-03	91	89	97	102	88	85	89
	PR193498C-11	—	—	—	112	96	94	89
	OT24-04	105	99	89	101	96	96	93
	PR193409C-10	—	—	—	115	88	92	90
	PR193839C-08	—	—	—	119	105	107	98
	Koa ^⓪	—	—	—	106	111	89	102
	Aurelina ^⓪	98	104	102	112	107	98	104
	Dufferin	—	—	—	113	110	92	102
	Maya ^⓪	—	—	—	91	90	85	95
Mid Season Zone	Jago	—	—	—	110	112	97	100
	Nala ^⓪	—	—	—	102	103	89	109
	Experimental lines that are being tested / proposed for registration in Canada							
	OT20-06	—	—	—	119	118	105	103
	OT24-05	91	107	108	116	107	106	105
	PR182740-19	—	—	—	117	109	97	106
	Hana	—	—	—	112	106	96	100
Long Season Zone	Stanley	—	—	—	120	102	104	99
	Experimental lines that are being tested / proposed for registration in Canada							
	PR182804-02	—	—	—	142	114	110	—
Check Characteristics Liska (bu/acre)		75	54	49	44	42	49	57
	CV %	12.1	7.2	4.3	5.9	6.6	4.5	4.7
	LSD%	—	12	8	11	11	7	8
	Sign Diff	no	yes	yes	yes	yes	yes	yes
	Seeding Date	23-May	30-May	10-May	23-May	23-May	31-May	23-May
	Harvest Date	02-Oct	03-Oct	01-Oct	09-Oct	01-Oct	08-Oct	28-Sep

WESTERN MANITOBA CONVENTIONAL SOYBEANS

Comments:

The Western Manitoba conventional soybean variety trial was sponsored by Manitoba Pulse & Soybean Growers

Variety Descriptions

Maturity Zone	Variety	Yield % Check	Site Years Tested	Hilum Colour	Maturity (days) ¹ + / - of Check	IDC ² Rating/Group	2024 Yield % Liska Melita
Very Early Season Zone	Ambella	87	9	BR	-12	2.0 / ST	83
Early Season Zone	AAC Halli@	96	13	Y	-5	1.9 / ST	108
	Siberia	96	11	IY	-3	1.9 / ST	98
Mid Season Zone	Abaca@	103	3	IY	0	1.9 / ST	111
	Liska	100	9	IY	0	2.3 / S	100
	Rosser	99	5	IY	0	1.9 / ST	105
Experimental lines that are being tested / proposed for registration in Canada							
	CDC Cedar	99	1	IY	-4	2.1 / ST	110
CHECK CHARACTERISTICS							
	Liska (bu/ac)	43	9		120	Liska (bu/ac)	50
	bu/acre		site years		days	CV%	6.8
						LSD%	11
						Sign Diff	yes
						Seeding Date	16-May
						Harvest Date	24-Sep

1 Maturity ratings are averaged across the Melita and Swan River sites. Actual maturity will depend on seasonal growing conditions.

2 Iron Deficiency Chlorosis (IDC) Groupings -These ratings are determined at a separate trial near Winnipeg that is prone to IDC.

T=Tolerant, ST=Semi-Tolerant, S=Susceptible

We're your specialists for soybean, corn, peas & cereals

Standard germination plus offering early germination read

Vigour: saturated cold, cold & accelerated aging

Disease testing *Fusarium graminearum* & fungal screen

Molecular: Wheat midge tolerance, pathogens, Palmer amaranth & tall water hemp diagnostics

New this season

Weed Seed Herbicide Resistance



2020seedlabs.ca ~
support@2020seedlabs.ca
Nisku ~ Winnipeg ~ Chile



I DON'T GAMBLE WITH MY BEANS.

I'm not leaving anything up to chance.
I need soybean genetics and trait
options that I trust to outperform.

Every. Single. Season.



syngenta.ca/nk

To speak with someone, contact your retailer,
your NK Territory Sales Representative,
or call our Customer Interaction Centre at
1-87-SYNGENTA (1-877-964-3682).

All photos are either the property of Syngenta or are used with permission. Always read and follow label directions. NK®, NK® and Design, and the Syngenta logo are trademarks of a Syngenta Group Company. © 2024 Syngenta.

syngenta®

EASTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

The Eastern Manitoba herbicide tolerant soybean trial was sponsored by Manitoba Pulse & Soybean Growers

Variety Descriptions

Maturity Zone	Variety	Type ¹	Yield % Check	Site Years Tested	Relative Days to Maturity ² +/- of Check	Hilum Colour	IDC ³ Rating/Group	Resistance SCN ⁴ PRR ⁵	
Very Early Season Zone	PV S0009X84	R2X	94	12	-6	BL	1.8 / ST	Yes	—
	S003-R5X	R2X	89	7	-5	IY	2.1 / ST	—	1c
	B0024EE	E3	93	7	-5	BF	1.9 / ST	—	1k,6
	BY Hector XT	R2X	84	12	-4	BL	1.9 / ST	—	1c
Early Season Zone	P002A42E	E3	89	12	-3	BF	1.9 / ST	—	1c
	BY Meru E3 ⁰	E3	97	7	-3	Y	2.1 / ST	—	1c
	NS EXP004ME3	E3	102	7	-3	Y	1.9 / ST	—	1k
	TH84002X	R2X	90	12	-2	BL	1.8 / ST	Yes	1c
	Hart R2X	R2X	94	19	-2	BR	1.9 / ST	—	1c
	Alouette R2X	R2X	90	7	-2	BL	1.8 / ST	—	1c
	Young R2X	R2X	92	22	-2	BL	1.7 / T	Yes	1c
	Experimental lines that are being tested / proposed for registration in Canada								
	CP00123WPX	WPX	94	12	-2	BR	2.1 / ST	Yes	1c
Mid Season Zone	B0044EE	E3	99	7	-1	BF	2.0 / ST	Yes	1c
	BY Deno XT	R2X	89	12	-1	BL	2.0 / ST	Yes	1c
	NSC Holland RR2X	R2X	94	22	-1	BR	1.9 / ST	—	1c
	P003Z08E	E3	97	7	-1	Y	2.2 / ST	—	1c
	DKB002-32	R2X	95	25	-1	BR	1.8 / ST	Yes	1k
	P006A37X	R2X	100	39	0	BR	1.8 / ST	—	1c
	NSC Arden RR2X	R2X	91	16	0	BL	1.8 / ST	—	1c
	NSC EXP004CX	R2X	102	7	0	BR	1.8 / ST	—	1c
	NSC Homewood RR2X	R2X	103	7	0	BL	1.7 / T	—	1c
	Oslo XF	R2XF	101	7	0	IY	1.9 / ST	—	—
	TH85003XF	R2XF	97	7	0	BR	2.0 / ST	Yes	1c,3a
	Bourke R2X	R2X	94	36	0	BL	1.8 / ST	—	1k
	Merino R2X	R2X	90	13	1	BL	1.7 / T	Yes	1k
	BY Robson XT	R2X	102	6	1	BL	2.1 / ST	—	1c
	P004Z87E	E3	97	7	1	Y	2.1 / ST	—	1c
	PV 22s002 R2X	R2X	90	22	1	BL	2.0 / ST	Yes	1k
	PV 16s004 R2X	R2X	92	33	1	BL	1.8 / ST	Yes	1k
	SI 00323XT	R2X	99	12	1	BL	2.0 / ST	—	1c
	B0074EE	E3	100	7	2	BR	1.9 / ST	—	1c
	Badger R2X	R2X	97	10	2	BL	1.7 / T	—	1k
	TH84005XF	R2XF	86	7	2	BL	2.0 / ST	Yes	1c
	SI 00623XT	R2X	102	12	2	BL	2.0 / ST	—	1c
	Mao R2X	R2X	100	11	2	BL	1.7 / T	Yes	1c
Experimental lines that are being tested / proposed for registration in Canada									
	EXP006-24E3	E3	96	7	-1	B	1.7 / T	Yes	1k,3a
	EXP006-24XF	R2XF	96	7	0	BR	1.8 / ST	Yes	1c,3a
	PR23X2350	R2X	105	7	1	IY	2.0 / ST	—	—
	CP00523WPX	WPX	98	9	2	BL	2.1 / ST	—	1k,1c
	PR150019Z-14	R2X	90	4	2	BL	2.0 / ST	—	1c
Long Season Zone	P008Z25E	E3	104	4	3	Y	1.9 / ST	—	1c
	P009Z94E	E3	107	4	3	BF	1.9 / ST	Yes	1k,6
	TH82005 R2X	R2X	99	22	3	BR	1.9 / ST	—	1k
	S007-A2XS	R2X	99	22	3	GR	1.8 / ST	—	—
	DKB006-80	R2X	103	10	4	BL	1.7 / T	Yes	1c
	P007A68E	E3	98	12	4	BF	1.9 / ST	—	1c
	DKB004-04	R2X	94	7	4	BL	1.7 / T	Yes	1c
	Rico R2X	R2X	102	6	4	B	2.3 / S	Yes	1c

Maturity Zone	Variety	Type ¹	Yield % Check	Site Years Tested	Relative Days to Maturity ² +/- of Check	Hilum Colour	IDC ³ Rating/Group	Resistance SCN ⁴	PRR ⁵
	DKB007-91XF	R2XF	92	4	5	BL	1.9 / ST	—	1c
	DKB009-96	R2X	93	4	5	BL	1.9 / ST	Yes	1c
	Triquet R2X	R2X	100	6	5	Bl	1.7 / T	Yes	1k
	TH81007 R2XN	R2X	100	11	5	BR	1.7 / T	Yes	1c
	PV S007XF55	R2XF	102	4	6	BL	1.8 / ST	Yes	—
	SI 00723XFN	R2XF	98	12	6	BL	1.7 / T	Yes	1c
	TH74007E	E3	106	4	7	BF	1.9 / ST	Yes	3a
Experimental lines that are being tested / proposed for registration in Canada									
	EXP N007E3	E3	108	4	3	BR	2.1 / ST	—	1k,3a
	PR24XF2450	R2XF	105	4	3	BR	1.8 / ST	—	—
	C4M24517 XT	R2X	103	4	5	BL	1.9 / ST	Yes	—
CHECK CHARACTERISTICS									
	P006A37X		52 bu/acre	39 site years	118 days				

- 1 R2X - Xtend technology (dicamba and glyphosate), R2Y-Roundup-Ready 2 technology (glyphosate only), RR1 - Roundup Ready 1 technology (glyphosate), E3 Enlist (glyphosate, 2,4-D, glufosinate) WPX-Blended Variety Extend Tolerant (glyphosate, dicamba), R2XF Extend Flex Technology (Glyphosate, Dicamba, glufosinate)
- 2 Maturity Ratings are averaged across Carman, Morris, Portage, St. Adolphe sites over multiple years
- 3 Iron Deficiency Chlorosis (IDC) Groupings - These ratings are determined at a separate trial near Winnipeg that is prone to IDC.
T=Tolerant, ST=Semi-Tolerant, S=Susceptible
- 4 SCN - Soybean Cyst Nematode Resistance
- 5 PRR - Phytophthora Race Specific Resistant Genes

KWS Hybrid Rye

Market-Leading Varieties:

Grain & Feed

- KWS RECEPTOR
- KWS TREBIANO
- KWS SANDOR

Forage

- KWS AVIATOR



Locate a Retailer

www.kws.com/ca



EASTERN MANITOBA HERBICIDE TOLERANT SOYBEANS (continued)

Yield Comparisons

		2024 Yield: % of P006A37X						
Maturity Zone	Variety	Early Sites			Core Sites			
		Arborg	Beausejour	Stonewall	Carman	Morris	Portage	St. Adolphe
Very Early Season Zone	PV S0009X84	96	104	96	100	92	91	97
	S003-R5X	112	97	104	85	103	98	99
	B0024EE	92	89	98	95	92	93	90
	BY Hector XT	86	79	89	77	84	87	89
Early Season Zone	P002A42E	96	87	92	100	90	105	89
	BY Meru E3 \emptyset	88	98	96	100	107	101	97
	NS EXP004ME3	96	92	106	116	100	103	103
	TH84002X	88	86	94	99	93	82	92
	Hart R2X	97	99	107	99	93	107	105
	Alouette R2X	94	89	93	85	87	97	89
	Young R2X	89	104	102	95	101	102	94
Experimental lines that are being tested / proposed for registration in Canada								
	CP00123WPX	90	90	103	101	89	104	104
Mid Season Zone	B0044EE	109	89	101	91	97	103	101
	BY Deno XT	93	85	94	84	91	89	81
	NSC Holland RR2X	106	100	95	93	99	99	92
	P003Z08E	97	94	99	107	99	102	88
	DKB002-32	110	97	102	102	98	102	104
	P006A37X	100	100	100	100	100	100	100
	NSC Arden RR2X	94	93	100	94	91	100	98
	NSC EXP004CX	105	99	103	99	104	98	104
	NSC Homewood RR2X	104	99	109	109	93	103	99
	Oslo XF	95	104	98	110	104	107	95
	TH85003XF	98	90	98	100	104	104	92
	Bourke R2X	96	95	98	89	107	87	101
	Merino R2X	102	93	91	81	96	93	90
	BY Robson XT	—	—	—	96	102	102	103
	P004Z87E	98	101	97	103	85	97	89
	PV 22s002 R2X	90	83	90	83	93	91	96
	PV 16s004 R2X	—	—	—	86	98	97	96
	SI 00323XT	102	93	103	94	95	103	91
	B0074EE	94	104	96	102	108	99	100
	Badger R2X	—	—	—	97	96	101	101
TH84005XF	80	84	90	80	88	88	96	
SI 00623XT	106	105	105	98	109	110	101	
Mao R2X	—	—	—	102	105	104	102	
Experimental lines that are being tested / proposed for registration in Canada								
	EXP006-24E3	98	93	98	102	95	97	87
	EXP006-24XF	94	93	100	99	92	108	90
	PR23X2350	110	100	106	107	101	113	98
	CP00523WPX	105	97	98	88	97	98	101
	PR150019Z-14	—	—	—	88	93	85	91

(continued) EASTERN MANITOBA HERBICIDE TOLERANT SOYBEANS

Maturity Zone	Variety	2024 Yield: % of P006A37X							
		Early Sites			Core Sites				
		Arborg	Beausejour	Stonewall	Carman	Morris	Portage	St. Adolphe	
Long Season Zone	P008Z25E	—	—	—	99	105	109	106	
	P009Z94E	—	—	—	112	106	110	100	
	TH82005 R2X	100	93	96	100	97	114	108	
	S007-A2XS	91	103	105	100	95	97	105	
	DKB006-80	109	105	105	95	105	105	106	
	P007A68E	95	93	98	94	101	108	84	
	DKB004-04	90	92	104	85	95	94	100	
	Rico R2X	—	—	—	109	105	110	104	
	DKB007-91XF	—	—	—	91	99	97	88	
	DKB009-96	—	—	—	76	111	97	97	
	Triquet R2X	—	—	—	97	103	103	106	
	TH81007 R2XN	—	—	—	106	98	98	102	
	PV S007XF55	—	—	—	104	99	103	103	
	SI 00723XFN	101	91	103	95	98	94	104	
	TH74007E	—	—	—	106	103	112	105	
	Experimental lines that are being tested / proposed for registration in Canada								
		EXP N007E3	—	—	—	110	106	106	107
	PR24XF2450	—	—	—	105	108	108	101	
	C4M24517 XT	—	—	—	102	94	99	111	
Check Characteristics	P006A37X (bu/acre)	78	63	56	57	39	36	61	
	CV %	6	7	4	7	7	6	4	
	LSD%	10	11	7	10	11	10	7	
	Sign Diff	yes	yes	yes	yes	yes	yes	yes	
	Seeding Date	23-May	30-May	10-May	23-May	23-May	31-May	23-May	
	Harvest Date	02-Oct	03-Oct	03-Oct	09-Oct	27-Sep	08-Oct	27-Sep	

SUNFLOWERS — CONFECTIONARY TYPE

Comments:

These varieties were tested and data donated by the Manitoba Crop Alliance (MCA).

All sunflowers varieties listed are susceptible to sclerotinia and sunflower rust strains present in Manitoba.

Genetic resistance to verticillium wilt is rated as moderately susceptible to moderately resistant for all sunflower varieties presented.

Plant population and environment will contribute greatly to the final product.

Variety Descriptions

Company	Hybrid	Genetic Traits ¹	Site Years	Yield % Check	Maturity ² (days to R9)	Height (+/- check, inches)	2024 Seed Sizing (%) ³		
							>22/64	>20/64	<20/64
NuSeed	6946 DMR	DM	42	100	0	0	30	33	34
MCA	MCA 359239	ExSun	12	109	2	2	81	11	8
MCA	MCA 359306	ExSun	12	108	0	-3	73	16	12
Experimental lines tested/proposed for registration in Canada									
NuSeed	N6L377 CL	CL	5	119	2	-4	62	21	18
Nuseed	NJKM65823	CL	12	97	3	-2	43	32	25
CHECK CHARACTERISTICS									
	6946 DMR		42	2754	122	63			
			site years	lb/ac	days	inches			

1 Genetic traits include CL = Clearfield tolerance; ExSun = Express tolerance; DM = Downy Mildew Resistance.

2 Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

3 Totals may not add to 100% due to rounding; information based off two sites at Elm Creek and Rossendale.

Refer to the MCA website at www.mbcropalliance.ca for more details.

SUNFLOWERS – CONFECTIONARY TYPE (continued)

Site Comparisons

Hybrid	Carberry							Test Wt ³ (lb/bu)
	Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	2024 Seed Sizing (%) ²			
					>22/64	>20/64	<20/64	
6946 DMR	1587	18.8	136	50	18	38	23	23.5
MCA 359239	1686	18.6	139	45	85	12	3	24.3
MCA 359306	1715	18.2	143	45	82	15	3	24.3
Experimental lines being tested/proposed for registration in Canada								
N6L377 CL	1458	17.4	143	46	66	23	10	25.4
NJKM65823	1576	18.3	134	47	57	29	15	25.3
Site Average	1604	18.3	139	47	—	—	—	24.3
CV%	8.23	4.67	0.92	8.14	—	—	—	6.4
Sign Diff	No	No	Yes	No	—	—	—	No
LSD (0.05)	—	—	2	—	—	—	—	—
Planting Date	10-May							
Desiccation Date	08,16-Oct							
Harvest Date	10-Oct							

1 Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

2 Totals may not add to 100% due to rounding

3 Test weights are reported in lbs per Avery (Canadian) bushel.

4 Lodging where 1 is no lodging; 3 is 30% lodging

Refer to the MCA website at www.mbcropalliance.ca for more details.

Site Comparisons – continued

Hybrid	Beausejour							Test Wt ³ (lb/bu)
	Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	2024 Seed Sizing (%) ²			
					>22/64	>20/64	<20/64	
66946 DMR	1219	13.9	124	51	23	49	29	25.5
MCA 359239	1204	15.7	126	58	71	21	8	24.3
MCA 359306	1006	14.7	120	53	74	19	7	24.8
Experimental lines being tested/proposed for registration in Canada								
N6L377 CL	1336	17.1	126	54	59	25	16	22.2
NJKM65823	1140	18.4	127	55	38	36	26	24.6
Site Average	1181	16.0	125	54	—	—	—	24.3
CV%	5.90	6.43	1.19	4.83	—	—	—	3.18
Sign Diff	Yes	Yes	Yes	No	—	—	—	Yes
LSD (0.05)	139	1.9	3	—	—	—	—	1.5
Planting Date	29-May							
Desiccation Date	03-Oct							
Harvest Date	10-Oct							

1 Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

2 Totals may not add to 100% due to rounding

3 Test weights are reported in lbs per Avery (Canadian) bushel.

4 Lodging where 1 is no lodging; 3 is 30% lodging

Refer to the MCA website at www.mbcropalliance.ca for more details.

Elm Creek								Rossendale							
Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	2024 Seed Sizing (%) ²			Test Wt ³ (lb/bu)	Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	2024 Seed Sizing (%) ²			Test Wt ³ (lb/bu)
				>22/64	>20/64	<20/64						>22/64	>20/64	<20/64	
2216	9.2	—	70	21	44	26	17.0	1485	10	—	69	21	45	27	22.4
1988	9.9	—	73	92	4	5	19.4	2343	10.3	—	70	91	6	3	22.5
2108	9.1	—	67	87	7	6	19.0	2122	10.3	—	65	87	8	5	21.7
2200	9.7	—	65	67	18	15	20.6	1994	11.0	—	63	76	17	8	21.1
1861	9.4	—	69	77	16	7	23.3	1779	9.7	—	65	62	26	12	23.6
2074	9.5	112	69	—	—	—	19.9	1945	10.3	—	66	—	—	—	22.3
6.59	9.2	1.43	4.50	—	—	—	9.0	11.40	9.37	—	2.40	—	—	—	4.18
No	No	Yes	No	—	—	—	Yes	Yes	No	—	Yes	—	—	—	No
—	—	3	—	—	—	—	3.5	418	—	—	3	—	—	—	—
29-May								29-May							
—								08-Oct							
21-Oct								16-Oct							

Melita							
Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	2024 Seed Sizing (%) ²			Test Wt ³ (lb/bu)
				>22/64	>20/64	<20/64	
1683	11.1	144	87	57	24	19	25.7
3112	13.0	144	80	96	3	0	23.5
2891	11.6	144	79	88	6	6	24.8
2792	12.0	144	77	84	11	5	23.9
2353	11.2	144	78	71	21	7	25.9
2566	11.8	—	80	—	—	—	24.8
15.23	9.6	—	6.29	—	—	—	4.03
Yes	No	—	No	—	—	—	No
736	—	—	—	—	—	—	—
17-May							
01-Oct							
17-Oct							

SUNFLOWERS – OIL TYPE

Comments:

These varieties were tested and data donated by the Manitoba Crop Alliance (MCA).

Oil sunflower markets include birdfood, oil crush and de-hull. Variety selection becomes more important when trying to capture de-hull markets. Choose varieties with better de-hull ratio, larger size and higher test weight. Environment will contribute greatly to final product.

Plant population and environment will contribute greatly to the final product.

Percent (%) oil content was unavailable at press time, visit www.mbcropalliance.ca for more detail.

Variety Descriptions

Company	Variety	Herbicide/Disease Tolerance ¹	Site Years	Yield (% check)	Maturity ² (+/- check)	Height (+/- check, inches)		Oil % ³	Oil Type ³	Test Weight ⁴
WinField United CROPLAN	CP432E	ExSun	17	109	-1	-1	43.4	NS	29.6	
WinField United CROPLAN	CP455E	ExSun	17	119	3	1	45.2	HO	28.7	
NuSeed	N4H161 CL	CL/ExSun	15	177	-8	-12	43.1	HO	30.2	
NuSeed	N4HM354	CL	24	115	-2	-3	47.2	NS	32.5	
Pioneer Hi-Bred	P63HE501	ExSun	17	187	0	1	42.6	HO	29.6	
Pioneer Hi-Bred	P63ME80	ExSun / DM	30	100	0	0	47.1	NS	30.3	
Experimental lines tested/proposed for registration in Canada										
RAGT	AC2301	CL Plus	8	96	4	2	40.3	HO	27.9	
NuSeed	Badger DMR	CL	4	121	1	-1	33.5	NS	28.2	
NuSeed	N4H134 E	ExSun	4	85	-1	-15	38.6	HO	30.3	
NuSeed	N4H205 E	ExSun	4	128	-3	-5	44.9	HO	29.7	
NuSeed	N4L337 E	ExSun	4	121	3	-2	43.5	HO	29.6	
Pioneer Hi-Bred	P63HE920	ExSun	11	110	5	0	43.1	HO	31.3	
CHECK CHARACTERISTICS										
	P63ME80		30	2662	125	62				
			site years	lb/ac	days	inches				

1 Genetic traits include CL = Clearfield herbicide tolerance; ExSun = Express SG herbicide tolerance; DM = Downy Mildew Resistance.

2 Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

3 Oil Type include NS=NuSun; HO=High Oleic; CO = ConOil

4 Test weights reported in lbs per Avery (Canadian) bushel.

Site Comparisons

Hybrid	Carberry						Beausejour					
	Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	Test Wt ² (lb/bu)	Oil (%)	Yield (lb/acre)	Moisture (%)	Maturity ¹ (days to R9)	Height (inches)	Test Wt ² (lb/bu)	Oil (%)
CP432E	1390	18.2	143	61	27.0	—	1362	23.8	—	57	32.5	—
CP455E	1350	17.4	141	60	27.3	—	1476	25.9	—	55	31.4	—
N4H161 CL	1274	18.4	144	58	27.4	—	1092	20.4	—	44	33.4	—
N4HM354	1279	19.4	144	58	28.3	—	1400	23.2	—	53	34.1	—
P63HE501	1213	19.1	142	59	29.3	—	1352	21.0	—	61	33.7	—
P63ME80	1269	17.7	145	59	28.9	—	1187	25.6	—	57	30.9	—
Experimental lines being tested/proposed for registration in Canada												
AC2301	1299	17.9	147	62	28.1	—	975	24.3	—	58	30.2	—
Badger DMR	1301	18.5	144	59	28.1	—	1730	19.8	—	57	32.1	—
N4H134 E	1181	17.3	140	60	28.8	—	991	17.9	—	45	32.0	—
N4H205 E	1478	17.3	142	58	27.6	—	1994	19.9	—	52	33.9	—
N4L337 E	1084	18.1	145	59	27.8	—	1628	19.5	—	53	33.2	—
P63HE920	1322	18.4	145	59	27.7	—	1473	24.7	—	59	35.0	—
Site Average	1287	18.1	144	59	28.0	—	1388	22	—	54	32.7	—
CV%	11.65	7.39	2.59	5.58	7.43	—	12.36	17.69	—	4.34	4.1	—
Sign Diff	No	No	No	No	No	—	Yes	No	—	Yes	Yes	—
LSD (0.05)	—	—	—	—	—	—	292	—	—	4	2.3	—
Planting Date	10-May						16-May					
Desiccation Date	08,16-Oct						3-Oct					
Harvest Date	16-Oct						10-Oct					

1 Physiological maturity for sunflowers is R9, where the bracts on the head are almost completely brown.

2 Test weights are reported in lbs per Avery (Canadian) bushel.

Refer to the MCA website at www.mbcropalliance.ca for more details.

Distributor Contacts for Listed Varieties in Seed Manitoba 2025

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

CANOLA

B3012	Brevant seeds
BY 7204LL	BrettYoung
C8M24520 RR	Maizex seeds
C8M24523 RR	Maizex seeds
C8M24524 RR	Maizex seeds
CP21L3C	WinField United CROPLAN
CP21T3P	WinField United CROPLAN
CP22T1C	WinField United CROPLAN
CP24L3C	WinField United CROPLAN
CS3200 TF	CANTERRA SEEDS
CS3300 TF	CANTERRA SEEDS
CS4000 LL	CANTERRA SEEDS
InVigor L340PC	BASF InVigor
InVigor L343PC	BASF InVigor
InVigor L350PC	BASF InVigor
InVigor L356PC	BASF InVigor

CDC Esme☺
CDC Glas☺
CDC Kernen☺
CDC Neela☺
CDC Plava☺
CDC Rowland☺
CDC Sanctuary☺
CDC Sorrel ☺
Hanley☺
Lightning☺
NuLin50☺
Topaz☺
WestLin 60☺
WestLin 70
WestLin 71☺
WestLin 72☺

SeCan
SeCan
SeCan
CANTERRA SEEDS
SeCan
SeCan
SeCan
SeCan
SeCan
SeCan
CANTERRA SEEDS
Nutrien Ag Solutions Proven Seed
Alliance Seed
Nutrien Ag Solutions Proven Seed
Nutrien Ag Solutions Proven Seed
Nutrien Ag Solutions Proven Seed
Nutrien Ag Solutions Proven Seed

FLAX

FLAX

AAC Bravo☺	FP Genetics
AAC Bright☺	SeCan
AAC Marvelous☺	FP Genetics
AAC Prairie Sunshine☺	SeCan
AC Emerson	SeCan
AC Prairie Blue☺	SeCan
AC Prairie Thunder☺	CANTERRA SEEDS
CDC Bethune☺	SeCan
CDC Buryu☺	SeCan
CDC Dorado☺	SeedNet

AAC Halli☺
Nala☺
Hana
Koa☺
Liska ☺
Maxus
Maya☺
Siberia
Abaca ☺
Ambella ☺

CONVENTIONAL SOYBEANS

Interlake.org Inc.
Prograin Inc
Prograin Inc
Prograin Inc
Prograin Inc
Prograin Inc
Prograin Inc
Prograin Inc
SAATBAU LINZ eGen
SAATBAU LINZ eGen



Plan to grow.

Seed Manitoba gets you started.

Seed Interactive takes you to the next level

Seed Manitoba is your trusted source for variety selection in this province. Seed Interactive lets you tailor the results for your farm.

Use Seed Interactive to Your Advantage

- Select the locations and years that best compare with your farm
- Choose your own check
- Compare the varieties you want to compare

With **Seed Interactive**, you can compare multiple varieties, multiple years and multiple locations. It's easy and informative.

Log on to customize selections for your farm.

www.seedinteractive.ca



*A Manitoba Crop
Variety Decision Tool*

CONVENTIONAL SOYBEANS

Aurelina 0	SAATBAU LINZ eGen
Arietta	Semences Saatbau Canada Inc.
Amistar	Semican Inc.
Jador	Semican Inc.
Mozart	Semican Inc.
Prostar 0	Semican Inc.
Dufferin	Sevita International
Rosser	Sevita International
Reynolds	Sevita International
Stanley	Sevita International
Baffin	SG CERESCO
Fjord	SG CERESCO
Jago	SG CERESCO
Kebek	SG CERESCO

ROUNDUP READY SOYBEANS

Akras R2	BrettYoung
Amirani R2	BrettYoung
BY Arvon XT	BrettYoung
BY Deno XT	BrettYoung
BY Hector XT	BrettYoung
BY Meru E30	BrettYoung
BY Nebo XT	BrettYoung
BY Robson XT	BrettYoung
B0024EE	BREVANT seeds
B0044EE	BREVANT seeds
B0074EE	BREVANT seeds
CP000521X	CROPLAN
CP000620RX	CROPLAN
CP00120RX	CROPLAN
CP00123X	CROPLAN
CP00419RX	CROPLAN
CP00519RX	CROPLAN
CP00621X	CROPLAN
CP00722X	CROPLAN
DKB0005-03	DEKALB
DKB0008-87	DEKALB
DKB001-07	DEKALB
DKB002-32	DEKALB
DKB004-04	DEKALB
DKB006-80	DEKALB
DKB007-91XF	DEKALB
DKB008-48	DEKALB
DKB009-96	DEKALB
Badger R2X	Maizex seeds
Wolf R2X 0	Maizex seeds
NS EXP004ME3	Northstar Genetics Canada
NSC Arden RR2X	Northstar Genetics Canada
NSC Dauphin RR2X	Northstar Genetics Canada
NSC EXP0008CX	Northstar Genetics Canada
NSC EXP004CX	Northstar Genetics Canada
NSC Holland RR2X	Northstar Genetics Canada
NSC Homewood RR2X	Northstar Genetics Canada
NSC Winkler RR2X	Northstar Genetics Canada
PV 16s004 R2X	Nutrien Ag Solutions
PV 22s002 R2X	Nutrien Ag Solutions
PV S0007X74	Nutrien Ag Solutions
PV S0009X84	Nutrien Ag Solutions
PV S007XF55	Nutrien Ag Solutions
P002A42E	Pioneer Hi-Bred
P008Z25E	Pioneer Hi-Bred
P009Z94E	Pioneer Hi-Bred
P003Z08E	Pioneer Hi-Bred
P004Z87E	Pioneer Hi-Bred
P005A59E	Pioneer Hi-Bred
P007A68E	Pioneer Hi-Bred
Dextro R2X	Prograin Inc
Elmo E3	Prograin Inc
Fresco R2X	Prograin Inc
Kudo R2X	Prograin Inc
Mao R2X	Prograin Inc
Merino R2X	Prograin Inc
Oslo XF	Prograin Inc
Rico R2X	Prograin Inc
Alouette R2X	SeCan

ROUNDUP READY SOYBEANS

Barker R2X	SeCan
Bourke R2X	SeCan
Briggs R2X	SeCan
Fisher R2X	SeCan
Foote R2	SeCan
Hart R2X	SeCan
Mahony R2	SeCan
Major R2X	Secan
Triquet R2X	SeCan
Young R2X	SeCan
SI 001XTN	Sevita International
SI 00221XTN	Sevita International
SI 00321XT	Sevita International
SI 00323XT	Sevita International
SI 00421XT	Sevita International
SI 00623XT	Sevita International
SI 00723XFN	Sevita International
SI 007XTN	Sevita International
S0007-S1X	Syngenta Canada
S0009-J5X	Syngenta Canada
S001-D8X	Syngenta Canada
S003-R5X	Syngenta Canada
S005-C9X	Syngenta Canada
S007-A2XS	Syngenta Canada
TH 87003 R2X	Thunder Seeds Canada
TH74007E	Thunder Seeds Canada
TH81007 R2XN	Thunder Seeds Canada
TH82005 R2X	Thunder Seeds Canada
TH84002X	Thunder Seeds Canada
TH84005XF	Thunder Seeds Canada
TH85003XF	Thunder Seeds Canada

SUNFLOWERS

- see Sunflower table to determine which companies market specific varieties -

DISTRIBUTOR

PHONE NUMBER

Alliance Seed	1-877-270-2890
BASF	1-877-371-2273
Bayer CropScience Canada Ltd. (DEKALB)	1-888-283-6847
BrettYoung.....	1-800-665-5015
BREVANT seeds.....	1-800-667-3852
CANTERRA SEEDS.....	1-877-439-7333
FP Genetics.....	1-877-791-1045
Interlake.org Inc.....	1-204-641-0230
Maizex Seeds.....	1-519-682-1720
Northstar Genetics Canada	1-204-262-2425
Nuseed Americas Inc	1-877-841-7447
Nutrien Ag Solutions Proven Seed.....	1-204-435-2063
Pioneer Hi-Bred.....	1-306-385-3001
Prograin Inc	1-800-817-3732
SAATBAU LINZ eGen.....	1-514-609-0881
SeCan.....	1-800-665-7333
SeedNet	1-403-715-9771
Semences Saatbau Canada Inc.	1-514-609-0881
Semican Inc.	1-819-362-8823
Sevita International	1-613-989-3000
SG CERESCO	1-450-454-2727
Syngenta Canada Inc.....	1-877-964-3682
Thunder Seeds Canada	1-306-213-8888
WinField United CROPLAN.....	1-306-249-5112

A SOYBEAN PARTNER YOU CAN GROW WITH

Sevita is your Canadian partner for high-performing **Roundup Ready 2 Xtend®**, **XtendFlex®**, and **food-grade (non-GM) soybean varieties** that raise the bar for Manitoba growers.

Yield more profit per acre with Sevita's food-grade soybeans. Our proprietary varieties are in high-demand from international soy food and beverage manufacturers. Our unique closed-loop non-GM program offers growers 100% buyback with desirable premiums and flexible marketing opportunities.

With industry-leading genetics, local performance results, built-in disease and pest resistances, and tailored solutions for both food-grade and traited soybeans, you can grow confidently with Sevita.

Speak with your local Sevita representative to learn more or visit sevita.com/plot-results to see how our varieties performed in a trial near you.

Chris Unger
204-361-6442
ChrisU@sevita.com

Daniel Acuna
204-797-1162
DanielA@sevita.com

**Advancing Soybean Genetics.
Driving Local Partnerships.**



Always read and follow insect resistance management requirements (where applicable), grain marketing and all other stewardship practices and pesticide label directions. Scan the QR code or visit traits.bayer.ca/en/product-legal to review important stewardship and product information including regulatory status, grain marketing requirements, herbicide and insect tolerance, pesticide use and product trial results. Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, and XtendFlex® are registered trademarks of Bayer Group. Used under license. LibertyLink® and LibertyLink® logo are registered trademarks of BASF. Used under license. ©2024 Bayer Group. All rights reserved.



Growers List



O
I
L
S
E
E
D
C
R
O
P
S

FLAX

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991.

CDC ESME☺

Carman; Menold, Thomas.....	204-750-2682	R
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	R
Wawanesa; Ellis Seeds	204-824-2290	R

CDC ROWLAND☺

Boissevain; Armstrong Seeds Ltd.....	204-534-2566	C
Crystal City; Buchanan, Kenneth, Jayden, & Dean	204-825-7151	C
Domain; Manness, Clayton.....	204-736-2922	F
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268	R
Oak Lake; Gerlyn Acres Ltd.	204-851-2241	C
Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
Somerset; Sierens Seed Service.....	204-744-2883	C

HEMP

CNAP1HOH

Ste. Agathe; Darrell McElroy	204-823-2898	F
------------------------------------	--------------	---

FINOLA

Ste. Agathe; Darrell McElroy	204-823-2898	C
------------------------------------	--------------	---

SOYBEANS

ALOUETTE R2X

Arborg; Timchishen Seeds Farms.....	204-641-1288	F R
Brandon; Wheat City Seeds Ltd.	204-727-3337	R
Carman; RJP Seed Ltd.	204-745-3304	R
Darlingford; Morrow, Graham.....	204-362-8986	R
Dauphin; Fisher Seeds Ltd.....	204-622-8800	R
Kenton; Stevenson, Richard & Douglas.....	204-573-3054	R
Miniota; Walker, Alan Glen	204-748-7264	R
Reston; Avondale Seed Farm Ltd.....	204-877-3813	R
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	R
Warren; Riddell Seed Co.....	204-227-5679	S R
Wawanesa; Ellis Seeds	204-824-2290	R

BADGER R2X

Rosenort; Friesen Seeds Ltd.	204-746-8325	S
-----------------------------------	--------------	---

BARKER R2X

Portage La Prairie; Askin, Raymond & Jeffrey	204-856-3483	C
--	--------------	---

BOURKE R2X

Brandon; Wheat City Seeds Ltd.	204-727-3337	R
Carman; RJP Seed Ltd.	204-745-3304	S F C
Oak Bank; Willowdale Seeds.....	204-801-0659	R
Portage La Prairie; Askin, Raymond & Jeffrey	204-856-3483	R

BRIGGS R2X

Ste. Rose Du Lac; Gamache, Ryan	204-447-2118	R
---------------------------------------	--------------	---

HART R2X

Arborg; Timchishen Seeds Farms.....	204-641-1288	S F C
Darlingford; Morrow, Graham.....	204-362-8986	C
Oak Bank; Willowdale Seeds.....	204-801-0659	R
Oakville; Miller Agritec Farm Inc.	204-267-2363	R
Portage La Prairie; Pugh Seeds Ltd.	204-871-1467	C
Ste. Anne; Seine River Seed Farm.....	204-371-7700	C
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	C
Warren; Riddell Seed Co.....	204-227-5679	S F C
Wawanesa; Ellis Seeds	204-824-2290	C

SOYBEANS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991.

MAHONY R2

Kenton; Stevenson, Richard & Douglas.....	204-573-3054	C
---	--------------	---

NSC ARDEN RR2X

Domain; Pitura Seed Farms Ltd.....	204-736-2849	R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	S F R
Morden; Wilson, James.....	204-362-2449	R
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	S F R
Plumas; Court Seeds Ltd.....	204-386-2354	R
Reston; Avondale Seed Farm Ltd.	204-877-3813	R
St. Claude; R-Way Ag. Ltd.....	204-379-2582	R

NSC DAUPHIN RR2X

Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	S F R
Russell; Keating Seed Farms Inc.....	204-773-3854	C

NSC EXP004CX

Domain; Manness Seed	204-736-2622	S F R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R

NSC EXP004ME3☺

Domain; Manness Seed	204-736-2622	S F
----------------------------	--------------	-----

NSC HOLLAND RR2X

Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	R C
Domain; Manness Seed	204-736-2622	R
Domain; Pitura Seed Farms Ltd.....	204-736-2849	R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	S F R
Morden; Wilson, James.....	204-362-2449	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
Reston; Avondale Seed Farm Ltd.	204-877-3813	C
Rosenort; Friesen Seeds Ltd.	204-746-8325	S F R C
St. Claude; R-Way Ag. Ltd.....	204-379-2582	R

NSC HOMEWOOD RR2X

Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	R
Domain; Manness Seed	204-736-2622	R
Domain; Pitura Seed Farms Ltd.....	204-736-2849	S F R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R
Homewood; Agassiz Seed Farm.....	204-745-6655	R
Rosenort; Friesen Seeds Ltd.	204-746-8325	S F R

NSC WINKLER RR2X

Cooks Creek; Saramaga, Robert & Andrew	204-771-0951	C
Domain; Manness Seed	204-736-2622	C
Domain; Pitura Seed Farms Ltd.....	204-736-2849	R C
Homewood; Agassiz Seed Farm.....	204-745-6655	C
Rosenort; Friesen Seeds Ltd.	204-746-8325	C

TRIQUET R2X

Carman; Menold, Ulrich, Tyler & Lucas.....	204-750-2675	R
--	--------------	---

WOLF R2X☺

Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	S F
--	--------------	-----

YOUNG R2X

Arborg; Timchishen Seeds Farms.....	204-641-1288	F R
Brandon; Wheat City Seeds Ltd.	204-727-3337	C
Dauphin; Fisher Seeds Ltd.....	204-622-8800	F C
Kenton; Stevenson, Richard & Douglas.....	204-573-3054	F C
Mac Gregor; Hulme Agra Products Inc.....	204-871-4666	C
Miniota; Walker, Alan Glen	204-748-7264	C
Oak Bank; Willowdale Seeds.....	204-801-0659	R
Reston; Avondale Seed Farm Ltd.	204-877-3813	C
Rivers; Redspers Enterprises.....	204-328-5346	C
Ste. Rose Du Lac; Gamache, Ryan	204-447-2118	C
Warren; Riddell Seed Co.....	204-227-5679	F
Wawanesa; Ellis Seeds	204-824-2290	F C

Pulse Crops

Variety Description Key

A “CHECK CHARACTERISTICS” box has been placed at the bottom of each table to display the long term yield, site years, maturity and any other check attributes.

Except for the long-term average yield, variety description information obtained from the Co-operative Registration Trials. For relative maturity, please keep in mind the actual number of days to reach maturity will depend on local climactic conditions and to some extent on management practices.

“Resistance Level” ratings: VG = Very Good; G = Good; F = Fair; P = Poor; VP = Very Poor; “n/a” = not available

Site Years Tested is the cumulative number of locations over the years that a variety has been tested against the check variety. The more site years, the more dependable the data.

☞ Indicates a variety that is protected by Plant Breeder’s Rights legislation that complies with UPOV 1978

Ⓢ Indicates a variety that is protected by, or has been applied for and is pending, Plant Breeder’s Rights legislation that complies with UPOV 1991

TKW (Thousand Kernel Weight) is the weight in grams of 1000 seeds.

Key to 2024 Yield Tables

Yields derived over two or more growing seasons are the best indicator of variety performance. For new varieties, the average yield over all sites is more reliable than data from a single location. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.



Manitoba Agriculture Variety Guide

FABABEANS

Comments:

The fababean variety trial was tested by MCVET and partially sponsored by the Manitoba Pulse & Soybean Growers.

Traditionally tannin fababean with tan coloured seed coats and coloured flowers contain tannins and can't be fed directly to livestock.

Low tannin fababeans have white seed coats and flowers and can be fed directly to livestock.

Variety Descriptions

Class/Variety	% of Check	Site Years Tested	Days to Maturity ¹	TKW (g)	2024 Yield % Check Variety		
					Dauphin	Swan River	
Colored Flower (Tannin)							
Allison☺	99	8	110	465	86	78	
Dosis☺	89	5	103	480	96	78	
Fabelle	100	10	111	492	100	100	
Futura☺	99	5	112	489	101	93	
Victus☺	93	10	111	401	99	100	
Varieties supported for registration by the PRCPSC							
Hammer	106	2	100	444	106	106	
CHECK CHARACTERISTICS							
Fabelle☺ (tannin)	5272 lbs/ac	10 Site Years	111 days	Fabelle (lbs/acre) CV% LSD (%) Sign Diff	6792 3.7 6 yes	3952 11.8 18 yes	
White Flower (Low Tannin)							
CDC 1089☺	100	5	110	386	104	121	
CDC 1142☺	93	5	114	358	92	107	
CDC 1310☺	99	2	108	333	93	105	
DL Nevado☺	100	9	107	421	100	100	
Juno☺	108	5	106	403	112	115	
Navi☺	105	10	129	401	105	104	
CHECK CHARACTERISTICS							
DL Nevado (Low Tannin)	4406 lbs/ac	9 Site Years	107 days	DL Nevado (lbs/acre) CV% LSD (%) Sign Diff	5916 3.7 6 yes	3069 11.8 18 yes	
					Seeding Date	06-May	10-May
					Harvest Date	27-Aug	06-Sep

¹ Maturity ratings are based on days until swathing, but will vary depending on seeding date



FIELD BEANS – MANITOBA NARROW ROW ADAPTATION TRIALS

Comments:

Long term yield data and days to maturity are Manitoba Pulse & Soybeans Growers (MPSG) Trials grown in 10 to 12 inch row spacing.

More detailed measurements from the trials are available to MPSG members and will be distributed in the December Special Edition of the Pulse Beat magazine.

Days to maturity is critical. Do not select a variety that will not mature in time, under normal growing conditions. Early fall frost severely affects yield and quality.

Variety Descriptions

Bean Class	Variety	Years Tested			Yield %Check	Site Years Tested	Maturity ¹ (days) +/- Check
		2024	2023	2022			
Small Seeded Types					% CDC Blackstrap	+/- CDC Blackstrap	
Black	CDC Blackstrap ^⓪	x	x	x	100	35	0
Black	CDC SuperJet	x		x	96	29	4
Black	CDC Turtle Mountain ^⓪	x			108	4	1
Black	Eclipse ^⓪	x	x	x	104	23	3
Black	Umbrā ^⓪	x			127	4	7
Navy	AAC Argosy	x	x	x	94	17	9
Navy	AAC Shock	x	x	x	86	22	7
Navy	Blast ^⓪	x			119	4	4
Navy	Indi	x	x	x	88	19	5
Navy	OAC Charm	x	x		106	6	8
Navy	OAC Seal ^⓪	x	x		103	6	7
Navy	Steam ^⓪	x			120	4	4
Navy	SV1893GH ^⓪		x	x	89	10	8
Navy	T9905	x	x	x	92	24	9
Varieties that are registered in the US or being tested or proposed for registration in Canada							
Black	Ace		x		97	2	3
Black	B3033350	x	x	x	102	9	6
Black	B3036381	x	x	x	95	9	8
Navy	ND Polar	x			93	4	9
Large Seeded Types					% Windbreaker	+/- Windbreaker	
Pinto	Eternal ^⓪	x			109	4	11
Pinto	ND Palomino ^⓪		x	x	95	11	5
Pinto	SV6139GR ^⓪		x	x	107	16	-1
Pinto	Vibrant	x	x	x	109	9	2
Pinto	Windbreaker	x	x	x	100	27	0
Mayocoba	CDC Sunburst ^⓪		x		95	2	-4
Varieties that are registered in the US or being tested or proposed for registration in Canada							
Pinto	Bronco	x	x	x	89	9	3
Pinto	Charro	x	x	x	104	9	7
Pinto	USDA Diamondback		x	x	100	5	5
Pinto	USDA Rattler		x	x	111	5	4
CHECK CHARACTERISTICS					Yield	Site	Days to
	Bean Grouping				(lbs/ac)	Years	Maturity
	Small seeded				CDC Blackstrap	2663	35
	Large seeded				Windbreaker	2510	27

¹ Maturity data provided to compare relative differences among varieties - actual maturity will vary depending on seasonal growing conditions.

FIELD BEANS – WIDE ROW TRIALS

Comments:

Long term yield data and days to maturity are from Manitoba Pulse & Soybean Growers (MPSG) trials.

Individual site and more detailed measurements from these trials are available to MPSG member and distributed free in the Winter Edition of the Manitoba Pulse Beat to all MPSG members in good standing.

Results are from row crop trials located at Morden, Portage, Carman, and Winkler sites.

Variety Descriptions

MARKET CLASS / Variety	Years Tested				Yield % of Check	Site Years Tested	Maturity ¹ (days) +/- Check
	2024	2023	2022	2021			
NAVY							
					% of T9905		+/- T9905
AAC Argosy	x	x	x	x	101	23	3
AAC Shock	x	x	x	x	93	19	0
Armada	x	x	x	x	102	15	-2
Blast☺	x				115	4	-1
Blizzard	x	x	x		100	10	-2
HMS Victory	x	x	x	x	102	17	-2
Indi	x	x	x	x	98	39	-3
Liberty	x	x			103	10	3
OAC Charm	x	x			85	2	0
OAC Seal☺	x	x			100	6	2
Steam☺	x				120	4	1
SV1893GH☺		x	x		96	19	0
T9905	x	x	x	x	100	47	0
Valiant	x	x	x	x	97	11	-4
Varieties that are registered in the US or being tested or proposed for registration in Canada							
ND Polar	x				108	4	3
PINTO							
					% of Vibrant		+/- Vibrant
Bronco	x	x	x		83	10	2
Cowboy☺	x	x	x	x	96	17	-1
Eternal☺	x				102	4	9
Gleam	x	x	x	x	94	11	1
Mystic	x	x	x	x	101	11	4
ND Palomino☺		x	x	x	94	13	7
OAC Sienna	x				93	4	2
SV6139GR☺		x	x	x	98	23	0
Vibrant	x	x	x	x	100	28	0
Windbreaker	x	x	x	x	90	28	0
Varieties that are registered in the US or being tested or proposed for registration in Canada							
Charro	x	x	x		101	10	5
Rustler	x	x	x		87	10	-2
USDA Rattler		x	x		100	6	4
USDA Diamondback		x	x		85	6	6
BLACK							
					% of Eclipse		+/- Eclipse
Black Tails	x	x	x	x	103	17	3
CDC Blackstrap☺	x	x	x	x	91	28	-6
CDC Superjet	x		x	x	88	40	-3
CDC Turtle Mountain☺	x				87	4	-4
Eclipse☺	x	x	x	x	100	56	0
Umbra☺	x				111	4	1
Varieties that are registered in the US or being tested or proposed for registration in Canada							
Ace		x		x	101	9	-1
B3033350	x	x	x		101	10	-1
B3036381	x	x	x		99	10	3

MARKET CLASS / Variety	Years Tested				Yield % of Check	Site Years Tested	Maturity ¹ (days) +/- Check	
	2024	2023	2022	2021				
CRANBERRY								
					% of Krimson		+/- Krimson	
Krimson	x	x	x	x	100	29	0	
OAC Firestripe	x	x	x		133	7	3	
OAC Navabi	x	x	x		112	7	-2	
GREAT NORTHERN								
					% of Pink Panther		+/- of Pink Panther	
Virgo	x	x	x	x	148	11	2	
Varieties that are registered in the US or being tested or proposed for registration in Canada								
Eiger	x	x	x		167	7	1	
DARK RED KIDNEY								
					% of Pink Panther		+/- of Pink Panther	
Dynasty	x	x	x	x	111	14	5	
Gallantry	x	x	x	x	131	8	5	
Rampart	x		x		112	7	4	
Varieties that are registered in the US or being tested or proposed for registration in Canada								
161156	x	x	x		79	7	-2	
181021	x	x	x		91	7	2	
LIGHT RED KIDNEY								
					% of Pink Panther		+/-Pink Panther	
Big Red	x	x	x		99	31	-3	
Clouseau		x	x		97	17	-2	
Pink Panther	x	x	x	x	100	64	0	
Red Dawn		x	x		97	13	-6	
MAYOCOBA- Yellow								
					% of Vibrant		+/- Vibrant	
CDC Sunburst		x	x	x	65	7	0	
Varieties that are registered in the US or being tested or proposed for registration in Canada								
Claim Jumper	x	x	x	x	76	11	9	
WHITE KIDNEY								
					% of Pink Panther		+/-Pink Panther	
OAC Snowshoe	x	x			128	4	0	
Check Varieties					First Year Tested	Yield lbs/ac	Site Years Tested	Maturity (days)
Eclipse					2005	2458	56	99
Krimson					2013	1804	29	99
Pink Panther					2001	1950	64	101
T9905					2009	2416	47	103
Vibrant					2015	2754	28	98

¹ Annual weather variations will impact the actual number of days it takes a variety to fully mature varies from year to year. Choosing a variety that needs a longer growing season than your farm has, increases your risk of frost damage and lower returns.

FIELD PEAS

Variety Descriptions

Variety	Yield % Check	Site Years Tested	Relative ¹ Maturity	Relative Vine Length	Seed Size (TKW)	Resistance Level to:							
						Lodging	Powdery Mildew	Mycos- phaerella blight	Fusarium ² Wilt	Seed Coat			
										Green ³	Breakage	Dimpling ⁴	Bleaching
Yellow													
AAC Aberdeen	101	31	Long	M	250	VG	VG	F	I	G	F	F	n/a
AAC Beyond	97	31	Mid	M	210	G	VG	F	MR	G	F	F	n/a
AAC Carver	100	61	Early	L	240	G	VG	F	I	G	G	G	n/a
AAC Chrome	105	40	Long	M	240	G	VG	F	I	G	G	G	n/a
AAC Delhi	100	28	Mid	M	290	G	VG	F	I	G	F	F	n/a
AAC Harrison	95	9	Mid	L	223	VG	VG	F	—	—	G	—	n/a
AAC Julius	97	23	Mid	M	210	G	VG	F	MR	G	G	G	n/a
AAC McMurphy	97	17	Mid	L	270	VG	VG	F	MR	G	G	G	n/a
AAC Planet	99	23	Mid	L	231	G	VG	F	MR	G	F	G	n/a
AAC Profit	99	27	Mid	M	230	G	VG	F	I	G	F	G	n/a
Boost	97	23	Early	M	230	G	VG	F	MR	G	VG	G	n/a
Caphorn	94	23	Mid	M	260	G	VG	F	MR	G	G	G	n/a
CDC 5791VUA	97	17	Long	L	246	G	VG	F	MR	G	VG	G	n/a
CDC 5845VUA	99	17	Long	L	236	VG	VG	F	MR	G	G	G	n/a
CDC Amarillo	98	50	Long	M	230	VG	VG	F	MR	G	F	F	n/a
CDC Citrine	102	23	Mid	L	230	G	VG	F	MR	G	G	G	n/a
CDC Boundless	97	9	Mid	L	230	VG	VG	F	MR	G	G	G	n/a
CDC Engage	99	9	Long	M	233	VG	VG	F	I	G	G	G	na
CDC Hickie	98	23	Mid	M	230	VG	VG	F	MR	G	G	G	n/a
CDC Lewochko	100	42	Long	L	230	VG	VG	F	I	G	G	G	n/a
CDC Tollefson	104	23	Long	L	240	VG	VG	F	MR	G	G	G	n/a
ProStarVUA	97	23	Early	M	240	G	VG	F	MR	G	VG	G	n/a
Varieties supported for registration by the PRCPSC													
6020-11	94	9	Mid	L	226	G	VG	F	MR	n/a	G	n/a	n/a
6242-1	101	9	Long	L	236	G	VG	F	MR	n/a	VG	n/a	n/a
Green													
CDC Forest	99	34	Long	L	230	G	VG	F	I	n/a	G	G	G
CDC Limerick	94	43	Long	M	210	VG	VG	F	I	n/a	VG	G	G
CDC Rider	94	32	Long	M	220	VG	VG	F	MR	n/a	G	G	G
CDC Huskie	99	17	Long	M	220	G	VG	F	MR	n/a	G	G	G
CDC Spruce	96	19	Long	L	240	G	VG	F	I	n/a	F	F	G
Maple													
AAC Lorlie	84	14	Long	M	226	G	VG	F	n/a	n/a	G	n/a	n/a
LSD (.05)													
4													
CHECK CHARACTERISTICS													
AAC Carver	77		88										
	bu/ac		Days										

1 Relative maturity ratings compared to check AAC Carver determined at Manitoba trial sites, Maturity equal or up to 2 days later consider early, 5 days plus considered long.

2 Fusarium Root Rot- MR -Moderate Restance, I=Inderminate

3 Green seed coats: G = 0-10%; F = 11-25%

4 Seed coat dimpling rating: VG = 0-5%; G = 6-20%; F = 21-50%

For Protein data on Peas please go to Seed Manitoba online:

A number of new varieties are participating in a Variety Use Agreement (VUA). If producers purchase aVUA variety and divert some of that grain at harvest for seed use, they will be invoiced a Variety Use Fee for use of the seed. Ask your retailer about your obligations to the Variety Use Agreement (VUA) when purchasing seed.

Yield Comparisons

Variety	2024 Yield % AAC Carver								
	Arborg	Carberry	Hamiota	Holland	Melita	Roblin	Souris	Stonewall	Swan River
Yellow									
AAC Aberdeen ^⓪	114	102	96	86	87	99	97	103	103
AAC Beyond ^⓪	100	99	98	93	95	95	103	98	95
AAC Carver ^⓪	100	100	100	100	100	100	100	100	100
AAC Harrison	96	98	94	91	96	99	103	85	92
CDC Boundless ^⓪	110	95	95	93	104	103	92	106	100
AAC McMurphy ^⓪	96	98	98	103	88	96	94	89	90
AAC Planet ^⓪	121	82	95	92	98	88	106	95	95
Boost ^⓪	97	108	94	104	100	95	105	86	90
Caphorn ^⓪	110	88	95	96	96	97	91	94	101
CDC Citrine ^⓪	103	101	100	84	96	95	107	95	94
CDC Hickie ^⓪	95	101	96	73	93	85	106	96	97
CDC 5791-9VUA	106	84	104	70	101	96	98	92	84
CDC 5845VUA	117	101	101	97	98	94	83	99	92
CDC Engage ^⓪	123	107	101	80	98	105	87	97	95
CDC Tollefson ^⓪	116	123	102	100	97	110	108	96	106
ProStar ^⓪ VUA	108	76	96	104	98	98	106	92	87
Varieties supported for registration by the PRCPSC									
6020-11	105	98	104	73	92	94	84	95	90
6242-1	97	93	103	99	103	105	102	104	99
Green									
CDC Rider ^⓪	92	119	97	83	94	91	88	93	88
CDC Huskie ^⓪	109	107	98	93	96	93	86	95	100
AAC Carver (bu/ac)	77	75	100	61	96	88	83	86	84
CV %	8.2	4.1	2.8	11.1	6.0	5.6	6.6	4.5	5.8
LSD (%)	14	7	5	17	—	9	11	7	9
Sign Diff	yes	yes	yes	yes	no	yes	yes	yes	yes
Seeding Date	10-May	13-May	05-May	22-May	25-Apr	06-May	11-May	10-May	10-May
Harvest Date	19-Aug	05-May	27-Aug	09-Sep	18-Aug	27-Aug	04-Sep	28-Aug	23-Aug

Is the grass greener on the other side of the fence?

Benchmark your farming practices with the Manitoba Management Plus Program

- Access unbiased and aggregated on-farm variety and yield information from Manitoba producers.
- Compare your varieties and yield performance with your neighbours to make smarter decisions and reduce your risk of losses.
- Determine the best crops to plant and find other useful agronomic information.

To learn more, go to
masc.mb.ca/mmpp



Distributor Contacts for Listed Varieties in Seed Manitoba 2025

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

FABABEANS

219-16	SeCan
CDC 1089	Saskatchewan Pulse Growers
CDC 1142	Harvest Genetics
CDC 1310	Saskatchewan Pulse Growers
Allison	Prairie Fava
DL Nevado	Stamp Seeds
Dosis	SeedNet
Fabelle	SeedNet
Futura	SeedNet
Juno	Prairie Fava
Navi	Harvest Genetics
Snowbird	Cyre Seed Farms
Victus	Valesco Genetics

FIELD BEANS

NAVY

AAC Argosy	Various Bean Dealers
AAC Shock	Various Bean Dealers
Armada	ADM- Seed West
Blast	Hensall District Coop
Blizzard	Various Bean Dealers
Bolt	Hensall District Coop
CDC Whitetrack	McDougall Acres Ltd.
Fathom	University of Guelph
HMS Medalist	ADM- Seed West
Indi	ADM- Seed West
Liberty	ADM- Seed West
Nautica	Hensall District Coop
OAC Charm	Treasure Valley Seed CO
OAC Fusion	Various Bean Dealers
OAC Seal	Jefferies Seeds Ltd
OAC Spark	University of Guelph
Rogue	Hensall District Coop
Steam	Hensall District Coop
SV1893GH	CANTERRA SEEDS
T9905	Treasure Valley Seed Company
Valiant	ADM- Seed West

PINTO

Bronco	Various Bean Dealers
CDC Pintium	Various Bean Dealers
CDC WM-2	University of Saskatchewan
CDC WM-3	Rudy Agro Ltd.
Cowboy	University of Saskatchewan
Eternal	Hensall District Coop
Gleam	ADM- Seed West
La Paz	ADM- Seed West
Monterrey	ADM- Seed West
Mystic	Various Bean Dealers
ND Palomino	CANTERRA SEEDS
OAC Sienna	Hensall District Coop
SV6139GR	CANTERRA SEEDS
SV6533GR	CANTERRA SEEDS
Vibrant	ADM- Seed West
Windbreaker	CANTERRA SEEDS

BLACK

Black Tails	Various Bean Dealers
CDC Blackstrap	Ben Martens Charlois & Seed
CDC Jet	Ben Martens Charlois & Seed
CDC SuperJet	Ben Martens Charlois & Seed
CDC Turtle Mountain	Ben Martens Charlois & Seed
Eclipse	Western Harvest Bean
Umbra	Hensall District Coop

CRANBERRY

AAC Scotty	Agriculture and Agri-Food Canada
Etna	Seminis Vegetable Seeds
OAC Candycane	Various Bean Dealers
OAC Firestripe	Various Bean Dealers
OAC Navabi	Various Bean Dealers
OAC Racer	Various Bean Dealers

Dark Red Kidney

Cabernet	Various Bean Dealers
Dynasty	University of Guelph
Gallantry	Hensall District Coop
Montcalm	Various Bean Dealers
Rampart	Various Bean Dealers
Red Hawk	Various Bean Dealers
Red Rover	Various Bean Dealers

FIELD BEANS

LIGHT RED KIDNEY

Big Red	Various Bean Dealers
Clouseau	Various Bean Dealers
Pink Panther	Various Bean Dealers
Red Dawn	Various Bean Dealers

WHITE KIDNEY

OAC Snowshoe	Various Bean Dealers
Yeti	Various Bean Dealers

GREAT NORTHERN

Andromeda	Various Bean Dealers
Aries	Various Bean Dealers
Virgo	Various Bean Dealers

FLOR DE JUNIO

CDC Ray	University of Saskatchewan
---------	----------------------------

YELLOW

CDC Sunburst	Rudy Agro Ltd.
--------------	----------------

FIELD PEAS

AAC Aberdeen	Alliance Seed
AAC Beyond	CANTERRA SEEDS
AAC Carver	CANTERRA SEEDS
AAC Chrome	FP Genetics
AAC Comfort	CANTERRA SEEDS
AAC Harrison	FP Genetics
AAC Julius	FP Genetics
AAC Lacombe	SeedNet Inc
AAC Lorlie	Wagon Wheel Seed Corp.
AAC McMurphy	FP Genetics
AAC Planet	SeedNet Inc
AAC Profit	FP Genetics
Boost	Pitura Seeds
Caphorn	DL Seeds
CDC 5791	CANTERRA SEEDS
CDC 5845	Alliance Seed
CDC Amarillo	Saskatchewan Pulse Growers
CDC Citrine	Saskatchewan Pulse Growers
CDC Engage	Alliance Seed
CDC Forest	SeCan
CDC Hickie	Saskatchewan Pulse Growers
CDC Huskie	Saskatchewan Pulse Growers
CDC Lewochko	SeCan
CDC Limerick	Saskatchewan Pulse Growers
CDC Meadow	Saskatchewan Pulse Growers
CDC Rider	Saskatchewan Pulse Growers
CDC Spruce	SeCan
CDC Tollefson	Saskatchewan Pulse Growers
ProStar	CANTERRA SEEDS

DISTRIBUTOR

PHONE NUMBER

ADM-Seed West	1-800-637-5843
Agriculture and Agri-Food Canada	1-613-773-1000
Alliance Seed	1-877-270-2890
Ben Martens Charolais & Seed	1-204-534-6952
CANTERRA SEEDS	1-877-439-7333
Columbia Seeds	1-403-654-2158
Cyre Seed Farms	1-780-349-4775
FP Genetics	1-877-791-1045
Harvest Genetics	1-306-715-2733
Hensall District Coop	1-204-295-3938
Jefferies Seeds Ltd	1-204-720-7282
McDougall Acres Ltd	1-306-693-3649
Pitura Seeds	1-204-736-2849
Prairie Fava	1-204-720-7282
Riddell Seed Co.	1-204-227-5679
Rudy Agro	1-306-873-8670
Saskatchewan Pulse Growers	1-306-668-5556
SeCan	1-800-665-7333
SeedNet Inc	1-403-715-9771
Seminis Vegetable Seeds	1-519-351-7640
Stamp Seeds	1-403-739-2233
Treasure Valley Seed Company	1-218-791-6159
University of Saskatchewan	1-306-966-5855
Valesco Genetics	1-701-898-0647

Growers List



FIELD BEAN

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☉ protected or pending under UPOV 1991.

CDC BLACKSTRAP ☉	
Boissevain; Martens, Ben & Ryan.....204-534-6952	R C
Glenboro; Jefferies Seeds.....204-827-2102	C
Russell; Keating Seed Farms Inc.....204-773-3854	C
Swan River; Badowski, Dennis.....204-734-6222	C
CDC TURTLE MOUNTAIN ☉	
Boissevain; Martens, Ben & Ryan.....204-534-6952	F
CDC WHITETRACK ☉	
Homewood; Agassiz Seed Farm.....204-745-6655	F
ND PALOMINO ☉	
Homewood; Agassiz Seed Farm.....204-745-6655	C
Portage La Prairie; Sissons Farms Ltd.....204-857-7341	R C
OAC SEAL	
Glenboro; Jefferies Seeds.....204-827-2102	F
PINK PANTHER	
Reinland; Ens Farms Ltd.....204-325-4658	C
SV6139GR ☉	
Altona; Wiebe, Dylan.....204-304-0048	C
Glenboro; Jefferies Seeds.....204-827-2102	C
Portage La Prairie; Sissons Farms Ltd.....204-857-7341	C

FIELD BEAN

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☉ protected or pending under UPOV 1991.

WINDBREAKER	
Portage La Prairie; Sissons Farms Ltd.....204-857-7341	C
Reinland; Ens Farms Ltd.....204-325-4658	C
FABA BEAN	
ALLISON ☉	
Cromer; Bartel Seeds.....204-851-1755	C
Glenboro; Jefferies Seeds.....204-827-2102	C
CDC 1142 ☉	
Russell; Kostuik Seed Farm.....204-821-0522	C
Souris; Kohut, David Anton & Richard & Gregory & Katherine	
.....204-483-3063	S F
FUTURA ☉	
Warren; Riddell Seed Co.....204-227-5679	S
JUNO ☉	
Glenboro; Jefferies Seeds.....204-827-2102	S F
Warren; Riddell Seed Co.....204-227-5679	S F

NOTICE

**DID YOU BUY SEED
FROM YOUR NEIGHBOUR?
IT'S PROBABLY ILLEGAL.**

To report illegal activity contact: seedwatch@seeds-canada.ca

For more information visit: pbrfacts.ca



**It's your responsibility
to know.**

FIELD PEAS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991.

AAC CARVER☺

Boissevain; Armstrong Seeds Ltd.....	204-534-2566	C
Dauphin; Fisher Seeds Ltd.....	204-622-8800	C
Glenboro; Jefferies Seeds.....	204-827-2102	C
Oakville; Miller Agritec Farm Inc.....	204-267-2363	C
Pilot Mound; Wallace Farms Ltd.....	204-825-4543	C
Russell; Keating Seed Farms Inc.....	204-773-3854	C
Virden; Clearview Acres Ltd.....	204-748-7666	C

AAC CHROME☺

Arborg; Timchishen Seeds Farms.....	204-641-1288	S F
Balduf; Daleen Farms.....	204-535-2090	C
Boissevain; Boissevain Select Seeds.....	204-534-0752	R C
Carman; RJP Seed Ltd.....	204-745-3304	C
Domain; Manness Seed.....	204-736-2622	C
Glenboro; Jefferies Seeds.....	204-827-2102	R
Grandview; Triple S Seeds Ltd.....	204-638-2004	C
Hamiota; Knight Seeds.....	204-764-2450	C
Killarney; Bar H Agri Seeds.....	204-523-7464	C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	R
Pilot Mound; Smith Family Seeds.....	204-825-7810	S F R
Plumas; Court Seeds Ltd.....	204-386-2354	C
Rivers; Redsper Enterprises.....	204-328-5346	C
Russell; Keating Seed Farms Inc.....	204-773-3854	R
Somerset; Sierens Seed Service.....	204-744-2883	R
St. Anne; Seine River Seed Farm.....	204-371-7700	C
Swan River; Badowski, Dennis.....	204-734-6222	C

AAC DELHI☺

Domain; Pitura Seed Farms Ltd.....	204-736-2849	C
------------------------------------	--------------	---

FIELD PEAS

S=Select; F=Foundation; R=Registered; C=Certified; ☼ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ☺ protected or pending under UPOV 1991.

AAC JULIUS☺

Boissevain; Boissevain Select Seeds.....	204-534-0752	R
Carman; RJP Seed Ltd.....	204-745-3304	S F R
Cromer; Bartel Seeds.....	204-851-1390	R
Domain; Manness Seed.....	204-736-2622	S F R C
Grandview; Triple S Seeds Ltd.....	204-638-2004	S F R
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R
Killarney; Bar H Agri Seeds.....	204-523-7464	R

AAC PROFIT☼

Boissevain; Boissevain Select Seeds.....	204-534-0752	S F
Elphinstone; Gerrard Family Seeds.....	204-365-0321	C

ABARTH☺

Inglis; Beischer Family Farm Seeds Ltd.....	204-564-2676	R
---	--------------	---

BOOST☺

Boissevain; Armstrong Seeds Ltd.....	204-534-2566	R
Domain; Pitura Seed Farms Ltd.....	204-736-2849	S F R

CDC BOUNDLESS☺

Arborg; Timchishen Seeds Farms.....	204-641-1288	S F
Glenboro; Jefferies Seeds.....	204-827-2102	S F
St. Leon; Labossiere, Luc & Rejean.....	204-825-7249	F
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	S F

CDC CITRINE☺

Domain; Pitura Seed Farms Ltd.....	204-736-2849	R
------------------------------------	--------------	---

CDC HICKIE☺

Crystal City; Buchanan, Kenneth, Jayden, & Dean.....	204-825-7151	C
Decker; Murray Farms Inc.....	204-764-2733	C
Hamiota; Knight Seeds.....	204-764-2450	C
Plumas; Court Seeds Ltd.....	204-386-2354	C
Rosser; Mulligan Farms Ltd.....	204-799-7417	R
Russell; Keating Seed Farms Inc.....	204-773-3854	C
Somerset; Sierens Seed Service.....	204-744-2883	S F
St. Leon; Labossiere, Luc & Rejean.....	204-825-7249	C
Stonewall; Unger Seed Farm Ltd.....	204-467-8630	S F C
Warren; Riddell Seed Co.....	204-227-5679	S F C
Wawanesa; Ellis Seeds.....	204-824-2290	C

CDC LEWOCHKO☺

Arborg; Timchishen Seeds Farms.....	204-641-1288	S R
Boissevain; Armstrong Seeds Ltd.....	204-534-2566	C
Grosse Isle; Rutherford Farms Ltd.....	204-467-5613	R
Miniota; Walker, Alan Glen.....	204-748-7264	R C
Oak River; J.S.Henry & Son Ltd.....	204-566-2422	C
Pilot Mound; Smith Family Seeds.....	204-825-7810	S F C
Reston; Avondale Seed Farm Ltd.....	204-877-3813	C
Rivers; Redsper Enterprises.....	204-328-5346	C

CDC MEADOW

Hamiota; Knight Seeds.....	204-764-2450	R C
Holland; Patenaude Farms Inc.....	204-526-7212	R

CDC TOLLEFSON☺

Cromer; Bartel Seeds.....	204-851-1390	C
---------------------------	--------------	---

CDC BLACKSTRAP

- Earliest bean on test
- Proven High Yield
- Preferred by Processors

NEW CDC TURTLE MOUNTAIN

- High Yield
- Anthracnose Resistance



MARTENS
CHAROLAIS & SEED

BOISSEVAIN, MB

Contact Ben at
204.534.8370

martenscharolaisandseed.com

Special Crops

Key to 2024 Yield Tables

Yields derived over two or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV% = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD value to be considered significantly different from one another.

Sign Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

PARTNERS IN YOUR FIELD

Getting the most from your acres comes down to the smallest details, and we're ready to prove we're up to the challenge – even on your toughest acres. Whether it's developing, researching, testing or getting to work in the field, PRIDE Seeds is there with you every step of the way.

————— **BECAUSE PARTNERSHIP IS OUR PURPOSE.** —————

**FOCUSED ON
PERFORMANCE**

TALK TO A DEALER AND GET STARTED

PRIDSEEDS.COM • 800.265.5280



PRIDE SEEDS

PRIDE®, and the PRIDE Seeds Design® are trademarks of
AgReliant Genetics Inc. © 2024 AgReliant Genetics Inc.

Manitoba Agriculture Variety Guide

GRAIN CORN – SHORT SEASON WEST

Comments:

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution.

All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at <https://www.mbcropalliance.ca>

PLANT FOR SUCCESS

BOOK YOUR 2025 SEED EARLY!



WHEAT

- › AAC Viewfield
- › AAC Brandon
- › AAC Starbuck
- › SY Manness
- › AAC Hockley
- › Faller

FLAX

- › CDC Glas

OATS

- › Summit
- › CS Camden
- › CDC Endure
- › AAC Douglas
- › CDC Anson

BARLEY

- › CDC Austenson
- › AAC Synergy

CORN

- › Northstar
- › Dekalb
- › Croplan
- › Maizex
- › Syngenta
- *custom planting available

SOYBEANS

- › All the latest varieties from Northstar, Dekalb, Syngenta & Croplan

CANOLA

- › Liberty Link
- › Clearfield

SEED TREATMENTS & INOCULANTS

CALL KEVIN, DEREK & RICK 204-746-8325 • WWW.FRIESENSEEDS.CA

GRAIN CORN – SHORT SEASON WEST (continued)

CHU ¹	Hybrid	Trait(s) ²	Carberry				Melita			
			Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
1925	TH6370 VT2P	6	162	18.4	68.1	71	136	11.9	59.5	81
1950	P6910AM	23	172	18.8	66.1	70	124	12.1	60.0	80
2000	NS EXP69	6	161	19.3	66.4	67	139	12.2	60.1	79
2025	TH6072 VT2P	6	153	19.1	68.2	71	144	12.1	58.7	80
2025	CX23071A/VT2P	6	152	21.7	68.1	71	160	15.1	57.7	83
2025	A3979G2 RIB	6	165	18.5	68.3	71	127	12.1	60.8	80
2025	MZ 1200DBR	6	169	18.6	67.8	73	117	12.0	60.3	80
2050	PV 60371RIB	6	159	21.8	66.6	71	143	13.4	61.9	81
2050	CP1225VT2P/RIB	6	176	19.5	64.8	70	134	12.4	60.5	80
2050	DKC20-23RIB	6	151	19.8	65.4	70	130	12.7	60.9	81
2050	P72068AM	23	173	20.7	66.4	71	143	12.9	60.7	81
2050	P7211AM	23	153	18.5	66.2	72	132	12.7	59.6	80
2050	MZ 1231DBR	6	157	19.6	69.8	70	155	13.3	60.1	81
2075	TH6474 VT2P	6	163	20.1	66.4	70	162	14.8	60.6	82
2075	NS 271	6	152	19.6	65.2	67	133	13.9	60.5	77
2075	DKC21-36RIB	6	158	18.1	63.5	71	142	13.8	60.7	82
2075	DKC072-12RIB	6	148	19.4	65.7	71	164	13.2	60.4	80
2075	P7389AM	23	165	18.8	68.9	70	137	13.4	60.2	82
2075	DLF 2158VT2P RIB	6	156	19.0	69.0	73	148	16.1	60.1	84
2100	PV 60273RIB	6	162	20.1	67.3	73	148	13.3	59.7	81
2100	CP1440VT2P/RIB	6	162	20.6	64.5	70	154	16.1	60.1	83
2100	DKC24-06RIB	6	162	18.4	63.9	73	153	14.3	61.5	82
2100	P7455R	4	166	20.7	67.9	71	150	16.3	59.2	82
2125	PV 60474RIB	6	154	21.1	67.1	70	154	15.8	60.1	80
2125	P74691PCE	30	151	19.7	70.4	70	138	13.7	59.0	81
2150	HZ 1265	19	166	20.4	68.2	67	129	15.0	62.1	79
2150	MZ 1397DBR	6	166	19.8	69.7	71	168	13.9	60.8	82
2175	PV 61276RIB	6	156	21.0	68.6	72	158	16.0	60.5	81
2175	XFS1022 x XFS1023	6	153	21.8	65.2	67	145	16.1	62.1	81
2175	NS 274	6	158	20.6	69.0	70	159	15.7	60.3	81
2200	NS EXP75C	6	162	20.2	66.8	71	142	14.2	60.7	81
2200	A4494G2 RIB	6	144	18.5	67.2	67	155	15.6	59.9	80
2225	TH6278 VT2P	6	176	19.2	69.0	73	164	15.2	58.4	82
2225	TH6578 VT2P	6	156	21.1	66.2	70	151	15.7	59.4	81
2225	HX 1435	30	150	19.6	69.4	74	149	16.5	54.5	85
2250	NS 277	6	156	19.0	70.4	73	157	15.2	58.6	83
2250	DKC28-25RIB	6	158	19.1	67.7	71	159	15.9	58.1	83
2250	NK7837-V	27	154	19.2	69.7	71	153	17.6	58.3	83
2250	P7822AM	23	163	18.9	69.8	70	148	15.4	57.9	83
2250	P7844AM	23	163	19.6	68.3	70	151	15.3	57.6	84
2250	MZ 1544DBR	6	158	20.0	64.3	73	169	14.7	58.5	84
2300	A4646G2 RIB	6	163	18.1	65.4	73	143	15.1	57.8	83
Mean			160	19.7	67.3	71	147	14.4	59.7	81
CV (%)			7.5	6.9	3.0	0.6	6.9	8.1	0.8	1.1
LSD (0.05)			-	1.9	2.8	1	14	1.6	0.6	1
Sig Diff			No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Planting Date			May 21				May 10			
Harvest Date			Oct 21				Oct 9			

- 1 Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region.
- 2 See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at <https://seeds-canada.ca/corn-hybrid-database>. Information provided includes technology, brand name and refuge requirements.

Explanation of Codes for Special Genetic Traits

Code	GM Traits
4	Roundup Ready Corn 2
6	VT Double PRO
8	SmartStax
19	Agrisure GT/CB/LL or Agrisure 3010
23	Optimum AcreMax
27	Agrisure Viptera 3220
28	Agrisure Above
30	PowerCore Enlist
33	Duracade
34	Duracade Viptera

BRED FOR YOUR COWS

Silage Specific Corn Hybrids



For more information, visit
northstargenetics.ca

913S



2100-2200 CHU
75 DAY RM

Exceptional tonnage
Tall hybrids with large, flex ears
Very good roots and standability

924S



2225-2325 CHU
83 DAY RM

High quality silage
Extended chopping window
Ready to feed sooner

932S



2300-2400 CHU
89 DAY RM

More digestible fibre
Highly available starch
Excellent for grazing



204-736-2425

contact@northstargenetics.ca



ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.
Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Glyphosate will kill crops that are not tolerant to glyphosate.
Roundup Ready® is a registered trademark of Bayer Group. Used under license.

GRAIN CORN – MID SEASON

Comments:

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution.

All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure.

The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at <https://www.mbcropalliance.ca>

CHU ¹	Hybrid	Trait(s) ²	Elm River				St. Pierre			
			Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
1925	TH6370 VT2P	6	188	17.9	57.1	73	125	17.3	61.9	69
1950	P6910AM	23	169	16.8	57.3	70	126	15.9	62.0	66
2025	TH6072 VT2P	6	186	18.5	55.2	71	139	16.8	63.7	66
2025	CX23071A/VT2P	6	189	18.5	56.3	71	146	16.1	62.4	67
2025	A3979G2 RIB	6	167	19.3	56.6	71	125	16.4	61.4	67
2050	CP1225VT2P/RIB	6	183	17.3	57.8	72	120	18.7	60.4	65
2050	P72068AM	23	183	17.9	57.3	71	131	17.2	63.2	66
2050	P7211AM	23	174	19.4	55.0	71	140	16.4	60.8	66
2050	MZ 1231DBR	6	194	19.5	56.7	71	138	16.8	64.2	68
2075	TH6474 VT2P	6	186	19.8	56.7	71	146	18.9	63.0	68
2075	DKC21-36RIB	6	181	19.2	56.7	71	147	17.0	62.6	67
2075	DKC072-12RIB	6	204	19.0	57.3	71	160	17.3	64.0	66
2075	P7389AM	23	201	18.6	56.1	71	141	17.0	60.8	66
2100	CP1440VT2P/RIB	6	184	20.7	55.6	73	163	18.9	64.8	71
2100	DKC24-06RIB	6	205	20.6	55.6	72	172	18.7	62.0	69
2100	P7455R	4	177	19.4	56.9	74	130	16.5	62.7	68
2125	PV 60474RIB	6	203	21.0	55.7	71	157	18.5	64.6	64
2125	P74691PCE	30	188	18.9	56.1	71	135	16.3	62.0	68
2150	MZ 1397DBR	6	210	19.4	56.6	71	177	18.3	63.4	67
2175	PV 61276RIB	6	213	20.7	56.1	71	148	18.4	64.1	66
2175	NS 274	6	164	21.8	55.1	71	109	18.8	63.3	66
2200	NS EXP75C	6	184	19.2	57.2	70	150	16.7	61.4	66
2200	A4494G2 RIB	6	186	20.2	56.2	71	130	18.7	60.4	66
2225	TH6278 VT2P	6	219	19.7	54.7	71	159	18.0	65.3	67
2225	TH6578 VT2P	6	207	21.0	54.3	72	160	18.4	62.6	66
2225	HX 1435	30	162	22.5	50.2	75	141	17.1	58.6	71
2250	NS 277	6	201	20.3	54.6	75	157	18.7	60.2	69
2250	DKC28-25RIB	6	187	20.0	54.9	73	133	18.2	60.6	68
2250	NK7837-V	27	179	23.1	53.6	72	144	20.7	63.0	71
2250	P7822AM	23	210	20.6	55.2	72	170	17.8	64.1	71
2250	P7844AM	23	199	20.1	54.9	72	187	18.2	61.4	72
2250	MZ 1544DBR	6	219	20.4	53.2	73	198	17.9	62.5	71
2275	DLF 2333RR	4	162	24.9	52.9	72	158	22.6	62.9	71
2300	PV 61180RIB	6	208	21.3	52.6	73	169	19.4	60.2	71
2300	NK8005-V	27	196	23.8	52.2	75	162	20.0	63.6	72
2300	A4646G2 RIB	6	196	19.9	54.9	74	189	19.1	62.6	72
2300	MZ 1688DBR	6	201	21.1	53.4	74	167	19.9	62.0	74
2300	E49K32 R	6	202	20.3	54.7	73	146	18.6	59.9	71
2325	TH6380 VT2P	6	195	21.8	52.9	74	179	19.3	59.9	72
2325	DLF 2495RR	4	193	24.7	51.9	72	174	23.1	64.8	70
2325	A4848G2 RIB	6	189	20.9	54.8	72	174	19.3	65.2	71
2375	X23081A/VT2P	6	208	20.9	53.1	75	192	18.5	61.8	73

CHU ¹	Hybrid	Trait(s) ²	Elm River				St. Pierre			
			Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2400	TH6182 VT2P	6	214	21.5	52.7	74	194	19.6	60.6	72
2400	NK8232-AA	28	194	24.1	49.5	74	173	21.9	61.2	73
2400	P82288PCE	30	231	21.6	53.1	74	174	19.1	61.7	71
2425	DKC31-85RIB	6	218	20.8	53.2	73	185	18.4	60.5	70
2450	TH6583 VT2P	6	179	23.2	51.8	77	137	19.9	64.1	75
2450	CP2288VT2P/RIB	6	202	22.3	52.9	74	176	20.1	60.8	74
2450	DKC32-49RIB	6	196	21.8	52.0	74	182	18.7	63.0	72
2450	P8407AM	23	178	24.3	48.5	77	180	20.0	59.0	75
2500	CP2324VT2P/RIB	6	201	22.5	50.6	72	188	19.3	61.0	70
2500	DKC33-37RIB	6	218	22.5	53.0	74	188	20.3	65.1	71
2525	CP2585VT2P/RIB	6	191	23.4	50.3	76	174	20.5	60.2	76
2525	NK8558-AA	28	178	26.5	48.0	79	189	20.9	59.4	76
2550	PV 62485RIB	6	193	22.6	50.3	76	174	19.7	59.6	75
2550	NK8519-DV	34	179	27.8	46.9	78	168	21.6	58.4	78
2550	P8588AM	23	173	22.0	51.4	75	168	19.0	61.9	71
2575	NK8711-V	27	184	28.1	47.7	80	200	21.7	60.4	79
Mean			191	21.0	54.0	73	158	18.6	61.9	70
CV (%)			6.7	3.0	1.1	1.9	11.4	4.3	4.0	1.7
LSD (0.05)			17	0.9	0.8	2	24	1.1	—	2
Sig Diff			Yes	Yes	Yes	Yes	Yes	Yes	No	Yes
Planting Date			May 23			May 21				
Harvest Date			Oct 19			Oct 15				

1 Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region.

2 See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at <https://seeds-canada.ca/corn-hybrid-database>. Information provided includes technology, brand name and refuge requirements.

Explanation of Codes for Special Genetic Traits

Code	GM Traits
4	Roundup Ready Corn 2
6	VT Double PRO
8	SmartStax
19	Agrisure GT/CB/LL or Agrisure 3010
23	Optimum AcreMax
27	Agrisure Viptera 3220
28	Agrisure Above
30	PowerCore Enlist
33	Duracade
34	Duracade Viptera

GRAIN CORN – LONG SEASON

Comments:

The grain corn hybrid trial was tested and the data donated by the Manitoba Corn Committee (MCC). The data presented is for one year only. Use with caution.

All hybrids were evaluated at a plant population of 32,000 plants per acre.

Yields are corrected to 15.5% moisture content.

The Manitoba Corn Committee publishes the annual results along with more detailed lab analysis in their brochure. The brochure is available by calling the Manitoba Crop Alliance office at 204-745-6661 or visiting their website at <https://www.mbcropalliance.ca>

CHU ¹	Hybrid	Trait(s) ²	Carman				Rosebank			
			Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
1925	TH6370 VT2P	6	198	16.5	64.5	60	186	17.7	57.5	73
1950	P6910AM	23	162	15.9	66.3	60	161	15.4	57.3	71
2025	TH6072 VT2P	6	168	16.7	61.3	62	213	19.4	55.8	75
2025	CX23071A/VT2P	6	177	16.0	65.1	60	197	17.7	56.7	72
2025	A3979G2 RIB	6	148	15.9	63.5	59	171	18.1	55.4	72
2050	CP1225VT2P/RIB	6	168	17.4	62.8	61	182	18.6	57.3	72
2050	P72068AM	23	184	17.7	64.1	60	196	18.2	57.6	73
2050	P7211AM	23	170	16.5	63.5	60	197	18.1	56.8	72
2050	MZ 1231DBR	6	171	17.8	62.0	60	191	18.1	57.8	72
2075	TH6474 VT2P	6	180	18.5	63.3	62	213	20.7	57.1	75
2075	DKC21-36RIB	6	178	17.1	65.4	62	207	20.0	55.6	74
2075	DKC072-12RIB	6	189	18.7	64.8	61	230	19.2	57.7	72
2075	P7389AM	23	192	17.9	63.6	61	196	17.7	57.0	74
2100	CP1440VT2P/RIB	6	198	19.9	65.6	63	230	21.3	56.6	76
2100	DKC24-06RIB	6	209	19.4	64.7	64	233	20.9	56.7	75
2100	P7455R	4	168	16.4	63.8	62	212	18.0	57.4	74
2125	PV 60474RIB	6	194	18.7	62.6	59	206	21.1	56.0	73
2125	P74691PCE	30	170	16.4	61.5	63	205	17.9	57.2	72
2150	MZ 1397DBR	6	193	18.4	64.9	62	213	19.7	57.5	75
2175	PV 61276RIB	6	188	19.5	65.7	62	221	20.6	56.9	73
2225	TH6278 VT2P	6	203	18.0	64.4	63	239	22.2	54.1	74
2225	TH6578 VT2P	6	187	18.2	66.3	61	227	20.8	56.4	74
2225	HX 1435	30	182	17.0	61.3	68	191	20.2	53.3	78
2250	NS 277	6	180	19.2	62.5	62	228	20.8	54.6	74
2250	DKC28-25RIB	6	195	19.0	62.5	63	211	20.8	55.4	75
2250	NK7837-V	27	175	21.2	64.0	64	205	23.9	54.8	77
2250	BY Brava RR2	4	188	22.4	64.1	65	223	27.4	54.8	75
2250	BY Guernsey VT2P	6	214	24.1	65.8	64	244	29.8	55.0	75
2250	P7822AM	23	217	18.1	64.8	64	241	20.6	56.3	77
2250	P7844AM	23	191	17.6	63.1	65	238	19.5	56.2	75
2250	A4494G2 RIB	6	178	19.9	63.4	62	201	20.5	56.2	74
2250	MZ 1544DBR	6	213	19.4	62.1	64	241	21.8	55.6	77
2275	DLF 2333RR	4	184	24.2	66.1	64	212	29.7	54.6	74
2300	PV 61180RIB	6	201	19.3	64.5	65	243	24.7	52.8	76
2300	255	6	204	19.6	63.1	65	244	22.8	55.2	77
2300	NK8005-V	27	187	20.2	62.7	66	209	24.6	54.6	78
2300	A4646G2 RIB	6	195	19.6	66.1	66	227	23.0	54.8	77
2300	MZ 1688DBR	6	220	21.5	64.6	66	235	24.3	54.3	78
2300	E49K32 R	6	215	19.9	63.4	66	222	23.2	54.8	77
2325	TH6380 VT2P	6	215	18.4	63.0	64	245	22.0	55.0	76
2325	DLF 2495RR	4	212	25.8	64.0	64	255	29.9	54.4	74
2375	X23081A/VT2P	6	206	17.3	62.3	65	236	20.7	56.3	77
2375	A4848G2 RIB	6	208	20.2	62.7	62	227	22.5	54.9	75
2400	TH6182 VT2P	6	206	19.6	62.1	64	253	23.6	53.9	76
2400	NK8232-AA	28	194	21.9	61.0	67	232	26.4	53.0	78
2400	P82288PCE	30	211	18.0	62.1	66	250	21.4	55.4	77
2400	A4939G2 RIB	6	223	18.5	63.7	66	212	24.6	54.0	78
2400	A5175G2 RIB	6	213	21.0	64.5	65	249	24.5	54.2	75

CHU ¹	Hybrid	Trait(s) ²	Carman				Rosebank			
			Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)	Yield (bu/ac)	Moisture (%)	Bushel Wt (lbs/bu)	50% Silk (d)
2425	DKC31-85RIB	6	208	20.0	62.3	66	226	23.9	53.1	76
2450	TH6583 VT2P	6	204	20.3	61.6	66	247	23.7	54.9	79
2450	CP2288VT2P/RIB	6	214	21.2	62.5	65	242	23.7	54.7	78
2450	NS 283	6	173	18.8	60.8	65	225	23.8	54.1	77
2450	DKC32-49RIB	6	209	19.2	62.6	65	234	21.2	55.8	77
2450	BY Belmont RR2	4	211	20.0	62.8	68	236	24.5	53.4	78
2450	P8407AM	23	204	21.2	60.5	66	245	22.7	54.3	78
2450	MZ 2266DBR	6	216	21.0	65.1	65	231	22.9	55.3	78
2475	TH8483 DV	34	205	20.5	62.8	65	217	24.7	54.3	78
2500	CP2324VT2P/RIB	6	206	21.4	59.9	64	250	25.9	52.5	76
2500	DKC33-37RIB	6	202	21.7	62.6	65	263	25.0	54.2	78
2500	MZ 2344DBR	6	203	18.5	62.4	63	251	22.0	54.4	75
2525	CP2585VT2P/RIB	6	223	21.6	64.1	68	226	26.1	54.0	78
2525	NK8558-AA	28	208	22.9	59.3	69	250	26.7	52.8	79
2550	PV 62485RIB	6	212	20.0	62.4	66	220	24.6	53.8	77
2550	TH6185 VT2P	6	223	21.9	61.8	65	261	25.9	53.3	76
2550	NK8519-DV	34	191	21.2	60.7	69	231	29.5	53.4	82
2550	P8588AM	23	217	22.8	62.4	67	233	22.4	54.5	78
2550	A5292G8 RIB	8	222	22.0	61.9	66	230	25.5	55.1	78
2575	DKC35-29RIB	6	239	21.7	63.6	66	261	24.4	54.1	78
2575	NK8711-V	27	208	27.7	62.4	69	227	37.2	52.1	82
2625	A5424G2 RIB	6	217	22.5	61.7	66	245	24.4	54.0	78
Mean			197	19.6	63.2	64	224	22.7	55.1	76
CV (%)			8.2	4.7	2.8	1.5	5.6	3.6	0.8	1.2
LSD (0.05)			22	1.3	2.4	1	17	1.1	0.6	1
Sig Diff			Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Planting Date			May 28			May 10				
Harvest Date			Oct 18			Oct 9				

1 Each company assigns a corn heat unit (CHU) rating to each of their hybrids. The CHU rating is a measure of relative maturity and is one criteria for choosing a hybrid suitable to your growing region.

2 See table below for explanation of codes for special genetic traits. Although the Manitoba Corn Committee believes that information contained in this report is accurate, growers are advised to consult dealers of the respective hybrids before making purchasing or management decisions. Seeds Canada provides a database for corn hybrids available in Canada at <https://seeds-canada.ca/corn-hybrid-database>. Information provided includes technology, brand name and refuge requirements.

Explanation of Codes for Special Genetic Traits

Code	GM Traits
4	Roundup Ready Corn 2
6	VT Double PRO
8	SmartStax
19	Agrisure GT/CB/LL or Agrisure 3010
23	Optimum AcreMax
27	Agrisure Viptera 3220
28	Agrisure Above
30	PowerCore Enlist
33	Duracade
34	Duracade Viptera

Distributor Contacts for Listed Varieties in Seed Manitoba 2025

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

GRAIN CORN

255	NorthStar Genetics
A3979G2 RIB	PRIDE Seeds
A4494G2 RIB	PRIDE Seeds
A4646G2 RIB	PRIDE Seeds
A4848G2 RIB	PRIDE Seeds
A4939G2 RIB	PRIDE Seeds
A5175G2 RIB	PRIDE Seeds
A5292G8 RIB	PRIDE Seeds
A5424G2 RIB	PRIDE Seeds
BY Belmont RR2	BrettYoung
BY Brava RR2	BrettYoung
BY Guernsey VT2P	BrettYoung
CP1225VT2P/RIB	CROPLAN
CP1440VT2P/RIB	CROPLAN
CP2288VT2P/RIB	CROPLAN
CP2324VT2P/RIB	CROPLAN
CP2585VT2P/RIB	CROPLAN
CX23071A/VT2P	CROPLAN
DKC072-12RIB	DEKALB
DKC20-23RIB	DEKALB
DKC21-36RIB	DEKALB
DKC24-06RIB	DEKALB
DKC28-25RIB	DEKALB
DKC31-85RIB	DEKALB
DKC32-49RIB	DEKALB
DKC33-37RIB	DEKALB
DKC35-29RIB	DEKALB
DLF 2158VT2P RIB	DLF Canada
DLF 2333RR	DLF Canada
DLF 2495RR	DLF Canada
E49K32 R	Maizex Seeds
HX 1435	Horizon Seeds
HZ 1265	Horizon Seeds
MZ 1200DBR	Maizex Seeds
MZ 1231DBR	Maizex Seeds
MZ 1397DBR	Maizex Seeds
MZ 1544DBR	Maizex Seeds
MZ 1688DBR	Maizex Seeds
MZ 2266DBR	Maizex Seeds
MZ 2344DBR	Maizex Seeds
NK7837-V	Syngenta Canada
NK8005-V	Syngenta Canada
NK8232-AA	Syngenta Canada
NK8519-DV	Syngenta Canada
NK8558-AA	Syngenta Canada
NK8711-V	Syngenta Canada
NS 271	NorthStar Genetics
NS 274	NorthStar Genetics
NS 277	NorthStar Genetics
NS 283	NorthStar Genetics
NS EXP69	NorthStar Genetics
NS EXP75C	NorthStar Genetics
P6910AM	Pioneer brand Seed
P72068AM	Pioneer brand Seed
P7211AM	Pioneer brand Seed
P7389AM	Pioneer brand Seed
P7455R	Pioneer brand Seed
P74691PCE	Pioneer brand Seed
P7822AM	Pioneer brand Seed
P7844AM	Pioneer brand Seed
P82288PCE	Pioneer brand Seed
P8407AM	Pioneer brand Seed
P8588AM	Pioneer brand Seed
PV 60273RIB	Proven Seed
PV 60371RIB	Proven Seed
PV 60474RIB	Proven Seed
PV 61180RIB	Proven Seed
PV 61276RIB	Proven Seed
PV 62485RIB	Proven Seed

GRAIN CORN

TH6072 VT2P	Thunder Seed
TH6182 VT2P	Thunder Seed
TH6185 VT2P	Thunder Seed
TH6278 VT2P	Thunder Seed
TH6370 VT2P	Thunder Seed
TH6380 VT2P	Thunder Seed
TH6474 VT2P	Thunder Seed
TH6578 VT2P	Thunder Seed
TH6583 VT2P	Thunder Seed
TH8483 DV	Thunder Seed
X23081A/VT2P	CROPLAN
XFS1022 x XFS1023	IFSI

HEMP

Alyssa	Parkland Industrial Hemp Growers
Bialobrzeskje	International Hemp
Bountiful	Tom Benson
Canda	Parkland Industrial Hemp Growers
CRS-1	Verve Seeds
Henola	International Hemp
Indigo	Verve Seeds
Marie	Fresh Hemp Foods Ltd.
Rak	Verve Seeds
Rak	Verve Seeds
Scarlett	Verve Seeds
Silesia	UniSeeds
Stalker	Tom Benson
Vega	Fresh Hemp Foods Ltd.
X-59	Tom Benson

DISTRIBUTOR

PHONE NUMBER

Bayer CropScience Canada Ltd. (DEKALB)	1-888-283-6847
BrettYoung.....	1-800-665-5015
Ceres Global Seeds (Horizon Seeds).....	1-888-974-7246
Corteva AgriScience (Pioneer Brand Seeds)	1-800-667-3852
DLF Pickseed Canada Inc. (DLF Canada)	1-204-633-0088
Fresh Hemp Foods Ltd	1-800-289-4367
Illinois Foundation Seeds Inc. (ISFI).....	1-217-485-6260
International Hemp	1-833-937-4367
Maizex Seeds Inc. (Maizex Seeds)	1-877-682-1720
NorthStar Genetics Ltd. (NorthStar Genetics)	1-204-262-2425
Nutrien Ag Solutions (Proven Seed).....	1-855-569-9444
Parkland Industrial Hemp Growers	1-204-629-4367
PRIDE Seeds.....	1-800-265-5280
Syngenta Canada (NK).....	1-877-964-3682
Thunder Seed Canada Inc. (Thunder Seed)	1-888-684-8633
Tom Benson	1-306-540-9339
UniSeeds	1-519-319-1361
Verve Seeds	1-204-821-0522
WinField United Canada (CROPLAN)	1-888-975-4769

Growers List



BUCKWHEAT

S=Select; F=Foundation; R=Registered; C=Certified; © Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ™ protected or pending under UPOV 1991.

AGASSIZ	
Morden; Springfield Mills Inc.	204-362-0513 S
HORIZON	
Morden; Springfield Mills Inc.	204-362-0513 R
KENMAR	
Morden; Springfield Mills Inc.	204-362-0513 R
KOTO	
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268 S
MANCAN	
Notre Dame De Lourdes; Durand Seeds Inc.	204-248-2268 R
Reinland; Ens Farms Ltd.....	204-325-4658 C

CANARY SEED

S=Select; F=Foundation; R=Registered; C=Certified; © Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and ™ protected or pending under UPOV 1991.

CDC LUMIO	
Reston; Avondale Seed Farm Ltd.....	204-877-3813 C

INDUSTRIAL HEMP

CNAP1HOH	
Ste. Agathe; Darrell McElroy	204-823-2898 F

FINOLA	
Ste. Agathe; Darrell McElroy	204-823-2898 C

S
P
E
C
I
A
L
C
R
O
P
S


Delivering Cimbria Quality Optical Sorters with Nexeed Know How



FULL-COLOR TECHNOLOGY ALWAYS TELLS YOU THE TRUTH



SEA.TN



SEA.IQ PLUS BRAIN



YOUR LOCAL CIMBRIA DEALER

Nexeed.ca

Manitoba Headquarters

(204) 982-3531

Alberta Office (403) 888-9713

Ontario Office (519) 274-5923

Saskatchewan Office (306) 361-9161



Farmers Growing for Farmers

SeedNet strives to provide the highest quality seed available for Canadian farmers. With an ever-growing lineup of seed varieties from cereals to pulses and special crops to hybrid fall rye. SeedNet has the seed professionals to help your operation succeed.

Cereals

Pulses

Special Crops



www.seednet.ca | 403-808-7738



Forage Crops

Key to 2024 Yield and Quality Tables

Yields derived over 2 or more growing seasons are the best indicator of variety performance. Use single site year data with caution.

CV % = Coefficient of Variation. A measure of random variation in a trial. A low CV is desirable.

LSD = Least Significant Difference. Varieties must differ by the LSD to be considered significantly different from one another.

Sig Diff = Significant Difference. Indicates if a real difference exists between varieties at an individual site.

Ⓒ Indicates a variety that is protected by Plant Breeder's Rights legislation that complies with UPOV 1978.

Ⓓ Indicates a variety that is protected by, or has been applied for and is pending, Plant Breeder's Rights legislation that complies with UPOV 1991.

VUA Variety Use Agreement in effect.

Forage Variety Registration Changes

Amendments to the Seeds Act, Seeds Regulations are now in effect that streamline the variety registration process for forage varieties.

Forage crops are moved to Part III of Schedule III of the Seeds Regulations. Recommending Committees are no longer required for the registration of forage crop varieties, since the testing and merit requirements are removed. Registration still requires a standard application package to enable the CFIA to continue to protect health and safety, prevent fraud, and facilitate seed certification.

Manitoba Agriculture Variety Guide

FORAGING CROPS

FORAGE ADAPTATION & COMPARISON GUIDE

LEGUMES

Forage	Primary Use	Longevity	Winter Hardiness	Tolerance to:			Preferred Climate and Growing Conditions
				Drought	Flooding	Salinity	
Alfalfa	Hay & Pasture	Long	Good	Good	Low	Low to Moderate	Widely adapted to most Manitoba soils but will not tolerate areas that have periodic flooding.
Alsike Clover	Hay & Pasture	Short	Fair	Poor	Moderate	Low	Low-lying moist areas.
Birdsfoot Trefoil	Pasture	Long	Good	Moderate	High	Low to Moderate	Moist areas.
Cicer Milkvetch	Pasture	Long	Good	Moderate to High	Low	Moderate	Widely adapted but exhibits its habit best on more coarse textured soils.
Kura Clover	Pasture	Long	Good	Moderate	Moderate	Unknown	Tolerates low fertility and soil acidity, wet soils and some flooding.
Red Clover	Hay & Pasture	Short	Poor	Low	High	Low	Best suited to humid areas with moderate temperatures.
Sainfoin	Pasture	Long	Fair	High	Low	Low	Best on brown and dark brown soil areas. In very dry areas it yields poorly. Does well on thin gravelly soils.
Sweet Clover	Hay & Pasture	Short to Long	Good	Poor	Low to Moderate	Low	Prefers well drained silt loams to clay soils that have a consistent supply of moisture.
White Clover	Hay & Pasture	2-years	Fair	Moderate to High	Low	Moderate	Especially productive on fertile soils.


TAME GRASSES

Altai Wild Ryegrass	Pasture	Long	Excellent	High	Low	Very High	Loam & clay soils best, but grows on a wide range of soils. Doesn't appear adapted to Manitoba conditions.
Annual (Italian) Ryegrass	Hay & Pasture	Short annual 1 year	Poor	Low	High	Low	Produces best on soils of medium to high fertility and grows best with adequate moisture.
Creeping Foxtail	Pasture	Long	Good	Low	High	Moderate	Adapted to areas where reed canarygrass grows well and soil moisture is continually available.
Creeping Red Fescue	Pasture Lawn	Long	Excellent	Moderate	Moderate	Low	Does best in high rainfall areas. Will grow in wide range of soil types.
Crested Wheatgrass	Hay & Pasture	Long	Excellent	Moderate to High	Low	Low to Moderate	Adapted to dry areas with good soils but will also establish on lighter soils.
Dahurian Wild Ryegrass	Pasture	Short	Good	Moderate	Low	High	Adapted to all soil zones.
Intermediate Wheatgrass	Hay & Pasture	Short to Medium	Good	Moderate to High	Low	Low	Well drained soils with ample moisture.

Tap into
TRACTORS
with the new **AGDealer** app!



Scan the code to download the app



AGDealer.com is bringing you an all-new user experience to make searching for farm equipment easier. The AGDealer mobile app will help you find the deals you're looking for and the equipment you need - *right when you need it!*

- » 1000+ FARM EQUIPMENT LISTINGS EVERY WEEK
- » OVER 33,000 PIECES OF EQUIPMENT
- » THE LARGEST AG INVENTORY IN CANADA

(continued) FORAGE ADAPTATION & COMPARISON GUIDE – Tame Grasses

F O R A G E C R O P S

Forage	Use	Longevity	Winter Hardiness	Tolerance to:			Preferred Climate and Growing Conditions
				Drought	Flooding	Salinity	
Kentucky Blue Grass	Pasture Lawn	Long	Excellent	Moderate	Moderate	Low	Prefers cool and humid. Grows on most soils.
Meadow Bromegrass	Hay & Pasture	Long	Good	High	Low	Low	Grows well on most soils where Smooth Brome does well.
Meadow Fescue	Pasture	Short - Medium	Good	Moderate	High	Low to Moderate	Prefers soil with good moisture and good drainage.
Meadow Foxtail	Pasture	Long	Good	Low	High	Low	Prefers cool moist conditions. High water table.
Orchard grass	Hay & Pasture	Short	Fair	Moderate	Low to Moderate	Low	Prefers moist conditions. Sandy soils are too dry for good growth unless in high rainfall area.
Perennial Ryegrass	Hay & Pasture	Short	Poor	Low	Low	Low	Needs high precipitation and fertility for high yields. Adapted to a wide range of soils.
Pubescent Wheatgrass	Hay & Pasture	Medium	Good	Moderate to High	Low	Low to Moderate	Widely adaptable with respect to precipitation, temperature, elevation, and low fertility soil.
Russian Wild Ryegrass	Pasture	Long	Excellent	Very High	Low	Very High	Can be grown on a wide range of soils. Most productive on fertile loams.
Smooth Bromegrass	Hay & Pasture	Long	Excellent	Moderate	Moderate	Low to Moderate	Well adapted to all soils in Manitoba.
Tall Fescue	Pasture	Medium	Good	Moderate	Moderate to High	High	Variety of soils. Does well on wet, poorly drained soils.
Tall Wheatgrass	Hay & Pasture	Medium	Excellent	Low	High	High	Adapted to saline and imperfectly drained alkali soils.
Timothy	Hay & Pasture	Medium	Good	Low	High	Low	Cool moist areas with good drainage.

NATIVE GRASSES

Awned Wheatgrass	Hay & Pasture	Medium	Good	Moderate	Moderate	Low to Moderate	Prefers moderately sandy to loam soils with good moisture and drainage. Found in moist flats, meadows and low growing bushes.
Big Bluestem	Pasture	Long	Good	Low to Moderate	Moderate	Low to Moderate	Grows under a wide range of conditions.
Green Needlegrass	Pasture	Long	Good	High	Moderate	Low to Moderate	Performs best on medium to heavy textured soils. Prefers moist sites with good drainage.
Little Bluestem	Pasture	Long	Good	High	Low	Moderate	Sandy, gravelly soils with shallow water table or where snow accumulates. Common on prairie upland.
Northern Wheatgrass	Pasture	Long	Good	Very High	Moderate	Moderate	Prefers medium to coarse textured soil.
Prairie Cord Grass	Hay & Riperian	Long	Good	Low to Moderate	High	Low to Moderate	Wide range of soils (sand to clay) - does best on seasonally dry areas, marsh edges, wet meadows, drainageways.
Reed Canarygrass	Hay & Pasture	Long	Good	Moderate	Very High	Low	Moist cool climate. Poorly drained areas subject to temporary flooding.
Side Oats Grama	Hay & Pasture	Long	Good	Moderate to High	Low	Low to Moderate	Adapted to a range of soils. Performs best on fine textured soils. Found on rocky ridges, open grasslands and hillsides.
Slender Wheatgrass	Hay & Pasture	Medium	Good	Moderate	Moderate	High	Widely adapted - prefers sandy loams.
Switch grass	Pasture	Medium	Fair	Low	Moderate	Moderate	It has potential for good summer pasture when enough moisture. Grows best on loam and sandy loams.
Western Wheatgrass	Hay & Pasture	Long	Excellent	High	Moderate to High	High	Widely adapted - prefers heavy moderately alkaline soil. Tolerates periodic flooding.

Source: Manitoba Agriculture – Forage Adaptation & Comparison Guide

ANNUAL FORAGE

The MCVET Annual Forage trials evaluated different crop types and varieties for forage yield and quality for livestock feed.

Annual crops are more moisture efficient than perennial forages such as alfalfa or timothy.

Both warm (sorghum, millet) and cool season crops were included in the trials. Warm season crops are more drought and heat tolerant than cool season crops.

Varieties were selected for their higher grain yield, taller growth, lodging resistance, smooth awns and better disease resistance.

Quality is highly dependent on plant maturity at harvest. For optimum quality: harvest barley at early-mid dough stage; oats & triticale at milk-early dough stage; peas at full pod formation; millet and sorghum at early heading.

Variety Descriptions

Variety descriptions for wheat, barley and oat crop types can be found in the Cereal Crops section of SEED Manitoba 2024 page 20.

Field pea variety information can be found on page 80.

TRITICALE

Variety	Days to Maturity (+/- Banjo)	Resistance Level:				
		Lodging	Stem Rust	Leaf Rust	Bunt	Fusarium
AC Alta	-1	G	R	R	R	—
AC Certa	-3	G	R	R	R	I
Banjo	100 days	G	R	R	R	—
Pronghorn	-4	G	R	R	R	I
SANDRO	-3	G	R	R	R	—
T301	-4	VG	R	R	R	I

	Seed Color	Seed Size (seeds/lb)	Days to Head	Days to Maturity
FOXTAIL MILLET				
Yellow (Golden German)	Yellow	160-170,000	75-90	85-95
Red (Siberian)	Red	169-170,000	55-70	70-90
PROSO MILLET				
Green (Crown)	Gray/Green	70-90,000	50-60	85-90
Red (Cerise)	Red	70-90,000	50-60	85
Yellow (AC Prairie Gold)	Yellow	70-90,000	50-60	75
SORGHUM				
Forage Sorghum	—	—	—	85-90
Sorghum Sudangrass	—	—	—	80-85

Seed source for millet & sorghum Imperial Seed

Seed source for triticale Field Crop Development Centre

2024 Feed Quality Comparisons

Crop	Variety	RFV (%) ²			
		Arborg	Carberry	Melita	Average
Oats	CDC Arborg ¹	97	124	109	
Oats	CDC Endure ¹	115	95	112	
Oats	CDC Westgate ¹	88	113	85	
Oats	ORe BOOST ¹	87	99	88	
Oats	ORe Ruminator ¹	95	114	87	
	Oat Average	99	109	98	102
Barley	AB Advantage ¹	127	133	121	
Barley	AB Tofield ¹	109	121	136	
Barley	CDC Renegade ¹	138	109	139	
	Barley Average	125	121	132	126
Peas/Barley	CDC Lewochko ¹ - AB Advantage ¹	128	111	141	
Peas/Oats	DL Delicious ¹ - CDC Arborg ¹	121	103	117	
	Pea/Cereal Average	125	107	129	120
Spring Triticale	T301	113	116	102	110
Proso Millet	Crown ⁵	90	101	93	
Foxtail Millet	Siberian ⁵	98	93	74	
	Millet Average	94	97	84	92
Sorghum sudangrass	common ⁵	87	93	99	
Forage Sorghum	common ⁵	87	96	99	
	Sorghum Average	87	95	99	94

1 Quality tests were done by wet chemistry and were a composite of the three plots/site.

2 Relative feed value (RFV)

3 Crude protein (CP)

4 Total Digestive Nutrients (TDN)

5 Due to lack of availability, common seed was used.

Yield Comparisons

The 2024 annual forage trial combined all crops and varieties in one trial with three replicates per site.

Quality is highly dependent on plant maturity at harvest. Barley was harvested in mid dough stage; oats & triticale at milk- early dough stage; peas at early pod wrinkle; millet and sorghum at heading.

Crop	Variety	2024 Dry Matter Yield (tonnes/acre) ¹			Manitoba Average
		Arborg	Carberry	Melita	
Oats	CDC Arborg ^⓪	4.2	5.6	5.9	5.26
Oats	CDC Endure ^⓪	3.3	6.4	6.3	5.32
Oats	CDC Westgate ^⓪	4.0	6.4	6.3	5.46
Oats	ORe BOOST ^⓪	4.0	5.5	6.4	5.30
Oats	ORe Ruminator ^⓪	4.4	5.5	6.5	5.46
Oat Average					5.41
Barley	AB Advantage ^⓪	4.1	6.9	5.5	5.48
Barley	AB Tofield ^⓪	4.2	8.2	5.9	6.11
Barley	CDC Renegade ^⓪	4.1	9.5	5.5	6.37
Barley Average					5.99
Peas/Barley	CDC Lewochko ^⓪ - AB Advantage ^⓪	4.4	6.6	5.6	5.53
Peas/Oats	DL Delicious ^⓪ - CDC Arborg ^⓪	4.7	6.2	6.5	5.80
Pea/cereal Average					5.67
Spring Triticale	T301	4.3	4.3	5.8	4.80
Proso Millet	Crown ²	2.3	6.4	4.7	4.47
Foxtail Millet	Siberian ²	2.4	1.3	5.2	2.97
Millet Average					3.72
Sorghum sudangrass	common ²	7.6	4.8	12.1	8.17
Forage Sorghum	common ²	7.6	—	13.3	10.45
Sorghum Average					9.31
Grand Mean (tonnes/acre)		4.4	6.0	6.8	
CV %		10.1	14.7	10.4	
LSD (0.05)		0.7	1.5	1.2	
Sig Diff		Yes	Yes	Yes	
Seeding Date		May 13 & Jun 8	May 23	May 22	
Harvest Date		Aug 1 & 27*	Aug. 8	Aug. 6, 19 & Sep. 4*	

1 Dry matter yields measured under a one-cut system.

2 Due to lack of availability, common seed was used.

* Sorghum and millet were harvested later due to their later maturity

Forage Quality ¹							
CP (%) ³				TDN (%) ⁴			
Arborg	Carberry	Melita	Average	Arborg	Carberry	Melita	Average
6.3	5.9	9.8		58.0	66.8	62.7	
7.8	6.1	8.8		63.0	56.7	63.8	
7.0	6.5	9.0		56.9	63.8	55.4	
6.5	6.0	8.8		54.7	61.0	56.6	
7.9	5.9	9.1		58.7	64.0	56.5	
7.1	6.1	9.1	7.4	58.3	62.5	59.0	59.9
7.5	7.4	8.8		66.5	69.2	67.2	
6.3	6.5	9.8		61.9	65.5	71.4	
6.3	5.4	7.9		67.8	62.7	69.3	
6.7	6.4	8.8	7.3	65.4	65.8	69.3	66.8
12.0	8.6	13.2		64.2	62.1	67.2	
9.9	6.9	13.0		61.6	61.8	63.4	
11.0	7.8	13.1	10.6	62.9	62.0	65.3	63.4
9.3	7.1	11.0	9.1	62.4	62.9	60.9	62.1
10.6	7.6	8.6		61.3	63.0	59.0	
14.0	9.1	8.3		62.0	60.2	52.8	
12.3	8.4	8.5	9.7	61.7	61.6	55.9	59.7
7.4	7.7	6.3		57.3	61.7	60.9	
8.7	10.9	5.4		56.3	62.3	60.9	
8.1	9.3	5.9	7.7	56.8	62.0	60.9	59.9

Distributor Contacts for Listed Varieties in Seed Manitoba 2025

Look up variety within the correct CROP KIND to find the company, then look for company phone number in the box at bottom of section.

FORAGE

See cereal and pulse distributor contacts and growers list for forage varieties of oat, barley, and pea.

See forage growers list for perennial forage types.

Alfalfa

Dakota	DSV Northstar LTD.
Escalade BR	DSV Northstar LTD.
Instinct	DLF CANADA INC.
Performer	DSV Northstar LTD.
Rugged ST	DSV Northstar LTD.
Sidewinder	DSV Northstar LTD.
Vision	DLF CANADA INC.

Birdsfoot Trefoil

Bull	DLF CANADA INC.
Lotanova	DLF CANADA INC.

Bromegrass

AAC Maximus	DSV Northstar LTD.
AC Knowles	DSV Northstar LTD.

Fescue

Pradel	DSV Northstar LTD.
Preval	DSV Northstar LTD.
Yukon	DSV Northstar LTD.

Sainfoin

AAC Mountainview	DSV Northstar LTD.
------------------	--------------------

Timothy

Arlaka	DLF CANADA INC.
Aturo	DSV Northstar LTD.
Comer	DLF CANADA INC.

FORAGE

Comtal	DLF CANADA INC.
Express	DSV Northstar LTD.
Ovation	DSV Northstar LTD.
Radde	DSV Northstar LTD.
Richmond	DLF CANADA INC.
Sahara DT	DLF CANADA INC.
Summergraze	DLF CANADA INC.
Treasure	DSV Northstar LTD.
Valor	DLF CANADA INC.
Wheatgrass	
AAC Renegade	DSV Northstar LTD.

DISTRIBUTOR CONTACTS – FORAGE SEED	PHONE NUMBER
Alliance Seed	1-877-270-2890
Brett Young.....	1-800-665-5015
DL Seeds.....	204-331-3611
DLF Canada (Pickseed).....	1-800-263-7425
Dyck Seeds	1-888-204-1000
FP Genetics.....	1-877-791-1045
Imperial Seed	1-204-786-8457
Interlake Forage Seeds	1-800-990-1390
DSV Northstar Ltd.	1-800-430-5955
Nutrien/Proven Seed	1-800-661-3334
SeCan.....	1-800-665-7333

Growers List



ALFALFA

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and Ⓢ protected or pending under UPOV 1991.

MULTI5301		
Fisher Branch; Interlake Forage Seeds Ltd	204-372-6920	C
POWER 4.2		
Broad Valley; Woloshyn Forage Seed Farms.....	204-372-6029	C

BIRDSFOOT TREFOIL

S=Select; F=Foundation; R=Registered; C=Certified; ☉ Indicates Plant Breeders Rights (PBR) protection under UPOV 1978 and Ⓢ protected or pending under UPOV 1991.

LEO		
Beausejour; Murash, Darrin.....	204-265-3303	C
Broad Valley; Woloshyn, Stuart John.....	204-372-6369	C
Fisher Branch; Shepell, Christopher & Murray	204-372-6844	C
Winnipeg; DLF Canada Inc.	204-633-0088	C

BIRDSFOOT TREFOIL

BRUCE		
Broad Valley; Grzenda, Laura Annelle Woloshyn	204-880-9747	F
Fisher Branch; Interlake Forage Seeds Ltd	204-372-6920	C

MEADOW FESCUE

PREVAL		
Neepawa; Tibbett Enterprises Ltd.	204-841-3060	F

Additional Resources



Additional Resources

MANITOBA CROP VARIETY EVALUATION TEAM (MCVET)

Jennifer Seward (Chair)
Manitoba Seed Growers' Association 204-745-7940
E-MAIL jennifer.seward@seedmanitoba.ca

Anne Kirk (Editor)
Manitoba Agriculture 204-750-1351
E-MAIL anne.kirk@gov.mb.ca

Chami Amarasinghe (Trials Coordinator)
Manitoba Agriculture

Brent McCallum
Agriculture and Agri-Food Canada

Curt McCartney
Faculty of Agricultural and Food Sciences, University of Manitoba

Sheldon Neufeld
Manitoba Seed Growers' Association

Brad Pinkerton
Seeds Canada

Paul Gervais
Seeds Canada

Jennifer McCombe-Theroux
Manitoba Pulse and Soybean Growers

Andrew Hector
Manitoba Crop Alliance

MANITOBA SEED GROWERS' ASSOCIATION (MSGA)

www.seedmanitoba.ca
X: @seedmanitoba

Jennifer Seward, Executive Director
Box 1910, Carman, MB R0G 0J0 204-745-7940
E-MAIL jennifer.seward@seedmanitoba.ca

AJ Armstrong, President
Boissevain, MB

Tom Greaves, Past President
Domain, MB

Adam Gregory, Provincial Director
Fisher Branch, MB

Marcel Gousseau, Provincial Director
Oak Bluff, MB

Simon Ellis, Provincial Director
Wawanesa, MB

Tracy Court, Provincial Director
Plumas, Manitoba

Allison Fisher, Provincial Director
Dauphin, Manitoba

Sheldon Neufeld, Provincial Director
Winkler, Manitoba

Andrew Ayre, National Director
Minto, MB

Ryan Murray, National Director
Decker, MB

Chami Amarasinghe, National & Provincial Board Advisor
Manitoba Agriculture

CROP RESEARCH ORGANIZATION PORTAGE (CROP)

Jill Verwey
Portage la Prairie, MB 204-871-0555
E-MAIL verweyfarmstid@mymts.net

SOUTH INTERLAKE CROP TESTING COMMITTEE (Stonewall)

Lynn Gilmore
E-MAIL lynn.gilmore@gov.mb.ca

APPLIED PRODUCTION RESEARCH

PARKLAND CROP DIVERSIFICATION FOUNDATION (PCDF)

James Frey, Manitoba Agriculture
Box 970, 117 2nd Ave N, Roblin, MB R0L 1P0 204-247-0346
E-MAIL james.frey@gov.mb.ca

PRAIRIES EAST SUSTAINABLE AGRICULTURE INITIATIVE (PESAI)

Nirmal Hari, Manitoba Agriculture
Box 2000, 317 River Road West, Arborg, MB R0C 0A0 204-391-3623
E-MAIL nirmal.hari@gov.mb.ca

WESTMAN AGRICULTURAL DIVERSIFICATION ORGANIZATION (WADO)

Scott Chalmers, Manitoba Agriculture
Box 519, 139 Main St, Melita, MB R0M 1L0 204-522-5415
E-MAIL scott.chalmers@gov.mb.ca

CANADA-MANITOBA CROP DIVERSIFICATION CENTRE (CMDC)

Haider Abbas, Manitoba Agriculture
Box 160, Jct of Hwys. #1 & #5, Carberry, MB R0K 0H0 204-841-4712
E-MAIL haider.abbas@gov.mb.ca

MANITOBA AGRICULTURE & MANITOBA AGRICULTURAL SERVICES CORPORATION (MASC) SERVICE CENTRES

Arborg 1-833-206-0451
Brandon 1-833-206-0455
Dauphin 1-833-206-0459
Headingley 1-833-206-0465
Killarney 1-833-206-0466
Morden 1-833-206-0479
Neepawa 1-833-206-0469
Portage la Prairie 1-833-206-0470
Steinbach 1-833-206-0480
Swan River 1-833-206-0476
Corporate 1-833-206-0457

MANITOBA BUCKWHEAT GROWERS ASSOCIATION

www.mbbuckwheat.ca

Marc Durand, President
Notre Dame de Lourdes, MB 204-248-2268
E-MAIL durandseeds@gmail.com

Cam Stockford, Vice President
Altamont MB

David Huyber
Langruth, MB

Les McEwan
Altamont, MB

Ken Giesbrecht
Winnipeg, MB

Albert Dohan
Ethelbert, MB

Ben Fyk
Garland, MB

Dan DeRuyck
Treherne, MB

Lee Anne Murphy, Industry Representative
Independent

**MANITOBA CANOLA GROWERS ASSOCIATION
(MCGA)**

400-167 Lombard Ave, Winnipeg, MB R3B 0T6 204-982-2122
www.canolagrowers.com
E-MAIL.....info@canolagrowers.com
FAX..... 204-942-1841
X: @CanolaGrowers

Delaney Ross Burtnack, Executive Director
Phone 204-982-2120
Cell phone 204-230-6293
E-MAIL.....delaney@canolagrowers.com

Warren Ellis, President
Wawanesa, MB

Jackie Dudgeon-MacDonald, Vice President
Darlingford, MB

Nicolea Dow, Secretary
Portage la Prairie, MB

Charles Fossay, Past President
Starbuck, MB

Darren Nykoliation, Director
Carman, MB

Evan Gillis, Director
Morden, MB

Jason Kehler, Director
Carman, MB

Jay Derkach, Director
Russell, MB

MANITOBA CROP ALLIANCE

Box 188, 38 4th Ave NE Carman, MB R0G 0J0 204-745-6661
www.mbcropalliance.ca
E-MAIL.....hello@mbcropalliance
FAX..... 204-745-6122
X: @mb_cropalliance

Pam de Rocquigny, Chief Executive Officer
Carman, MB

Robert Misko, Chair - Wheat & Barley Crop Committee
Roblin, MB

Jonathan Hodson - Vice-Chair - Corn Crop Committee
Lenore, MB

Sally Parsonage - Secretary - Sunflower Crop Committee
Baldur, MB

Sheila Elder - Wheat & Barley Crop Committee
Wawanesa, MB

Boris Michaleski - Wheat & Barley Crop Committee
Ashville, MB

Leigh Smith - Flax Crop Committee
Oak Lake, MB

Scott Mowbray - Wheat & Barley Crop Committee
Cartwright, MB

Nick Matheson - Flax Crop Committee
Stonewall, MB

Gregg Fotheringham - Sunflower Crop Committee
Reston, MB

Doug Martin - Corn Crop Committee
East Selkirk, MB

Carl Bangert - Corn Committee
Beausejour, MB


MANITOBA FORAGE & GRASSLAND ASSOCIATION

www.mfga.net
E-MAIL.....info@mfga.net
X: @MBForages

Duncan Morrison, Executive Directorduncan@mfga.net
c/o 145 Edstan Place Selkirk, MB R1A 2E8 204-770-3548

Mike Duguid, Chair, Director, Manitoba Beef Producers Rep
Arnes, MB

Zack Koscielny, Vice Chair, Producer Rep
Strathclair, MB



**PLANT
the
WAVE**

Ride the wave to higher yields.

Maizex offers high-performance corn and soybean seed developed for Canadian farmers by a company owned by Canadian farmers.

Contact your local Maizex representative today.



FIELD by FIELD | maizex.com

A
D
D
I
T
I
O
N
A
L
R
E
S
O
U
R
C
E
S

MANITOBA FORAGE & GRASSLAND ASSOCIATION

- Lawrence Knockaert, Past-Chair, Dairy Farmers of MB Rep**
Bruxelles, MB
- Sean Smith, Finance Chair, Producer Rep**
Clanwilliam, MB
- Amber McNish, 2023 Regen Ag Conference Committee Co-Chair**
Lyleton, MB
- Harold Bosma, MB Sheep Association**
Grunthal, MB
- Jacques Saquet, Manitoba Bison Association Rep**
Laurier, MB
- Zach Grossart, Producer Rep**
Brandon, MB
- Paul Gregory, Producer Rep**
Fisher Branch, MB
- Arron Nerbas, Producer Rep**
Shellmouth, MB
- Chelsi Malach, Producer Rep**
Hartney, MB
- Peter Tokar, Producer Rep**
Swan River, MB
- Guy Bouchard, Producer Rep**
Vita, MB

MANITOBA FORAGE SEED ASSOCIATION (MFSA)

- Box 970, Arborg MB R0C 0A0
www.forageseed.net
X: @MB_Forage_Seeds
- Lisa O'Neill, MFSA Administrator**
Arborg, MB 204-376-3309
E-MAIL..... loneill@forageseed.net
- Roger Burak, MFSA Research Manager**
Arborg, MB 204-641-4115
E-MAIL..... rburak@forageseed.net
- Jamie Packulak, Director**
Fisher Branch, MB
- Lucas Menold, Director**
Carman, MB
- Bailey Sigvaldasson, Director**
Arborg, MB
- Eric Loewen, Director**
Riverton, MB
- Rod Fulford, Director**
Minitonas, MB
- Lorne Bounady, Director**
Winnipeg, MB
- Todd Vanstone, Director**
Miami, MB
- Colin Grzenda, Director**
Broad Valley, MB



We are your Seed Source!

SEED SOURCE

for a complete selection of Wheat, Barley, Oats, Canola, Peas and Flaxseed

PH (306) 323-4402
FAX (306) 323-4403
Box 147, Archerwill, SK S0E 0B0

askus@seedsource.ca









MANITOBA PULSE & SOYBEAN GROWERS (MPSG)

- Box 1760, 38 4th Ave NE, Carman MB R0G 0J0 204-745-6488
www.manitobapulse.ca
FAX 204-745-6213
X: @MbPulseGrowers
- Daryl Domitruk, Executive Director**
Box 1760, Carman, MB R0G 0J0 cell: 204-751-0091
E-MAIL daryl@manitobapulse.ca

- Melvin Rattai - Chair**
Beausejour, MB
- Brendan Phillips - Vice-Chair**
Hartney, MB

Alex Burgess - Director
Minnedosa, MB

Ben Martens - Director
Boissevain, MB

Robbie Misko - Director
Roblin, MB

Bryce Pallister - Director
Portage la Prairie, MB

John Preun - Director
St. Andrews, MB

Frank Prince - Director
Waskada, MB

Garrett Sawatzky - Director
Altona, MB

Ernie Sirski - Director
Dauphin

PRAIRIE OAT GROWERS ASSOCIATION

- Box 20106, Regina, SK S4P 4J7 306-530-8545
- Shawna Mathieson, Executive Director**
Regina, SK 306-530-8545
E-MAIL smathieson@poga.ca
- Greg Bott, Co-President**
Eckville, AB
- Ambrely Ralph, Co-President**
Eckville, AB

REGISTERED SEED MERCHANTS

- Alexander; Thomson Forage and Grass Seeds 204-328-7149
Altona; GJ Chemical Co. Ltd. 204-324-8090
Altona; LD Seed Company 204-304-0048
Altona; Sawatzky Seed Farms Inc. 204-324-4018
Altona; Wesmar Farms Ltd. 204-324-4097
Arborg; Burak Seeds 204-364-2480
Arborg; Floyd Farms Inc. 204-364-2308
Arborg; Foster Ag Services 204-364-2358
Arborg; Nutrien Ag Solutions 204-376-5990



DLF

DLF Canada's focus is to help farmers with innovative and quality forage seed products.

For information on seed production contracts contact:

Marcel Greaves - 204-771-9929 | marcel.greaves@dlf.com

Dan McGill - 204-771-0482 | dan.mcgill@dlf.com

For hay and pasture seed purchases contact:

Tom Rinn - 204-899-9730 | tom.rinn@dlf.com

Jenna Walker - 204-223-6184 | jenna.walker@dlf.com

DLFNA.COM | 800.263.7425

REGISTERED SEED MERCHANTS

Arborg; Paterson Grain	204-376-5353
Arborg; S.S. Johnson Seeds Ltd.	204-376-5228
Arborg; Timchishen Seeds	204-641-1288
Arnaud; GJ Chemical Co. Ltd.	204-427-2337
Ashville; Intermountain Ag Supply	204-918-7582
Austin; Squirrel Creek Seeds	204-685-2376
Baldur; David Desrochers	204-535-2090
Baldur; Pembina Co-op	204-535-2598
Beausejour; Bangert Farms Ltd.	204-268-1268
Beausejour; Delmar Commodities Ltd.	204-268-9797
Beausejour; Nutrien Ag Solutions	204-268-3497
Beausejour; Beausejour Consumers Cooperative Ltd.	204-406-2522
Binscarth; Inland Seed Corp.	204-683-2316
Boissevain; Armstrong Seeds	204-534-2566
Boissevain; Boissevain Select Seeds Ltd.	204-534-6846
Boissevain; Double Diamond Farm Supply	204-534-2427
Boissevain; Martens, Ben and John	204-534-6952
Brandon; A.E. McKenzie Co	204-571-7500
Brandon; Lindenbergs Seed Ltd.	204-727-0575
Brandon; Richardson Pioneer	204-727-5353
Brandon; Wheat City Seeds Ltd.	204-727-3337
Brunkild; MK Agro Ltd.	204-736-4769
Brunkild; Richardson Pioneer	204-736-5000
Brunkild; SKT Farms Inc.	204-295-9756
Carberry; Nutrien Ag Solutions	204-834-2180
Carman; AGrow 360 Ltd.	204-745-1938
Carman; Bud McKnight Seeds Ltd.	204-745-2310
Carman; RJP Seed Ltd.	204-745-0088
Carman; Ronlin Farms Ltd.	204-745-3415
Carman; Ulrich & Monika Menold Ltd.	204-745-2822
Clearwater; Sloane AgriVentures Ltd.	204-873-2361
Crandall; Rolling View Farms Inc.	204-562-3632
Cromer; Bartel Seeds	204-662-4484
Crystal City; Buchanan Seeds	204-825-7151
Cypress River; DSAG	204-724-9922
Darlingford; MGM Seed & Service Ltd.	204-246-2119
Darlingford; Nutrien Ag Solutions	204-246-2500
Dauphin; Cargill Ltd.	204-638-4033
Dauphin; Dauphin Consumers Co-op	204-572-0595
Dauphin; Dauphin Plains Seed Ltd.	204-638-7800
Dauphin; Fisher Seeds Ltd.	204-622-8800
Dauphin; Richardson Pioneer	204-622-6030
Decker; Murray Farms Inc.	204-764-0366
Deloraine; Bolduc & Bell Farms	204-747-2913
Deloraine; Nutrien Ag Solutions	204-747-2877
Deloraine; Paterson Grain	204-747-2333
Domain; Manness Seed	204-612-8943
Domain; Pitura Seed Service	204-736-2849
Douglas; Heritage Co-op 1997 Ltd.	204-763-8998
Dufrost; Catellier Seed Service Inc.	204-347-5588
Dugald; Parrish & Heimbecker Ltd.	204-259-9600
Dugald; Shur-Gro Farm Services Ltd.	204-371-2898
Elie; Dyck Forages and Grasses Ltd.	204-353-2885
Elm Creek; Cargill Ltd.	204-436-2010
Elm Creek; Grey Seed Farm Ltd.	204-436-2352
Elphinstone; Gerrard Family Seeds	204-365-0321
Fannystelle; Nadeau Seeds Inc.	204-436-2469
Fisher Branch; Harvey Danelak	204-372-6236
Fisher Branch; Interlake Agri Ltd.	204-372-6720
Fisher Branch; Interlake Forage Seeds Ltd.	204-372-6920
Fork River; Nutrien Ag Solutions	204-657-2366
Foxwarren; West-Fox Farms	204-683-2247
Foxwarren; Westwarren Farms Inc.	204-683-2347
Gilbert Plains; Gilbert Plains Consumers Co-op	204-548-2099
Gilbert Plains; Tokar Pedigreed Seed Corp	204-548-2805
Gladstone; Delmar Commodities Ltd.	204-385-2292
Gladstone; Nu Era Seeds Ltd.	204-385-2065
Gladstone; Nutrien Ag Solutions	204-385-2349
Gladstone; Parrish & Heimbecker Ltd.	204-385-2139
Gladstone; Ridder Farms Ltd.	204-856-3282
Glenboro; Jefferies Seeds	204-827-2102
Grandview; Triple "S" Seeds Ltd.	204-638-2004
Grosse Isle; Rutherford Farms Ltd.	204-467-5613
Hamiota; Cargill Ltd.	204-764-2012
Hamiota; Chappell Ag Solutions Inc.	204-764-2844
Hamiota; Knight Seeds	204-764-2450
Holland; Holland Seed Company Ltd.	204-526-2776
Holland; Nutrien Ag Solutions	204-723-2423
Holland; Patenaude Seeds Inc.	431-225-2548
Homewood; Agassiz Seed Farm Ltd.	204-745-6655
Inglis; Beischer Family Seeds Ltd.	204-564-2676
Kenton; Robert & Sidney Stevenson	204-838-2012
Kenville; Carmichael Seed Farm	204-734-8683
Killarney; Bar H Agri Seeds	204-523-7464
Killarney; Chatham Seeds Ltd.	204-523-8112
Killarney; Paterson Grain	204-523-8936
Killarney; Richardson Pioneer	204-523-7035
Killarney; Shur-Gro Farm Services Ltd.	204-523-5400

REGISTERED SEED MERCHANTS

Landmark; Richardson Pioneer	204-355-4061
Laurier; LaurEx Seeds Ltd.	204-447-2916
Letellier; Richardson Pioneer	204-737-2096
Lowe Farm; MB Seeds Ltd.	204-746-2187
Lowe Farm; Nutrien Ag Solutions	204-343-2136
Lowe Farm; Winkler Consumers Cooperative Ltd.	204-746-2234
MacGregor; Hulme Agra Products Inc.	204-685-2627
Manitou; Keen Seeds Ltd.	204-242-4074
Manitou; Sanders Seed Farm	204-242-4200
Marquette; Ag Advantage Ltd.	204-322-5351
Marquette; Prairie Roots Consumers Co-operative Ltd.	204-375-6570
Mather; McLennan Farms Ltd.	204-529-2372
Medora; Vandaele Seeds Ltd.	204-665-2384
Melita; Cargill Ltd.	204-522-3221
Melita; Paterson Grain	204-522-3472
Miami; SJ Agronomy Services Inc.	204-435-2722
Miniota; Twin Valley Co-op	204-567-3766
Miniota; Walker's Seed Service	204-567-3647
Minnedosa; Heritage Co-op 1997 Ltd.	204-867-2749
Minto; Ag-Quest Inc.	204-776-2087
Minto; Fraser Seeds Ltd.	204-776-2047
Minto; Pembina Consumers Coop (2000) Ltd.	204-776-2353
Minto; Southern Seed	204-776-2333
Morden; Winkler Co-op	204-325-1658
Morden; Western Harvest Bean ULC	204-515-7331
Morris; Horizon Agro	204-746-2026
Morris; Red River Seeds Ltd.	204-746-4779
Navin; James Farms Ltd.	204-222-8785
Neepawa; DSV Northstar	204-476-5241
Neepawa; Gladstone Co-operative Ltd.	204-476-3431
Neepawa; Kulbacki Seeds Ltd.	204-476-6449
Newdale; Warehamdale Seeds Ltd.	204-849-2029
Niverville; Paterson Grain	204-388-6565
Niverville; Prairie Sky Crop Solutions	204-388-4303
Niverville; Shur-Gro Farm Services Ltd.	204-371-2898
Notre Dame; Durand Seeds Inc.	204-248-2268
Notre Dame; Pembina Co-op	204-248-2331
Oak Bluff; Derek Erb Seeds Inc.	204-792-6744
Oak Bluff; Terraco	204-261-0731
Oak Lake; Gerlyn Acres Ltd.	204-855-3128



**Westland
Insurance**

Coverage that goes further.

westlandinsurance.ca



Scan to
learn more

REGISTERED SEED MERCHANTS

Oak River; Henry, J.S. & Son Ltd.	204-566-2422
Oakbank; Ag Advantage Ltd.	204-444-5052
Oakbank; Willowdale Seeds	204-801-0659
Oakville; Intel Seed Ltd.	204-267-7389
Oakville; Miller Agritec Seed Inc.	204-267-2363
Oakville; Shur-Gro Farm Services Ltd.	204-267-2701
Pilot Mound; Double Diamond Farm Supply	204-825-2429
Pilot Mound; Smith Family Seeds Ltd.	204-825-7810
Pilot Mound; Wallace Seeds	204-825-4543
Plum Coulee; Janzen Seeds Ltd.	204-829-7749
Plumas; Court Seeds Ltd.	204-386-2354
Plumas; Tonn Seeds	204-386-2206
Portage la Prairie; Homestead Consumers Co-op Limited	204-637-3030
Portage la Prairie; Jonair (1988) Ltd.	204-857-4151
Portage La Prairie; New Gen Seed Service Ltd.	204-274-2417
Portage La Prairie; Pugh Seeds Ltd.	204-274-2179
Portage La Prairie; Sanderson, Garry	204-857-8406
Portage La Prairie; Sissons Farms Ltd.	204-857-7341
Rathwell; Payette Seeds Ltd.	204-749-2243
Reinland; Ens Farms Ltd.	204-325-4658
Reston; Avondale Seed Farm Ltd.	204-877-3813
Reston; Nutrien Ag Solutions	204-877-3128
Rivers; Providence Farms	204-761-8702
Rivers; Redspier Enterprises Ltd.	204-328-5346
Roblin; GM Seed Cleaning	204-937-2739
Roblin; Parkway Consumers Co-operatives Limited	204-937-6402
Roland; Delmar Commodities Ltd.	204-343-2323
Roland; Roland Air Spray Ltd.	204-745-6111
Rosenort; Friesen Seeds Ltd.	204-746-8325
Rosser; Krym Farms Ltd.	204-955-5562
Rosser; Mei-West Enterprises Inc.	204-467-5922
Russell; Keating Seed Farms Inc.	204-773-3854
Sanford; Bergen Seed Farm	204-736-2278
Shoal Lake; Richardson Pioneer	204-759-2917
Solsgrith; Nickle Bros.	204-842-3834
Somerset; Ronceray Seeds Ltd.	204-744-2558
Somerset; Sierens Seed Service	204-744-2883
Souris; Kohut Seed Farms Ltd.	204-483-3063
Souris; Nutrien Ag Solutions	204-483-1538
Souris; Perkin Seed and Soil Ltd.	204-741-0955
Souris; Synergy Seeds	204-441-8050
St. Andrews; Long Lake Farms Ltd.	204-485-3907

REGISTERED SEED MERCHANTS

St. Claude; R-Way Ag Ltd.	204-379-2582
St. Joseph; AGT Foods Canada	204-737-2625
St. Joseph; Loewen Seeds Ltd.	204-324-7863
St. Joseph; Remillard Seed Farm	204-737-2376
St. Leon; Ferme Labossière Farms Inc.	204-744-2208
St. Léon; Pembina Co-op	204-744-2850
Stanley; Valleyfield Enterprises Ltd.	204-822-3853
Starbuck; Richardson Pioneer	204-735-2302
Ste. Anne; Seine River Seed Farm	204-371-7700
Ste. Rose; Gagnon Seeds Ltd.	204-447-2118
Steinbach; Clearview Consumers Coop Ltd.	204-346-2667
Steinbach; Marc Hutlet Seeds Ltd.	204-422-5805
Stonewall; Richardson Pioneer	204-694-0825
Stonewall; Unger Seed Farm Ltd.	204-467-8630
Strathclair; Parrish & Heimbecker Ltd.	204-365-5282
Swan River; New Era Ag Technologies	204-734-6222
Swan River; Oberlin Farms & Seed Service Ltd.	204-734-2292
Swan River; Richardson Pioneer	204-238-4237
Swan River; Swan Valley Co-op Agro	204-734-4208
Swan River; Swan Valley Seeds	204-734-2526
Teulon; Kaljent Ag Services	204-886-2180
Teulon; Kletke Seed Farm Ltd.	204-886-2822
Teulon; Paterson Grain	204-886-3401
Teulon; Willis Agro Ltd.	204-461-0386
Treherne; Stinson Seeds	204-526-5351
Virden; Clearview Acres Ltd.	204-748-7666
Virden; Hutch Ag	204-851-6157
Virden; Nielsen Seeds Ltd.	204-851-0225
Virden; Redfern Farm Services Ltd.	204-748-1122
Virden; Valleyview Consumers Coop Ltd.	204-748-2843
Warren; Jones Farm Seeds	204-322-5604
Warren; Riddell Seed Co.	204-227-5679
Waskada; Shur-Gro Farm Services Ltd.	204-673-2445
Wawanasa; Ellis Farm Supplies Ltd.	204-824-2290
Westbourne; Richardson Pioneer	204-274-2301
Westbourne; Shur-Gro Farm Services Ltd.	204-274-3050
Winnipeg; BrettYoung Seeds	204-478-2212
Winnipeg; C.M. Agra Ltd.	204-633-6010
Winnipeg; DL Seeds Inc.	204-296-7718
Winnipeg; DLF Canada Inc.	204-633-0088
Winnipeg; Imperial Seed Ltd.	204-786-8457
Winnipeg; Paterson Grain	204-694-4445

• Bulk Seed
• Soybeans
• Canola • Corn
• Seed Treating and Inoculation
• Cleaning Facility
• Optical Sorter

Eric McLean
Marnie McLean
Brendan Brown

204-566-2422
2mi East of Oak River, MB
www.jshenry.ca

Your best year starts here!

LD Seeds

Where Purity meets performance

<p>WHEAT</p> <p>AAC Brandon AAC Starbuck AAC Wheatland Prosper Faller SY Manness</p>	<p>PEAS</p> <p>AAC Carver CDC Lewochko</p> <p>EDIBLE BEANS</p> <p>Pinto, Navy, Black, and specialty bean seed.</p>	<p>CANOLA</p> <p>Clearfield & Liberty Link</p> <p>GRAIN & SILAGE</p> <p>CORN</p> <p>Thunder Seeds Pride Seeds</p>
<p>OATS</p> <p>AAC Douglas Summit CDC Endure CS Camden</p>	<p>SOYBEANS</p> <p>A strong line up of GMO & Non-GMO varieties from Thunder Seeds, Sevita International, SeCan, and Pride.</p>	<p>FERTILIZER</p> <p>Alpine starter & foliar fertilizer Direct to farm granular & liquid fertilizer</p>

Lloyd Wiebe Phone: 204-324-7999 Email: Lloydw@mymts.net
Dylan Wiebe Phone: 204-304-0048 Email: Ldseeds-dylan@outlook.com

Lab Name and Address	Contact	Scope of CFIA Accreditation*		Other Services (not accredited by CFIA)
		Purity & Germination	Disease	
Manitoba				
20/20 Seed Labs (Winnipeg) 3487 Pembina Hwy. Winnipeg, Manitoba R3V 1A4	Shari Lafreniere Tel: 1-877-420-2099 Fax: 1-888-900-1810 shari@2020seedlabs.ca	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XVI to XX	None	
Integrity Seed Lab Ltd. 8040 Park Royale Way Centreport MB Winnipeg, Manitoba R4B 0A5	Glen Green Tel: (204) 774-1882 Fax: (204) 774-1881 info@integrityseedlab.com g.green@integrityseedlab.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	None	Herbicide tolerance testing in RR Canola and LL Canola and RR Soybeans <u>Cereals:</u> Vomitoxin
Saskatchewan				
AG Seed Lab Box 998 Carrot River, Saskatchewan S0E 0L0	Loretta Buhler Tel: (306) 768-3335 Fax: (306) 768-2169 agseedlab@nutrien.com	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	<u>Cereals:</u> Fusarium. <u>Pulses:</u> Ascochyta, Anthracnose, Botrytis, Sclerotinia <u>Canola:</u> Blackleg, Alternaria, Sclerotinia
Discovery Seed Lab 450 Melville St. Saskatoon, Saskatchewan S7J 4M2	Shirley Baraniski Tel: (306) 249-4484 Fax: (306) 249-4434 sbaraniski@seedtesting.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	Barley for True Loose Smut	<u>Flax:</u> Triffid detection <u>Cereals:</u> Vomitoxin, Ochratoxin, fusarium, root rots, Wheat Midge Refuge testing, variety identification (Wheat & Barley) <u>Pulses:</u> Ascochyta, Anthracnose, Botrytis, Sclerotinia <u>Canola:</u> Blackleg, Alternaria, Sclerotinia Herbicide tolerance testing in RR Canola and LL Canola and RR Soybeans, clubroot (plant & soil) Clearfield confirm
Lendon Seed Lab 147 Hodsmen Road Regina, Saskatchewan S4N 5W5	Tej Prasad Tel: (306) 585-7333 Fax: (306) 585-7337 lendon.seeds@gmail.com	Purity and germination of all crop kinds in Grade Tables I to VII and XVIII	None	
Parkland Seed Lab 619 - 9th Avenue West Melville, Saskatchewan S0A 2P0	Mel Pitz Tel: (306) 508-0151 desireprice76@gmail.com	Germination of all crop kinds in Grade Tables I to VII and XVIII	None	
Prairie Diagnostic Seed Lab Inc. 1105 Railway Ave. E Weyburn, Saskatchewan S4H 3H5	Bonnie Ernst Tel: (306) 842-7375 Fax: (306) 842-7376 pdsli@sasktel.net	Purity and germination of all crop kinds in Grade Tables I to VII	Barley for True Loose Smut	
Seed Solutions Seed Labs Inc. 515 Thompson St. Herbert, Saskatchewan S0H 2A0	Shanna Stolhandske-Dale Tel: (306) 741-9309 Fax: (306) 773-4460 seedsolutions@xplonet.com	Purity: none Germination: Crop kinds in Grade Tables I to VI	None	
Alberta				
20/20 Seed Labs Inc. (AB) 507-11th Ave Nisku, Alberta T9E 7N5	Carey Matthiessen Tel: (780) 955-3435 Fax: (780) 955-3428 carey@2020seedlabs.ca	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	<u>Flax:</u> Triffid detection <u>Pulses:</u> Ascochyta spp.
SGS Canada Inc. (Sherwood Park) 280 Portage Close, Unit 310, Sherwood Park, Alberta T8H 2R6	Janek Bartel Tel: 1-800-952-5407 Fax: (866) 589-7051 janek.bartel@sgs.com	Purity and germination of all crop kinds in Grade Tables I to XI (except Orchardgrass) and XIII to XX	Barley for True Loose Smut	<u>Flax:</u> Triffid detection CLEARFIELD confirm in wheat & lentils <u>Cereals:</u> Fusarium spp., Root Rot, Fungal Scan. <u>Pulses:</u> Botrytis, Anthracnose, Ascochyta spp. <u>Canola:</u> Blackleg Varietal Identification in barley & wheat
SGS Canada Inc. (Grande Prairie) Suite C, 12803 - 100 St. Grande Prairie, Alberta T8V 4H3	Michelle Krawetz Tel: 1-877-532-8889 Fax: (780) 513-0115 michelle.krawetz@sgs.com	Purity and germination of all crop kinds in Grade Tables I to XX	None	
Precision Seed Testing Box 210 Beaverlodge, Alberta T0H 0C0	Sherry Corvalan Tel: (780) 354-2259 Fax: (780) 354-8955 precisionseed@xplonet.com	Purity: Crop kinds in Grade Tables I to VI, VIII to XI (except orchardgrass), XII to XV. Germination: Crop kinds in Grade Tables I to XI (except orchardgrass) XIII to XV	None	<u>Cereals:</u> Fusarium, <u>Pulses:</u> Ascochyta spp. <u>Canola:</u> Blackleg
Seed Check Technologies Inc. 101, 5906 - 50th Street Leduc, Alberta T9E 0R6	Morgan Webb Tel: (780) 980-8324 Fax: (780) 980-8375 morgan@seedcheck.net	Purity and germination of all crop kinds in Grade Tables I to XX	Barley for True Loose Smut	Fusarium, Blackleg, Alternaria, Sclerotinia, Ascochyta, Anthracnose, Botrytis, Root rot, Dome test, Herbicide tolerance, 1000 Seed weight, Vigour, Tetrazolium, Moisture, Clearfield of Lentil.

*Source: Canadian Food Inspection Agency, October 3, 2023



At Your Service



AG-QUEST

Research You Can Trust

Resistance Testing Services

Ag-Quest conducts resistance tests to help producers identify herbicide-resistant populations in weed seed samples.

Samples must be received by January 31st.

For more info: 204-776-2087 or www.agquest.com



BEISCHER FAMILY SEEDS

- Growers and processors of pedigreed seed
- Colour sorter equipped

Derrick Beischer / Owner
 204.564.2676 Plant | 204.773.6398 Cell
 Inglis, MB | beischerfamilyseeds@gmail.com

Murray Froebe
 Bailey Hill - Sales
 Homewood, MB

- Growers
- Processors
- Quality Seed



204-750-8366
 204-745-6655
www.agassizseedfarm.com

*We Know Beans!
 Soybeans since 1996.*




Box 205
 Sanford, MB
 ROG 2J0

Ph: 204.736.2278
 Fax: 204.736.4469

Growing & Processing
 Pedigreed Seed

TIM BERGEN
 204.793.3752
 Email: bergenseeds.tim@gmail.com




Armstrong Seeds Ltd

Pedigreed Seed Sales

AJ ARMSTRONG 204-534-2566
 Boissevain, MB Cell: 204-534-8599
armstrongseeds@gmail.com

PEDIGREED GROWERS AND PROCESSORS



Ian Froese

Boissevain Select Seeds

Cell: (204) 534-0752
 Ph.: (204) 534-6846
 Email: ian@boissevainselectseeds.ca

Box 957
 Boissevain, MB
 R0K 0E0




AVONDALE SEED FARM LTD.

SEED GROWERS AND PROCESSORS
 Reston, MB

FOR ALL YOUR PEDIGREE SEED NEEDS CONTACT
FRED, CAM OR JORDAN

OFFICE: 204-877-3813 FRED'S CELL: 204-522-5528 EMAIL: FGREIG.ASF@GMAIL.COM



CATELLIER SEED SERVICE

BOX 25, DUFROST, MB
 Bus: 204-347-5588
 Fax: 204-347-5890
 E-mail: info@catellierseeds.com

SCOTT 204-921-0094
 RICHARD 204-746-4175
 PATRICK 204-746-4546
 ROGER 204-746-4642

PEDIGREED SEED GROWER/PROCESSOR



Doug Heaman
Virten, MB
204-748-7666
djheaman82@gmail.com
clearviewacresltd.com



- » Pedigreed Cereal, Pulse and Specialty Crops
- » Soybean Seed Sales & Treating (Young R2X & Amirani R2)
- » Buyers Of Off Grade Hemp
- » Industrial Hemp Planting Seed (Canda, CRS-1&X-59)
- » Grain Roasting/Devitalizing
- » Industrial Hemp Cleaning & Colour Sort
- » Hemp Marketing



FISHER SEEDS LTD.

ROD FISHER | ALLISON FISHER

Dauphin, MB
Phone: 204-622-8800
Fax: 204-622-8809

Email: rod@fisherseeds.com
Email: allison@fisherseeds.com
www.fisherseeds.com




CourtSeeds

Quality Cereals, Oilseeds & Specialty Crops
Licensed Treating & Processing Facility
Agronomy Services
Your Supplier of Quality Seed

PO Box 280 Plumas, MB R0J 1P0
204 386-2354 courtseeds@gmail.com courtseeds.ca



CURRENTLY CONTRACTING OATS FOR IMMEDIATE OR FUTURE DELIVERIES



PIONEER.
SPECIALIZING IN CANOLA, BEANS AND CORN

Phone: 204-364-2308
floyd oat@mts.net • Arborg, MB



Dauphin Plains Seeds Ltd.

Dauphin, MB
Jim Kaleta - Ph: (204) 638-7800
jdkaleta@mymts.net
1 (204) 638-0215 cell/text

CEREALS, FORAGES, and SOYBEANS
TREATING and INNOCULATING services

FRASER SEEDS LTD.

Minto, Manitoba Half mile south of Minto on #10 Hwy, 3 miles west, and 1/2 mile north

Email: frasersd@mymts.net
Plant: 204-776-2047
Rick: 204-534-7458 • Jay: 204-534-7722



Marc Durand

Pedigree Seed Grower & Processor

Phone: (204) 248-2268
Fax: (204) 248-2495
Cell: (204) 745-7577

P.O. Box 60
Notre-Dame-de-Lourdes, MB
R0G 1M0
durandseeds@gmail.com

CEREALS • OILSEEDS • SOYBEANS • SEED TREATMENT • TURF SEEDS



Box 308, Rosenort, MB R0G 1W0
Ph.: (204) 746-8325 Fax: (204) 746-8039

Rick Friesen rick@friesenseeds.ca
Kevin Rempel kevin@friesenseeds.ca

www.friesenseeds.ca SELECT SEED GROWERS



(Situating in the village of Reinland)
Sellers of Pedigreed Seeds Since 1942

- Wheat
- Oats
- Edible Beans
- Soybeans
- Corn
- Forage Seeds

Ens Quality Seed

194 Reinland Avenue, Reinland MB R6P 0G5
Phone 204-325-4658 • E-mail: info@ensfarmsltd.com

Visit our website at ensqualityseed.com



Box 59, R.R.1
Morris, Manitoba R0G 1K0

PEDIGREED SEED GROWER / SEED SALES

Buyer, processor and exporter of special crops

PHONE 204.746.2026 FAX 204.746.2343
EMAIL sales@horizonagro.com WEBSITE www.horizonagro.com



INTEGRITY SEED LAB LTD

Glen Green

Senior Analyst, S.I.R.A., Grader
Vice President of Integrity Seed Lab
g.green@integrityseedlab.com

8040 Park Royal Way
Box 17 Group 210 RR2 R3C 2E6
Phone: 204-774-1882
Fax: 204-774-1881

www.integrityseedlab.com

Ron
Phone: 204.782.2173
Email: ron@manness.ca



Monique
Phone: 204.299.2162
Email: monique@manness.ca

Grow with us!

Domain, MB

Pedigreed seed growers, processors and retailer of top quality seed.
Wheat . Oats . Barley . Flax . Peas . Soybeans . Canola . Corn . Forage . Lawn

**David James
President**

58 152 James Farm Rd
Navin MB
Phone 1.204.222.8785
djames@jamesfarms.com
www.jamesfarms.com

James Farms LTD.
For Quality Seed



Matt & Bertha Sawatzky

MB SEEDS Ltd.
Box 217 Lowe Farm, MB R0G 1E0
Phone: (204) 746-2187
Cell: (204) 746-4652
Email: mb@mbseeds.ca

Seed Cleaning & Sales / Soybeans / Oilseed / Cereals & Seed Treatment



**KEATINGSEED
CO**
"Grow Your Best Crop Ever!"

- Seed Sales
- Seed Treating
- Custom Processing
- Contract Production
- Precise Optical Sorting
- Spring & Winter Cereals
- GM & Non-GM Soybeans
- Yellow Peas
- Black Beans & Fabas
- Industrial Hemp

204-773-3854

Russell MB

www.keatingseed.ca



PEDIGREED SEED SALES & SERVICES

Steven Chabot Andrea Miller

204.267.2363 – Box 83, Oakville, MB – www.milleragritec.ca

Knight Seeds

Farmers Supplying Farmers

Ron Knight | Owner
ron@knightseeds.com c:204-365-7430

CONVEY-ALL MERIDIAN
Authorized Dealer

204-764-2450 | Hamiota, MB | www.knightseeds.com



**Nadeau
Seeds Inc**

Brian Nadeau • Kara Nadeau

Our seed, your future.

A business built on relationships, service and trust.

204.436.2469 | Box 40 Fannystelle, MB | www.nadeauseeds.ca

**Trent VanHumbeck
Manager**

Tel: 204-447-2916
Fax: 204-447-2937
Cell: 204-647-3314



LAUREX SEEDS LTD.

**PEDIGREED SEED CHEMICAL
SEED TREATING EXPORTS**

Box 55
Laurier, MB, R0J 1A0
E-mail: laurex@goinet.ca

**plan it
seed it
harvest it**

Seed Manitoba helps you make your most important cropping decisions



New Generation – New Genetics

JEFF ASKIN

Cell: (204) 856-3483
E-mail: jeffaskinaf@gmail.com

RAY ASKIN

Phone: (204) 274-2417
Cell: (204) 856-6475
E-mail: askinfarmsmb@gmail.com

R.R. #4, Box 9, Portage la Prairie, MB, R1N 3A4
Complete Customer Satisfaction is our Goal!

Seed Depot Corp

4-5 Londesboro Road, Box 208, Pilot Mound, MB R0G 1P0



Walt Smith
Director

Ph: 204-825-2000
Fax: 204-825-2758
walt@seeddepot.ca

www.seeddepot.ca

Working hard to earn your trust!

NICKEL BROS.

**Certified Seed & Contract Growers
Wholesale & Retail – Rail Loading
204 773 6734 • 204 842 3757
Solsgirth, MB**

Gordon & Kevin
gordonnickel@hotmail.com



Bolles | Wheatland | Starbuck | Prosper

SEED-EX Inc.

Roger Barnabé
President

Box 238
Letellier, Manitoba
Canada R0G 1C0

Phone: 1-204-737-2000
Fax: 1-204-737-2102
Toll Free: 1-800-258-7434
Email: roger@seed-ex.com



Pitura SEEDS

Domain, MB R0G OMO PH: (204) 736-2849 @Pituraseeds

www.pituraseeds.ca

It Starts with the Seed.



SEINE RIVER SEED FARM



PEDIGREED SEED GROWERS
SELLING QUALITY SEED SINCE 1964

BRIAN DUECK

R.R. 1, BOX 6-A
STE. ANNE, MB R5H 1R1
CELL (204) 371-7700
EMAIL: srsfarm@live.com
www.seineriverseedfarm.ca



SOY BEANS CEREALS FORAGES



**ROB PARK
SHERRY WOODS**
Office 204-745-3304
CARMAN, MB

**YOUR PROFESSIONAL
SEED PARTNER**



SIERENS SEED SERVICE

**SEED GROWERS, PROCESSORS, RETAILERS
& CROP PROTECTION PRODUCTS**

Call: Joe or Chris Somerset, MB • Phone: 204-744-2883
sierensseedservice.com

R-WayAg

Proven, Reliable, Progressive.

• Pedigreed Seed Sales • Processing, Retail • Crop Inputs

Guy Rouire | Guy Labossiere
Cell: 745-8425 | Cell: 750-2292

www.rwayag.com
Toll Free # 866-398-9643
Box 388, St. Claude, MB R0G 1Z0



SISSONS FARMS

EST 1871

Pedigreed Seed Growers, Processors, Seed Sales
Portage la Prairie, MB

Blye Sissons:

1-204-856-9908
sissonsfarms@gmail.com



Wheat & Pinto Beans



ADVERTISER INDEX

.....	page
20/20 Seed Labs Inc.	62
Agassiz Seed Farm	43
Alliance Seed Corp.	25
BASF	7
Bayer CropScience	2,48
Brett-Young Seeds Ltd.	50
Business Card Directory	110
Canterra Seeds	53
Corteva Agriscience	13,18,45
D Murray Farms Inc.	41
FP Genetics	29
Fraser Seeds Ltd.	37
Friesen Seed Limited	87
Jefferies Seeds	47
JS Henry & Son Ltd.	108
KWS Seeds Canada	65
Lallemand Plant Care	55
LD Seeds	108
Maizex Seeds	105
Manitoba Agricultural Services Corp.	81
Manitoba Pulse & Soybean Growers	76
Manitoba Seed Growers Association	39
Martens Charolais & Seed	84
Meridian Manufacturing Inc.	21
Nexeed Inc.	95
NorthStar Genetics	57,89
Pickseed Canada Inc.	106
Pitura Seed Service	9
Pride Seeds	86
Redsper Enterprises Ltd.	38
Rutherford Farms Ltd.	44
SeCan.....	4,16,83,116
Seed Depot	19,27,28,115
Seed Source Inc.	106
SeedNet Inc.	96
Semences Prograin Inc.	11
Sevita International Corporation	73
Syngenta Canada Inc.	63
Westland Insurance Group Ltd.	107
XiteBio Technologies Inc.	40



**southern
seed Ltd.**

Jake Ayre
E-Mail: jake.ayre@plantpioneer.com
@southern_seed0

NE 31-5- 19 W, Box 203, Minto MB R0K 1M0
Phone: 204-534-5023 • Fax: 204-776-2378
www.southernseed.ca



Unger Seed Farm Ltd.

Ron Unger
Cell: 204-461-0051

Darcy Unger
Cell: 204-794-6446

PHONE: 204-467-8630 FAX: 204-467-9560

EMAIL: admin@ungerseed.ca

BOX 471, Stonewall, Manitoba R0C 2Z0

GROWER - PROCESSOR - PEDIGREED SEED

Ph:204-825-4543
wallacej.seeds@gmail.com

WALLACE SEEDS



SeCan **CANTERRA SEEDS**

JOE WALLACE
RR#3 Pilot Mound, MB
R0G 1P0

Growing-Processing-Wholesale-Retail



**CEREALS • FORAGE • CANOLA
SOYBEANS • SEED TREATING**

WHEAT CITY SEEDS LTD

Allan Martin
Phone: (204) 727-3337
wheatcityseeds@gmail.com
Box 74, Site 30, RR 2, Brandon, Manitoba, R7A 5Y2



**Willowdale
SEEDS**

Oakbank, MB
Seed Growers, Processors, Seed Sales

Cereals - Forage -
Canola - Soybeans -
Corn

Daniel Wyrich
CELL: (204) 801-0659
EMAIL: uwyrich@gmail.com







Smith Family Seeds Pilot Mound, MB

Walt Smith—204-825-7810

Dave Schroeder—204-245-0968



**Wheat—Prosper, AAC Brandon,
Bolles, SY Manness, AAC Starbuck,
AAC Wheatland, Faller, Cardale
Barley—Conlon, Richer
Oats—AC Summit, CDC Anson
Peas—AAC Chrome, CDC Lewochko**



Seed Specialists:

**Growing
Cleaning
Storing
Shipping**

SeCan

Canada's Seed Partner

An all-star line up for a

Home Run



Bases loaded for the 2025 season!

AAC Brandon

The Wheat King

- ✓ #1 CWRS for 9 years
- ✓ short, strong straw
- ✓ MR to FHB

AAC Starbuck VB

Triple threat

- ✓ great yield
- ✓ MR to FHB
- ✓ midge tolerant

AAC Wheatland VB

Breakout performance

- ✓ exceptional yield
- ✓ short, super strong straw
- ✓ midge tolerant



Genes that fit your farm.®
800-665-7333 secan.com

Developed by Agriculture & Agri-Food Canada, Swift Current.
Genes that fit your farm® is a registered trademark of SeCan.